

A Distribution of Possibilities

Project: Verified Study Buddy

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Predictive and Generative AI

Without opening the old lesson, explain one key idea from Predictive and Generative AI. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Calculate the paths for Next token distributions. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Next token distributions. Proposed explanation: “Conditional products assume independence”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Analyse a new table independently

First tokens go=0.4, wait=0.35, ask=0.25. End probabilities given them are 0.5,0.8,1 respectively; each branch has a complementary more token. Compute all three end-path probabilities and their sum. Which first token is greedy, which end path is largest, and does either verify a real status?

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. Your learning target

A toy next-token distribution is sun=.5, rain=.3, snow=.2. Over ten samples, must sun occur exactly five times? Does the highest-probability token establish a true statement about weather?

6. Solve the given case

A toy next-token distribution is rain .5, sun .3, snow .2.

Check total and interpret the largest value.

Show your trace, calculation or evidence

Write or draw your reasoning and evidence.

7. Check a changed case

A toy next-token distribution assigns cat 0.5, dog 0.3 and bird 0.2. Check the total and name the most likely token. Must it be selected every time when sampling?

My independent answer and reason

Write or draw your reasoning and evidence.

Week 2 Test and reflect

8. Design a revealing test

Create a changed input, boundary case or missing-information case. Write the expected answer or safe response before testing.

Test record · My evidence

Test record: Changed input or condition

My evidence: _____

Test record: Expected answer or fallback

My evidence: _____

Test record: Observed result

My evidence: _____

Test record: Why the result occurred

My evidence: _____

9. Project checkpoint

Explain that Study Buddy responses come from possibilities, so important claims need checks.

The project change and evidence I will keep

Write or draw your reasoning and evidence.

10. Self check

I can explain the mechanism. I can show evidence. I can handle a changed case. I can name a limit. Mark each as not yet, with help or independently, and attach supporting work.

Teacher review _____ Next step _____

11. Transfer practice from the original programme

A toy next-token distribution is sun=.5, rain=.3, snow=.2. Over ten samples, must sun occur exactly five times? Does the highest-probability token establish a true statement about weather?

My independently reasoned answer

Record support used: none, hint or teacher explanation.

12. W1 Validate the table

Check 0.5,0.3,0.2 as probabilities. Interpret their sum and the complement of ready.

My reasoning and evidence

13. W2 Calculate the paths

Compute ready,end; busy,end; unknown,end and their combined probability.

My reasoning and evidence

14. W3 Test a greedy claim

Use $A=0.6, B=0.4$ and end conditional probabilities 0.51 and 1. Compare greedy A,end with B,end.

My reasoning and evidence

15. W4 Analyse a new table independently

First tokens go=0.4, wait=0.35, ask=0.25. End probabilities given them are 0.5,0.8,1 respectively; each branch has a complementary more token. Compute all three end-path probabilities and their sum. Which first token is greedy, which end path is largest, and does either verify a real status?

My reasoning and evidence

16. W5 Normalise with a stated rule

Weights are ready 6,busy 3,unknown 1. Convert them into probabilities. What if a weight is -1?

My reasoning and evidence

17. Embeddings and position — W1 Look up vectors

For red blue name the IDs, embedding rows and shape before adding positions.

My reasoning and evidence

18. Embeddings and position — W2 Add positions

Compute representations for red blue and blue red under the stated position table.

My reasoning and evidence

19. Embeddings and position — W3 Audit the sum

Sum the rows for both sequences. Does the sum establish that the original text had the same order?

My reasoning and evidence

20. Embeddings and position — W4 Trace new vectors independently

Embeddings $A=[1,2]$, $B=[3,0]$, position $0=[0,1]$, position $1=[1,0]$. Compute represented rows and sums for A B and $B A$. Explain what the equal sums mean.

My reasoning and evidence

21. Embeddings and position — W5 Handle a shape failure

An embedding has width two but its position vector has width three. The input also contains a third position absent from the table. Specify honest handling.

My reasoning and evidence

22. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

23. Pictorial case practice: A Distribution of Possibilities

A fictional two-stage token tree illustrates next-token prediction.


First token probabilities: sun 0.55, rain 0.45. Given sun: end 0.4, more 0.6. Given rain: end 0.9, more 0.1.

These are complete toy branches; end paths stop, more paths do not.

AI ACADEMY / AI-3/2

Joint probabilities of the four toy branches

probability



Bar length shows the supplied value; the marked baseline is zero.

A Distribution of Possibilities

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. First distribution

sun 0.55, rain 0.45: greedy first choice is sun.



2. Sun branches

sun -> end: $0.55 \times 0.4 = 0.22$; sun -> more: $0.55 \times 0.6 = 0.33$.



3. Rain branches

rain -> end: $0.45 \times 0.9 = 0.405$; rain -> more: $0.45 \times 0.1 = 0.045$.



4. Compare end paths

rain -> end is the more probable of the two complete end paths.

CHANGE ONE THING

Raise end-given-sun to 0.8 and lower more-given-sun to 0.2.

Explain the changed result using the matching lesson.

Why is 0.625 not a broken probability sum?

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: Explain Study Buddy generation as conditional choices, while checking the finished factual claims against sources.