

Nearest Neighbors

Project: Responsible Plant Classifier

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Decision Trees

Without opening the old lesson, explain one key idea from Decision Trees. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Dataset Cards

Without opening the old lesson, explain one key idea from Dataset Cards. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Label Quality

Without opening the old lesson, explain one key idea from Label Quality. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Apply neighbour and tie rules for Nearest neighbours and distances. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Nearest neighbours and distances. Proposed explanation: “A negative difference is a negative distance”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Changed independent case

Training points: A length1 healthy, B length5 spotted, C length9 healthy. Query length7. Use absolute distance; for a nearest-neighbor tie choose the alphabetically earlier ID. Compare $k=1$ and $k=3$.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. Your learning target

Training lengths 2(H),6(S),10(H); query=8. Compute distances. Explain the tie and why combining length in mm with width in cm changes a two-feature distance.

6. Solve the given case

One-dimensional training points: 2 healthy, 4 healthy, 8 spotted. Query=6; absolute distance.

Find $k=1$ neighbours and handle ties.

Show your trace, calculation or evidence

Write or draw your reasoning and evidence.

7. Check a changed case

For one feature, labeled points are 2:fern and 8:grass. A new point is 6. Under one-nearest-neighbor with absolute distance, predict its label.

My independent answer and reason

Write or draw your reasoning and evidence.

Week 12 Test and reflect

8. Design a revealing test

Create a changed input, boundary case or missing-information case. Write the expected answer or safe response before testing.

Test record · My evidence

Test record: Changed input or condition

My evidence: _____

Test record: Expected answer or fallback

My evidence: _____

Test record: Observed result

My evidence: _____

Test record: Why the result occurred

My evidence: _____

9. Project checkpoint

Implement a transparent k-NN paper prototype for the Plant Classifier and record the chosen features, scaling, distance, and k.

The project change and evidence I will keep

Write or draw your reasoning and evidence.

10. Self check

I can explain the mechanism. I can show evidence. I can handle a changed case. I can name a limit. Mark each as not yet, with help or independently, and attach supporting work.

Teacher review _____ Next step _____

11. Transfer practice from the original programme

Training lengths 2(H),6(S),10(H); query=8. Compute distances. Explain the tie and why combining length in mm with width in cm changes a two-feature distance.

My independently reasoned answer

Record support used: none, hint or teacher explanation.

12. W1 Calculate feature distances

For query 3 cm, calculate distances to all five training rows. Explain why A and B tie even though their labels differ.

My reasoning and evidence

13. W2 Apply neighbour and tie rules

For query 3, list the selected IDs and predictions for $k=1$ and $k=3$ using alphabetical ID order on equal distances. Explain what changes and what remains the same.

My reasoning and evidence

14. W3 Keep evaluation examples separate

Why must the three validation reference labels not enter the neighbour pool? Give the fixed $k=3$ score and baseline score on the worked validation examples.

My reasoning and evidence

15. W4 Find neighbours independently

New training rows are P at 1 cm clear, Q at 5 blocked, R at 7 blocked, S at 11 clear, T at 13 blocked. For query 6, give all distances, order the IDs by distance then alphabetically, and predict with $k=1$ and $k=3$. Using the same training pool and $k=3$, score validation (6,blocked),(10,clear),(12,blocked). Compare the training-majority baseline.

My reasoning and evidence

16. W5 Interpret a vote and a match

Two of three neighbours vote clear. Does that prove a two-thirds chance of a correct prediction? Does an exact feature match guarantee a correct label? Explain both limits.

My reasoning and evidence

17. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.


18. Pictorial case practice: Nearest Neighbors

Let a nearest-neighbour picture show each distance before voting.

Training: A length 2 healthy; B length 8 spotted; C length 11 spotted. Query length 5 cm. Distance is absolute difference; ties use alphabetically earlier ID.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

One-dimensional neighbours shown along length axis



Horizontal: length (cm); vertical: fixed display row, $y=0$

1: A healthy at (2, 0)

2: B spotted at (8, 0)

3: C spotted at (11, 0)

Cross: query at (5, 0)

Distance rule: Absolute length difference; ties use alphabetically earlier ID

Nearest Neighbors

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Measure distances

To A: $|5-2|=3$; B: $|5-8|=3$; C: $|5-11|=6$ cm.



2. Apply k=1 rule

A and B tie nearest; declared ID tie-break chooses A, predicting healthy.



3. Compare k=3

All three vote: two spotted and one healthy, so k=3 predicts spotted.

CHANGE ONE THING

Move the query to length7 cm.

Explain the changed result using the matching lesson.

Why is the k=1 outcome at length5 not uniquely determined without a tie rule? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.