

Accuracy and Imbalance

Project: Responsible Plant Classifier

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Confusion Matrix

Without opening the old lesson, explain one key idea from Confusion Matrix. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Train a Classifier

Without opening the old lesson, explain one key idea from Train a Classifier. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Baselines First

Without opening the old lesson, explain one key idea from Baselines First. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Compare both class fractions for Accuracy and class imbalance. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Accuracy and class imbalance. Proposed explanation: “High accuracy means both classes work well”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Changed independent case

Validation has 90 healthy and 10 spotted cases. Always-healthy predicts all healthy. Another model has TP7, FN3, FP8, TN82. Compare accuracy and spotted recall.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. Your learning target

Model A is always healthy on 96 healthy and 4 spotted leaves. Model B finds 3 spotted but falsely flags 5 healthy. Compare accuracy and spotted detection.

6. Solve the given case

A dataset has 95 healthy and 5 spotted. Model predicts healthy for all.

Calculate and critique accuracy.

Show your trace, calculation or evidence

Write or draw your reasoning and evidence.

7. Check a changed case

A classifier predicts healthy for all 100 plants; 95 are healthy and 5 diseased. Compute accuracy and diseased recall.

My independent answer and reason

Write or draw your reasoning and evidence.

Week 16 Test and reflect

8. Design a revealing test

Create a changed input, boundary case or missing-information case. Write the expected answer or safe response before testing.

Test record · My evidence

Test record: Changed input or condition

My evidence: _____

Test record: Expected answer or fallback

My evidence: _____

Test record: Observed result

My evidence: _____

Test record: Why the result occurred

My evidence: _____

9. Project checkpoint

Check Plant Classifier class balance and select metrics that keep the spotted-leaf class visible.

The project change and evidence I will keep

Write or draw your reasoning and evidence.

10. Self check

I can explain the mechanism. I can show evidence. I can handle a changed case. I can name a limit. Mark each as not yet, with help or independently, and attach supporting work.

Teacher review _____ Next step _____

11. Transfer practice from the original programme

Model A is always healthy on 96 healthy and 4 spotted leaves. Model B finds 3 spotted but falsely flags 5 healthy. Compare accuracy and spotted detection.

My independently reasoned answer

Record support used: none, hint or teacher explanation.

12. W1 Score the majority baseline

Training has 16 clear and 4 blocked labels. State the majority rule. On the worked evaluation, give its matrix, accuracy, false positives and false negatives with blocked positive. Explain why 80 percent is incomplete.

My reasoning and evidence

13. W2 Compare both class fractions

For the worked candidate $[[12,4],[0,4]]$, give ordinary accuracy, both class-specific correct fractions, balanced accuracy, false positives and false negatives. Compare with the baseline.

My reasoning and evidence

14. W3 Explain a changed class mix

For the illustrative 8-clear 8-blocked set, use baseline $[[8,0],[8,0]]$ and candidate $[[6,2],[0,8]]$. Calculate ordinary and balanced accuracy for each. Explain what stayed fixed and what this example does not prove.

My reasoning and evidence

15. W4 Assess a new comparison independently

New training labels have a clear majority. A separate evaluation has 18 clear and 2 blocked records. The always-clear baseline is $[[18,0],[2,0]]$ and candidate is $[[15,3],[1,1]]$, with reference rows and clear then blocked on both axes. Calculate ordinary accuracy, both class fractions and balanced accuracy for each. Give candidate FP and FN, then explain why the metrics do not choose an automatic winner.

My reasoning and evidence

16. W5 Limit claims from missing classes

An evaluation contains ten clear cases and no blocked cases. All predictions are clear. State ordinary accuracy, explain why blocked performance is unavailable, and describe how our code handles the missing class.

My reasoning and evidence

17. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

18. Pictorial case practice: Accuracy and Imbalance

Show how a common healthy class can hide complete failure to detect spotted leaves.

Toy evaluation has 18 healthy and 2 spotted leaves. Always-healthy predicts all healthy. A candidate has TP 2, FN 0, FP 3, TN 15.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Candidate decisions

	predicted spotted	predicted healthy
actual spotted	2	0
actual healthy	3	15

Read a cell using both its row and column labels.

Accuracy and Imbalance

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Score trivial baseline

Always healthy is $18/20=90\%$ accurate but detects $0/2$ spotted leaves.



2. Score candidate

Candidate accuracy is $17/20=85\%$; spotted recall is $2/2=100\%$.



3. Compare consequences

Candidate catches both spotted leaves while producing three false alarms; choose with stated costs and review needs.

CHANGE ONE THING

The candidate's three false alarms are corrected without changing its detections.

Explain the changed result using the matching lesson.

Why can the 90% baseline still be unsuitable for a detection task? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.