

Loss functions

Project: Image-pattern Network Investigation

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Parameters and architecture

Without opening the old lesson, explain one key idea from Parameters and architecture. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Composing layers

Without opening the old lesson, explain one key idea from Composing layers. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Dot products and weighted sums

Without opening the old lesson, explain one key idea from Dot products and weighted sums. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Expose cancellation for Loss functions. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Loss functions. Proposed explanation: “Average residual is the loss”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Compare an unfamiliar evaluation independently

Targets are [0, 2, 4]. Model A predicts [1, 2, 3]; model B predicts [0, 2, 2]. Calculate both MSEs and identify the better model under MSE on these cases. Calculate mean absolute errors too. State what changes in the conclusion.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. W1 Calculate a loss

For targets [2, 4] and predictions [1, 6], record residuals, squares and MSE.

My reasoning and evidence

6. W2 Expose cancellation

Targets [0, 4] have predictions [2, 2]. Compare mean residual and MSE.

My reasoning and evidence

7. W3 Check the denominator

A learner totals squared errors 1, 0, 9 and divides by 2 because there are two nonzero errors. Correct the MSE.

My reasoning and evidence

8. W4 Compare an unfamiliar evaluation independently

Targets are [0, 2, 4]. Model A predicts [1, 2, 3]; model B predicts [0, 2, 2]. Calculate both MSEs and identify the better model under MSE on these cases. Calculate mean absolute errors too. State what changes in the conclusion.

My reasoning and evidence

9. W5 Protect final testing

A team tries ten models and picks the one with the lowest final-test MSE. Can that same result be presented as an untouched final evaluation?

My reasoning and evidence

10. Project checkpoint and reflection

Add a labelled loss functions evidence sheet to Image-pattern Network Investigation. Show how you can calculate per-example squared error and mean squared error. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

11. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

12. Pictorial case practice: Loss functions

Compare candidate losses with the same targets and denominator.

Targets [1, 3]; A predicts [0, 4]; B predicts [1, 5]. Use MSE over both cases.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

MSE comparison on shared targets


squared target units

model A



1

model B



2

Bar length shows the supplied value; the marked baseline is zero.

Loss functions

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. A squared errors

A residuals $[-1, 1]$ give squares $[1, 1]$, MSE1.



2. B squared errors

B residuals $[0, 2]$ give squares $[0, 4]$, MSE2.



3. Compare objective

A wins under MSE; both MAEs equal1.

CHANGE ONE THING

Choose MAE instead of MSE as the sole criterion.

Explain the changed result using the matching lesson.

Why must the report name the chosen loss? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.