

Sequence representations

Project: Image-pattern Network Investigation

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Augmentation and leakage

Without opening the old lesson, explain one key idea from Augmentation and leakage. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Pooling and spatial information

Without opening the old lesson, explain one key idea from Pooling and spatial information. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Learned representations

Without opening the old lesson, explain one key idea from Learned representations. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Expose an order collision for Sequence representations. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Sequence representations. Proposed explanation: “Larger token IDs mean more of a concept”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Apply a fresh schema independently

Use PAD = 0, UNK = 1, OPEN = 2, CLOSE = 3, CHECK = 4 and five stored positions. Encode OPEN CHECK CLOSE and give its mask and final real position. Separately, sensor values [0, 6, 3, 0, 0] have that same mask. Calculate their masked mean and the incorrect mean over all five slots.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. W1 Encode and recover the final event

Encode GO TURN STOP using the lesson vocabulary and four positions. Give its mask, real length and final real event.

My reasoning and evidence

6. W2 Expose an order collision

Give two logs made of exactly GO, TURN and STOP once each that have equal count vectors but different answers to whether the final event is STOP.

My reasoning and evidence

7. W3 Separate unknown from padding

Encode WAIT GO. Which positions are real? Compare it with PAUSE GO, and state what information the encoding loses.

My reasoning and evidence

8. W4 Apply a fresh schema independently

Use PAD = 0, UNK = 1, OPEN = 2, CLOSE = 3, CHECK = 4 and five stored positions. Encode OPEN CHECK CLOSE and give its mask and final real position. Separately, sensor values [0, 6, 3, 0, 0] have that same mask. Calculate their masked mean and the incorrect mean over all five slots.

My reasoning and evidence

9. W5 Audit length and empty input

The encoder receives five events ending in STOP, then an empty log. What should it do under the lesson contract? Why should a program not simply crop the first and assume a final event for the second?

My reasoning and evidence

10. Project checkpoint and reflection

Add a labelled sequence representations evidence sheet to Image-pattern Network Investigation. Show how you can encode an ordered sequence with an explicit vocabulary. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

11. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

12. Pictorial case practice: Sequence representations

Distinguish padding positions from meaningful zero sensor readings.

Toy tokens PAD0, UNK1, LEFT2, RIGHT3; stored length4. Sequence LEFT RIGHT encodes [2, 3, 0, 0], mask [1, 1, 0, 0].

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Sequence representations

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Encode real tokens

LEFT and RIGHT occupy positions 0 and 1.



2. Mark padding

Positions 2 and 3 are storage padding; mask marks them 0.



3. Compare sensor example

Readings [0, 4, 0, 0] with real length 2 use mask [1, 1, 0, 0]; the first zero is a real measurement.

CHANGE ONE THING

A missing sequence length causes every numeric 0 to be treated as padding in the sensor example.

Explain the changed result using the matching lesson.

Which record lets the program distinguish the first and last zeros? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.