

Embeddings and neighbourhoods

Project: Image-pattern Network Investigation

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Sequence representations

Without opening the old lesson, explain one key idea from Sequence representations. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Training a small image model

Without opening the old lesson, explain one key idea from Training a small image model. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Image tensors and channels

Without opening the old lesson, explain one key idea from Image tensors and channels. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Calculate distances and a tie for Embeddings and neighbourhoods. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Embeddings and neighbourhoods. Proposed explanation: “Token ID differences define embedding distances”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Find a neighbourhood independently

A separate table contains A [0, 0], B [2, 0] and C [1, 2]. For query [1, 0], give all squared distances and every nearest candidate. Then calculate the mean of A and B and compare it with the query. Can that mean identify which ordered pair produced it?

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. W1 Trace the lookup shape

Using the original table, embed TURN WAIT STOP with one right-padding slot. Give the vector sequence, mask and shape.

My reasoning and evidence

6. W2 Calculate distances and a tie

For query [1, 0], compute squared distances to GO, TURN, STOP and WAIT in the original table. Return all nearest candidates.

My reasoning and evidence

7. W3 Trace a trainable row

For the isolated GO-row update, give the gradient, updated vector, starting loss and new loss. Which other token now shares the vector?

My reasoning and evidence

8. W4 Find a neighbourhood independently

A separate table contains A [0, 0], B [2, 0] and C [1, 2]. For query [1, 0], give all squared distances and every nearest candidate. Then calculate the mean of A and B and compare it with the query. Can that mean identify which ordered pair produced it?

My reasoning and evidence

9. W5 Keep the lookup consistent

A developer swaps the IDs of GO and STOP but leaves the embedding rows unchanged. What goes wrong, and what must be saved or changed together?

My reasoning and evidence

10. Project checkpoint and reflection

Add a labelled embeddings and neighbourhoods evidence sheet to Image-pattern Network Investigation. Show how you can look up a vector using a token id and preserve sequence shape. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

11. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.


12. Pictorial case practice: Embeddings and neighbourhoods

Measure embedding neighbours without turning numerical proximity into factual certainty.

Toy table $P=[0, 1]$, $Q=[3, 1]$, $R=[1, 4]$; query $[1, 1]$. Use squared Euclidean distance.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Squared Euclidean embedding distances



Horizontal: first embedding coordinate; vertical: second embedding coordinate

1: P at (0, 1)

2: Q at (3, 1)

3: R at (1, 4)

Cross: query at (1, 1)

Distance rule: Squared Euclidean distance

Embeddings and neighbourhoods

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Distance to P

$$(1-0)^2 + (1-1)^2 = 1.$$



2. Distances to Q/R

Q distance 4; R distance 9.



3. Select neighbour

P is nearest under the declared metric; this is a geometric result, not proof of meaning.

CHANGE ONE THING

Move the query to [2, 1].

Explain the changed result using the matching lesson.

What would justify claiming nearby vectors mean related topics? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.