

Similarity and normalisation

Project: Image-pattern Network Investigation

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Embeddings and neighbourhoods

Without opening the old lesson, explain one key idea from Embeddings and neighbourhoods. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Augmentation and leakage

Without opening the old lesson, explain one key idea from Augmentation and leakage. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Convolution as a local operation

Without opening the old lesson, explain one key idea from Convolution as a local operation. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Compare the rankings for Similarity and normalisation. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Similarity and normalisation. Proposed explanation: “Cosine is a probability”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Compare a new case independently

Use query [5, 0] and candidates P [10, 0], R [4, 3] and S [0, 5]. Calculate all raw squared distances and cosines, name each winner, and give squared distances after normalising both query and candidates. Explain the changed ranking.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. W1 Trace the unit vectors

For Q [3, 4], A [6, 8] and C [-3, -4], give each length and unit vector. Explain one distinction that normalisation removes and one that it preserves.

My reasoning and evidence

6. W2 Compare the rankings

For query Q, write the raw squared distances and cosines to A, B and C from the lesson. Name the winner under each rule. Calculate squared distances after normalising both sides and check the relationship to cosine.

My reasoning and evidence

7. W3 Handle a vector without direction

A candidate set contains Z [0, 0] and B [3, 0]. With nonzero query Q, what happens under this lesson's zero-vector policy? What if Q is zero, or Z is the only candidate? Explain why replacing an undefined cosine with zero is misleading.

My reasoning and evidence

8. W4 Compare a new case independently

Use query [5, 0] and candidates P [10, 0], R [4, 3] and S [0, 5]. Calculate all raw squared distances and cosines, name each winner, and give squared distances after normalising both query and candidates. Explain the changed ranking.

My reasoning and evidence

9. W5 Audit a proposed improvement

For event-count vectors $[3, 4]$ and $[6, 8]$, what useful information can normalisation remove? A team chooses cosine because it improves results on the final evaluation set, then calls that same set independent evidence. Explain how to repair the evaluation plan.

My reasoning and evidence

10. Project checkpoint and reflection

Add a labelled similarity and normalisation evidence sheet to Image-pattern Network Investigation. Show how you can calculate vector length and normalise a nonzero vector. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

11. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.


12. Pictorial case practice: Similarity and normalisation

Compare angular alignment with raw distance on the same vectors.

Query $[2, 0]$; $P=[8, 0]$; $Q=[2, 1]$. Nonzero vectors only; compare squared Euclidean distance and cosine.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Raw proximity differs from angular alignment



Horizontal: first vector coordinate; vertical: second vector coordinate

1: P at (8, 0)

2: Q at (2, 1)

Cross: query at (2, 0)

Distance rule: Compare squared Euclidean distance and cosine

Similarity and normalisation

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Raw distances

P distance 36; Q distance 1, so Q is closer in raw coordinates.



2. Angular similarity

$\text{Cosine}P=1$; $\text{cosine}Q=2/\sqrt{5}\approx 0.8944$, so P aligns more closely.



3. Normalise

Unit query $[1, 0]$, P $[1, 0]$, Q $[2/\sqrt{5}, 1/\sqrt{5}]$; normalised distance P0.

CHANGE ONE THING

Replace P with $[0, 0]$.

Explain the changed result using the matching lesson.

Why do the original two metrics select different winners? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.