

Statistical tests and assumptions

Project: Reproducible AI Research Study

1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Effect size and practical importance

Without opening the old lesson, explain one key idea from Effect size and practical importance. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Sampling variability

Without opening the old lesson, explain one key idea from Sampling variability. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Baselines and fair comparisons

Without opening the old lesson, explain one key idea from Baselines and fair comparisons. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

2. Practise with fading help

Use W2: Trace the worked case for Statistical tests and assumptions. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs · Procedure I chose · Middle steps · Result and check

Given inputs: _____

Procedure I chose: _____

Middle steps: _____

Result and check: _____

The step I completed without help, and the hint I needed

3. Individual reasoning check

Use the worked case for Statistical tests and assumptions. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

4. Independent transfer case

Independent case: Apply a new case independently

Differences2, 2, 2 under the same null. Compute two-sided exact p and interpret.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

5. W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

My reasoning and evidence

6. W2 Trace the worked case

Differences1, 1, 1 have observed mean1. Enumerate8 assignments. Show the intermediate steps and give the conclusion with its scope.

My reasoning and evidence

7. W3 Audit the limit

A report omits this qualification: The test requires its sign-exchangeability and independence assumptions; do not apply it blindly to clustered or asymmetric differences. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

My reasoning and evidence

8. W4 Apply a new case independently

Differences2, 2, 2 under the same null. Compute two-sided exact p and interpret.

My reasoning and evidence

9. W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

My reasoning and evidence

10. Project checkpoint and reflection

Add a labelled statistical tests and assumptions evidence sheet to Reproducible AI Research Study. Show how you can explain the mechanism and terminology of statistical tests and assumptions. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

11. Feedback, return check and learning record

Evidence · My record

Evidence: Worked alone / hint / model

My record: _____

Evidence: First step I repaired and why

My record: _____

Evidence: New case checked later; date and result

My record: _____

Evidence: What I can now explain without notes

My record: _____

Evidence: One remaining question

My record: _____

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

12. Pictorial case practice: Statistical tests and assumptions

A small exact paired sign-flip test. Compare three independent task pairs under a null that permits each difference's sign to flip independently with equal probability.

A times [5,8,4] seconds; B [4,6,3]. Differences B–A are [-1,-2,-1]. Use a two-sided statistic: absolute sum of differences. Assume the stated sign-symmetry null is appropriate.

Three independent paired task times

	A seconds	B seconds	B-A seconds
Task 1	5	4	-1
Task 2	8	6	-2
Task 3	4	3	-1

Read a cell using both its row and column labels.

Statistical tests and assumptions

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Preserve paired differences

Differences are -1,-2,-1; their sum is -4 and mean is $-4/3$ seconds.



2. Enumerate null sign flips

Eight equally likely flips give sums -4,-2,0,2,4 with counts 1,2,2,2,1.



3. Count equally extreme sums

Only -4 and 4 have absolute sum at least 4: exact two-sided $p=2/8=0.25$.

CHANGE ONE THING

Break the task pairing and use unrelated A and B measurements.

Explain the changed result using the matching lesson.

Calculate each paired difference and the observed sum. Count null arrangements with absolute sum at least four, compute p , and explain the decision at threshold 0.05.

My picture-based explanation and changed-case prediction

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For the Reproducible AI Research Study, save paired differences, the null assumptions, all eight sign arrangements and the decision rule.