

Build a Paper Prototype

Project: Helpful Classroom Sorter

1. Your mission

Your learning target

I can build a runnable paper prototype with explicit instructions and visible state.

I can record what actually happens without silently repairing the instructions.

I can use a trace to distinguish an instruction defect from an execution mistake.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.


Without opening the old lesson, explain one key idea from Design the Decision Process. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Find a Real Problem. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Prompts Are Design Instructions. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

A prototype tests the idea before polish or technology.



LEARNING TARGET Assign three people as input reader, rule follower and output recorder. Run the repaired sorter on paper, metal and an unreadable description. Record expected and observed outcomes. What does this prototype demonstrate?

Learner name:

Readiness for the connected explanation

When one candidate fails, what must happen next, and when is no match justified?

This week's end goal

By the end, I can build and operate a paper prototype while recording actual traces.

2. Notice the evidence

PICTURE STORY

Look Closely Before You Explain

Pictures give clues; evidence tells us what the clues mean.



MYSTERY One student presents an item card while another follows the written sorter process exactly and returns the documented output.

What do you notice?

Name three visible details without explaining them yet.

Circle the detail most connected to the system's decision.

Name one detail that may be decoration or distraction.

Make a first prediction and state the clue that supports it.

My observations, prediction, and evidence:

GOOD THINKING A prediction can change when stronger evidence appears.

A closer explanation

This week you will turn the decision process into a paper prototype. One partner operates the instructions and another records the steps. A working prototype needs more than a polished drawing: someone else must be able to follow it without asking its author to supply missing rules. Keep the version you ran so the trace can be checked against it.

Copy this catalogue in order onto four cards: B1 Bookmark drawing, 10 minutes, quiet Yes; B2 Story circle, 8 minutes, quiet No; B3 Pattern puzzle, 12 minutes, quiet Yes; B4 Tower challenge, 15 minutes, quiet No. These are fictional paper-model values with materials assumed available. Label the catalogue B version 1.

Keep the Week 30 contract: input is a whole number of available minutes from 0 to 30, and Quiet required Yes or No. An activity fits when its time is no more than the available minutes AND either quiet is not

required or the activity is quiet. No means either kind is allowed. Suggest the first fit with a reason; otherwise report no match. Missing or invalid input needs clarification. Suggestions do not book materials or publish anything.

3. See how it works

VISUAL MECHANISM

Input → Process → Output

Follow the information instead of imagining magic inside the machine.




INPUT

paper item card



PROCESS

partner executes the process without
improvising



OUTPUT

paper output card and observation notes

INPUT paper item card

PROCESS partner executes the process without improvising

OUTPUT paper output card and observation notes

CORE IDEA A prototype tests the idea before polish or technology.

UNDER THE HOOD A low-fidelity prototype externalizes assumptions cheaply. Wizard-of-Oz simulation is valid when the human operator follows the specified process and does not secretly add judgment unavailable to the proposed system.

Draw a fresh example with all three stages:

A closer explanation

A paper run that can be checked

Prepare the run · Operate one step · Keep the evidence

Prepare the run: Request and version labels

Operate one step: Validate the two fields

Keep the evidence: Record pass or clarification

Prepare the run: Marker at current row

Operate one step: Check time AND quiet

Keep the evidence: Record checks and next step

Prepare the run: First fit or end of list

Operate one step: Suggest or report no match

Keep the evidence: Record output and stop

The request stays fixed while the marker advances. Keep the instruction version and trace together.

Make a request card with Available minutes and Quiet required fields, a marker for the current catalogue row, and a trace sheet. Head the sheet Run ID, prototype version, catalogue version and request. Below it use columns Step, current row, time check, quiet check and next action or output. Use not checked when validation stops the search.

Write instruction cards P1 version 1. Card 1: validate both fields; if invalid, name the field needing correction and stop; otherwise put the marker at B1. Card 2: check the marked row against both compatibility conditions; record both checks. If both pass, suggest that row with the reason and stop. Card 3: if either fails and another row remains, advance exactly one row and return to Card 2; if no row remains, report no match and stop. Begin each new request at Card 1 with a cleared output.

Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

4. Compare the cases


PICTURE GALLERY

Four Cases, Four Clues

Use the visual cue, then read the evidence carefully.



Paper cards



Polished animation



Operator improvises



Observer notes pause

CASE 1 — Paper cards Clue: fast to revise. Meaning: good for logic test.

CASE 2 — Polished animation Clue: looks complete. Meaning: may hide weak process.

CASE 3 — Operator improvises Clue: adds secret knowledge. Meaning: invalid simulation.

CASE 4 — Observer notes pause Clue: reveals confusion. Meaning: useful evidence.

BOUNDARY A helpful operator can accidentally make a weak design look successful by using unstated human knowledge.

Which two pictures are easiest to confuse? What evidence separates them?

Change one thing in the pictured case

Change: Insert “if capacity is below count, continue” before accepting a bin.

Prediction: The revised trace rejects X and accepts Y for 4.


Reason: $3 < 4$ is true; $7 < 4$ is false, so Y fits.

5. Words that unlock the idea

VOCABULARY

Words You Can See and Use

The badge is a memory cue; the definition does the real thinking work.





low fidelity



simulation



Word · Meaning · My example

Word: prototype

Meaning: early representation used to test an idea

My example: _____

Word: low fidelity

Meaning: simple version focused on function

My example: _____

Word: simulation

Meaning: acting out system behavior

My example: _____

Word: operator

Meaning: person executing the prototype process

My example: _____

Misconception detective

CLAIM TO REPAIR A prototype must look like the final product.

Use one vocabulary word and one piece of evidence to repair it:

WORD POWER A strong definition helps you decide something in a new case.

Words used in the closer explanation

Word · Meaning

Word: Instruction

Meaning: A precise action or decision for the operator to follow

Word: Trace

Meaning: A record of the steps and state during one run

Word: Expected result

Meaning: The result required by the agreed specification

Word: Observed result


Meaning: What actually happened when this version was run

6. Follow a worked example

WORKED EXAMPLE

Watch the Reasoning, Not Just the Answer

Every step connects a claim to observable evidence.



CASE One student presents an item card while another follows the written sorter process exactly and returns the documented output.

STEP 1 — OBSERVE paper item card

STEP 2 — TRACE partner executes the process without improvising

STEP 3 — CONCLUDE paper output card and observation notes

MODEL REASONING The operator must use only documented inputs and steps. Any question, pause, or improvisation reveals a missing rule, unclear label, or unsupported input. Revise the paper flow before adding technology.

DO NOT OVERCLAIM A helpful operator can accidentally make a weak design look successful by using unstated human knowledge.

What new evidence could change this answer?

A closer explanation

Before operating P1, use the full manual checklist to write the expected result for 9 minutes, Quiet required No. Then run the cards literally. Do not replace a surprising result with the expected one. Recording disagreement gives you something to investigate; hiding it removes useful evidence.

Trace step for 9 minutes No · Checks recorded · Next action or output

Trace step for 9 minutes No: 1 Validate

Checks recorded: Whole minutes in range; No accepted

Next action or output: Place marker at B1

Trace step for 9 minutes No: 2 Check B1

Checks recorded: 10 is greater than 9; quiet unrestricted

Next action or output: Move to B2

Trace step for 9 minutes No: 3 Check B2

Checks recorded: 8 is no more than 9; quiet unrestricted

Next action or output: Suggest B2 with reason; stop

This trace agrees with the expected B2 result. It shows that this run followed the instructions. One matching result does not prove that every request will work or that the prototype is faster than the manual checklist. This is a system of written rules, not a model trained on examples.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Build a Paper Prototype

A fictional team turns a storage-bin specification into movable instruction cards.

The facts we will use

Bins X capacity 3 then Y capacity 7; valid count 1–9. Select first capacity at least count.

For request 4, write baseline Y before operating cards. Prototype cards mistakenly stop with X immediately.

Build a Paper Prototype

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Expected result

Baseline checks X then Y and expects Y for count 4.



2. Operate literally

Follow the current prototype cards without secretly repairing them.



3. Actual trace

Prototype stops at X; it never performs the capacity comparison.



4. Record mismatch

Expected Y, actual X: locate the missing check.

CHANGE ONE THING

Insert "if capacity is below count, continue" before accepting a bin.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Expected result

What happens and why: Baseline checks X then Y and expects Y for count 4.

Step: 2. Operate literally

What happens and why: Follow the current prototype cards without secretly repairing them.

Step: 3. Actual trace

What happens and why: Prototype stops at X; it never performs the capacity comparison.

Step: 4. Record mismatch

What happens and why: Expected Y, actual X: locate the missing check.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

A paper prototype is executable when another person can follow its instructions without guessing your intention. Record the actual wrong result separately from the expected one. Discovering a missing comparison is useful evidence for repair; pretending the operator followed the intended rule would hide the defect.

What this example does not establish

One repaired paper case does not establish usability, correctness on every input or performance of a later software implementation.

Read the labelled picture: What should appear in the test log before and after the repair?

Change one thing: Insert “if capacity is below count, continue” before accepting a bin. Predict the result before checking the explanation. What remains the same?

7. Find and repair a mistake

COMPARE

Same Result, Different Reason

A comparison helps reveal the true concept boundary.

Case · Evidence · What it shows

Case: Paper cards

Evidence: fast to revise

What it shows: good for logic test

Case: Polished animation

Evidence: looks complete

What it shows: may hide weak process

Case: Operator improvises

Evidence: adds secret knowledge

What it shows: invalid simulation

Case: Observer notes pause

Evidence: reveals confusion

What it shows: useful evidence

Repair two tempting claims

CLAIM A A prototype must look like the final product.

Repair:

CLAIM B If a person can perform the task, the written process is complete.

Repair:

STRONG ANSWER FRAME I claim _____ because the evidence shows _____. The process is _____. One limit is _____.

A closer explanation

Swap roles and give your partner the request card, catalogue, instruction cards and blank trace sheet. Let them operate without extra hints from the author. Record any point where they cannot decide what to do from the written instructions. Label and save changes, then repeat the affected run. Keep development cases separate from any cases your teacher has reserved for a later evaluation.

Your handover should let someone repeat a run using the same inputs and versions and check why it stopped. Keep all results, including disagreements. Next week you will organise several routine cases into a test record. A neat interface is useful, but correctness depends on validation, both conditions, the first-match rule and a clear ending.


A saved trace says “P1 version 1; 11 minutes No; started at B2; suggested B2.” Explain the error using the written cards. State what evidence to keep and what should happen in a new correct run.

8. Practise together

GUIDED PRACTICE

Try It, Check It, Explain It

Use support now so you can succeed independently later.



Explain how the picture story demonstrates this idea: A prototype tests the idea before polish or technology.

Use a fresh example to explain prototype.

Trace a new input → process → output example.

Find and repair the error in: If a person can perform the task, the written process is complete.

Invent one edge case and name the safe response.

PARTNER CHECK Point to the evidence. Do not accept an answer that only repeats the vocabulary word.

A closer explanation

Suppose the operator starts a fresh 11-minute No request at B2 because the marker was left there. They return B2. The required first fit is B1, and Card 1 explicitly says to restart at B1. The trace therefore reveals

an execution mistake. If the written instructions had omitted the reset, that would instead be an instruction defect. Inspect the saved version before deciding.

Preserve the first trace. For an execution mistake, rerun the same written version correctly and label the new run. For an instruction defect, save a corrected version with a new label, state what changed, and rerun. Never rewrite an old observed result to make a version appear successful.

Run P1 for 8 minutes with Quiet required Yes. Record every row, both checks and the final output. Then consider a blank Quiet required field: which card stops that run and how many candidates should be checked?

Practise with less help: Run and record the first match

Use workbook W2 for the connected example “Building and tracing a paper prototype”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan · Do · Check

Plan: What is given? Which rule or procedure applies?

Do: Record each intermediate step.

Check: Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Building and tracing a paper prototype. Proposed explanation: “A correct-looking answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

What should appear in the test log before and after the repair?

My explanation using a pictured step and the given facts


This is supported practice. Keep the separately named independent case for an attempt before feedback.

9. Run the investigation

EXPLORER LAB

Partner-as-Computer Prototype

Predict first, test honestly, and explain what the evidence means.



State your prediction before the result is known.

Complete the task: Run the sorter with a partner acting as the computer.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

Case · Prediction · Observed result · What it means

Case: Normal

Prediction: _____

Observed result: _____

What it means: _____

Case: Edge

Prediction: _____

Observed result: _____

What it means: _____

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Plan → try → check


Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

10. Build your understanding

PRACTICE LADDER

Climb from Recall to Defense

Each step asks for a stronger kind of understanding.



RECALL Define prototype.

EXPLAIN A prototype tests the idea before polish or technology.

TRACE Show the input, process, and output.

DIAGNOSE Repair: A prototype must look like the final product.

TRANSFER Apply the idea to a new home or classroom case.

CREATE Design one revealing test.

DEFEND Give a claim, evidence, mechanism, limit, and safe action.


RETRY RULE A coached answer becomes mastery only after you solve a different case independently.

11. Connect your project

PROJECT

Helpful Classroom Sorter

Build one coherent system across the year, one evidence-based decision at a time.



THIS WEEK'S CHECKPOINT Build the complete paper sorter: input cards, process guide, output cards, not-sure card, and test log.


What real classroom need does this serve?

What information is necessary—and what should stay private?

What happens inside the process?

What normal and edge cases will you test?

When should it say not sure or ask a person?



RESPONSIBLE DESIGN A helpful operator can accidentally make a weak design look successful by using unstated human knowledge.

My project decision:

Evidence for your project


Save sorter instruction cards, dated versions and operator traces alongside the manual expected outputs.

12. Show what you know

MASTERY

Fresh-Case Independent Proof

Complete this after teaching and guided practice have ended.



REQUIRED PROOF Run the sorter with a partner acting as the computer and record where the written process required guessing.

- ☐ Name or draw the fresh case.
- ☐ Trace input, process, and output.
- ☐ State the conclusion and strongest evidence.
- ☐ Name one limit, failure, missing clue, or fairness/privacy concern.
- ☐ Explain one safe next action or improvement.

Independent evidence:

SELF-CHECK The operator must use only documented inputs and steps. Any question, pause, or improvisation reveals a missing rule, unclear label, or unsupported input. Revise the paper flow before adding technology.

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach it

NEXT BRIDGE Carry today's evidence habit into: Test Normal Cases.

13. Study a complete case

Week 32 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

A paper prototype has input cards, decision cards and paper, plastic and review trays.

The question

How can a learner simulate it?

Worked explanation

Read input, follow written decisions and place a token in a tray. Record the trace. Human simulation does not establish model training.

Explain it in your own words

Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Act out a paper prototype

Evidence or stage · Value or result

Evidence or stage: Input card

Value or result: Observe material

Evidence or stage: Decision cards

Value or result: Follow written checks

Evidence or stage: Token

Value or result: Place in paper, plastic or review tray

Evidence or stage: Trace

Value or result: Record each decision

A paper prototype has input cards, decision cards and paper, plastic and review trays.

How can a learner simulate it?

Read input, follow written decisions and place a token in a tray. Record the trace. Human simulation does not establish model training.

14. Try a new case independently

Independent case: Build a new route through a small catalogue

Independently make and trace instruction cards for this paper equipment catalogue: E1 first, capacity 3 people; E2 second, capacity 6. Valid input is a whole group size from 1 to 8. Suggest the first item whose capacity is at least the group size; no booking occurs. Include invalid input and no match. Write expected results, then operate your cards for groups of 5 and 7. Record both runs and explain every stopping point.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 32 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

Your paper prototype shows an input card, a decision card and an output card. Explain what a person must simulate and what the prototype cannot prove.

My answer, with a trace, calculation or supporting evidence

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed input and expected result

Write or draw your reasoning and evidence.

Connect to your project

Build the complete paper sorter: input cards, process guide, output cards, not-sure card, and test log.

The evidence I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice evidence together.

Transfer practice from the original programme

Assign three people as input reader, rule follower and output recorder. Run the repaired sorter on paper, metal and an unreadable description. Record expected and observed outcomes. What does this prototype demonstrate?

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

15. Your lesson route

Start with this question: A fictional team turns a storage-bin specification into movable instruction cards.

By the end, I can · How I will show it

By the end, I can: Build a runnable paper prototype with explicit instructions and visible state

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Record what actually happens without silently repairing the instructions

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

By the end, I can: Use a trace to distinguish an instruction defect from an execution mistake

How I will show it: Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

16. Finish and return

Close your notes. Explain this goal in your own words: Build a runnable paper prototype with explicit instructions and visible state

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.