

# Documentation and operational readiness

Project: Grounded Learning Service

## 1. Your mission

### Your learning target

I can explain the mechanism and terminology of documentation and operational readiness.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

### Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Red team exercises. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Performance and cost experiments. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Incident investigation. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the evidence shows was wrong.

This week you will practise:

Explain the mechanism and terminology of documentation and operational readiness

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

### Retrieve what you already know

Recall Red team exercises. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

#### My starting explanation

---

---

---

### This week's end goal

Explain documentation and operational readiness using the deciding step in this fictional service.

## 2. Notice the evidence

Operational documentation tells another person how to run, verify, observe and recover the service. A successful developer demo is not readiness.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

**List the given facts and one fact that is not supplied.**

---

---

---

## 3. See how it works

A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.

### Documentation and operational readiness — evidence trace

**Input and scope · Check or calculation · Conclusion and limit**

**Input and scope:** Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.

**Check or calculation:** A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.

**Conclusion and limit:** Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

---

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

## Connect the picture and the explanation

Point to the input, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

## 4. Compare the cases

### Compare a familiar case with a changed case

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result. Show the intermediate steps and give the conclusion with its scope.

**Keep the procedure fixed. Explain what changed in the inputs and result.**

---

---

---

---

---

### Change one thing in the pictured case

Change: Remove the maintainer and escalation route.

Prediction: The diagnostic remains, but responsibility for an unresolved fault becomes unclear.

Reason: Readiness includes who acts when routine checks do not solve the problem.

## 5. Words that unlock the idea

### Word · Meaning

**Word:** Runbook

**Meaning:** Instructions for operating and recovering a service

---

**Word:** Health check

**Meaning:** A defined observation of service state

---

**Word:** Operational owner

**Meaning:** The actor responsible for ongoing decisions

---

**Use two terms to explain a step in this week's example.**

---

---

---

## 6. Follow a worked example

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.

Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

### Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

### A pictorial worked case: Documentation and operational readiness

A runbook with an owner. Another teacher must handle SOURCE\_UNAVAILABLE without inventing an answer.

### The facts we will use

The runbook names a maintainer and a read-only source-connection diagnostic. The code means no supported answer can be produced.

## Documentation and operational readiness

### Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



#### 1. Match symptom

Identify the documented unavailable-source condition.



#### 2. Run safe check

Inspect the approved connection without broadening permissions.



#### 3. Escalate clearly

Contact the named maintainer and retain unresolved status.

### CHANGE ONE THING

Remove the maintainer and escalation route.

Explain the changed result using the matching lesson.

### Read the picture one step at a time

#### Step · What happens and why

**Step:** 1. Match symptom

**What happens and why:** Identify the documented unavailable-source condition.

---

**Step:** 2. Run safe check

**What happens and why:** Inspect the approved connection without broadening permissions.

---

### Step: 3. Escalate clearly

**What happens and why:** Contact the named maintainer and retain unresolved status.

---

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

### Why this result follows

Operational documentation connects a symptom, bounded action, responsible person and recovery check. Component names alone do not tell an operator what to do.

### What this example does not establish

Rehearse and revise runbooks; readable instructions alone cannot establish readiness for every incident.

Read the labelled picture: Match SOURCE\_UNAVAILABLE to its safe check and escalation owner. What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?

Change one thing: Remove the maintainer and escalation route. Predict the result before checking the explanation. What remains the same?

## 7. Find and repair a mistake

Documentation readiness requires a tested replay and operational ownership, not merely complete-looking prose.

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself. The first may require a correction; the second requires an explicitly revised method and new evidence. Preserve unsuccessful cases so an improved result cannot hide the original problem.

**Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.**

---

---

---

---

---

### Locate the earliest unsupported step

A report omits this qualification: Documentation readiness requires a tested replay and operational ownership, not merely complete-looking prose. Explain how omitting it could change a reader's

interpretation, and write an accurate replacement.

**State one repair and the checks you would rerun.**

---

---

---

---

---

---

## 8. Practise together

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

**Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.**

---

---

---

---

---

**Explain your prediction to a partner before comparing results.**

---

---

---

---

### Practise with less help: Trace the worked case

Use workbook W2 for the connected example “Documentation and operational readiness”. First fill the input and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

**Plan · Do · Check**

**Plan:** What is given? Which rule or procedure applies?

**Do:** Record each intermediate step.

**Check:** Does the result follow? What remains unknown?

---

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

## Check your reasoning

Use the worked case for Documentation and operational readiness. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

## Explain the picture

Match SOURCE\_UNAVAILABLE to its safe check and escalation owner. What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?

### My explanation using a pictured step and the given facts

---

---

---

---

This is supported practice. Keep the separately named independent case for an attempt before feedback.

## 9. Run the investigation

### Predict, investigate and preserve the evidence

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result. Show the intermediate steps and give the conclusion with its scope.

### Record · Your evidence

**Record:** Given input and fixed rule

**Your evidence:** \_\_\_\_\_

---

**Record:** Prediction before checking

**Your evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Actual result, or “not run”

**Your evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** First mismatch and one explanation

**Your evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Boundary or missing input and expected response

**Your evidence:** \_\_\_\_\_

\_\_\_\_\_

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

### Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

## 10. Build your understanding

### Explain → apply → challenge

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

A report omits this qualification: Documentation readiness requires a tested replay and operational ownership, not merely complete-looking prose. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

**Explain which evidence supports your conclusion and which claim remains unproved.**

\_\_\_\_\_

\_\_\_\_\_

---

---

---

## 11. Connect your project

Add a labelled documentation and operational readiness evidence sheet to Grounded Learning Service. Show how you can explain the mechanism and terminology of documentation and operational readiness. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

### Project evidence · Record

**Project evidence:** Component and version

**Record:** \_\_\_\_\_

\_\_\_\_\_

**Project evidence:** Inputs permitted at prediction time

**Record:** \_\_\_\_\_

\_\_\_\_\_

**Project evidence:** Trace and comparison with earlier work

**Record:** \_\_\_\_\_

\_\_\_\_\_

**Project evidence:** Failure, limit and human review

**Record:** \_\_\_\_\_

\_\_\_\_\_

### Evidence for your project

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or evidence that makes the deciding step valid, so another team can review it.

## 12. Show what you know

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer. For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

**Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.**

---

---

---

---

---

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

**My limited claim and a useful next check**

---

---

---

---

## 13. Study a complete case

### Complete evidence record

### Documentation and operational readiness — evidence trace

**Input and scope · Check or calculation · Conclusion and limit**

**Input and scope:** Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.

**Check or calculation:** A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.

**Conclusion and limit:** Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

---

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the input through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

### **My complete trace of the worked case**

---

---

---

---

---

---

## **14. Try a new case independently**

### **Independent case: Apply a new case independently**

Documentation includes all setup steps but no incident owner or compatible rollback. Identify readiness gaps.

### **My independent explanation, trace and limits**

---

---

---

---

---

---

---

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

### **Attempt this without hints**

Documentation includes all setup steps but no incident owner or compatible rollback. Identify readiness gaps.

### **My independent procedure, result and limitation**

---

---

---

---

---

---

---

---

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

**Use feedback to improve**

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed. A later check uses a changed case, not a copied answer.

**15. Your lesson route**

Start with this question: A runbook with an owner. Another teacher must handle SOURCE\_UNAVAILABLE without inventing an answer.

**By the end, I can · How I will show it**

**By the end, I can:** Explain the mechanism and terminology of documentation and operational readiness

**How I will show it:** Explain the deciding step, show a trace or test, and state one limit.

---

**By the end, I can:** Apply the stated procedure to a new case with a traceable result

**How I will show it:** Explain the deciding step, show a trace or test, and state one limit.

---

**By the end, I can:** Identify an assumption or limitation and design a revealing follow-up

**How I will show it:** Explain the deciding step, show a trace or test, and state one limit.

---

Remember → watch and explain → try with help → investigate → try independently → keep project evidence. Your teacher may spread this lesson across several classes.

Keep your first prediction. Compare it with what the evidence shows and explain any change.

## 16. Finish and return

Close your notes. Explain this goal in your own words: Explain the mechanism and terminology of documentation and operational readiness

**My deciding step, evidence and one remaining question**

---

---

---

---

---

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an input or assumption and justify your prediction.

Save your workbook evidence. At the next review, try a different case before opening your old answer.