

Input, Process, Output

Project: Helpful Classroom Sorter

1. Input, Process, Output

Teach the learning cycle

Primary target: Trace information through a system without confusing information with a physical action

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

AI or Not?

Without opening the old lesson, explain one key idea from AI or Not?. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish an observed result from an explanation of how it was produced

Reference example, not the only acceptable wording: Observations include that the door opened when the visitor approached and that its label says intelligent entrance. A useful question asks whether a written sensor threshold, a model fitted on examples or a person controls opening. The label is an observed marketing claim, not mechanism evidence.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A library kiosk receives 'mystery', filters a catalogue by genre and displays three titles. No speaker is attached. Draw its information path. A visitor says it read three books aloud. Which stage contradicts that claim?

Concept to explain

A system transforms information; it does not simply 'know.'

Term · Meaning

Term: input

Meaning: information entering a system

Term: process

Meaning: the steps that transform information

Term: output

Meaning: the result produced by the system

Term: trace

Meaning: follow information through each stage

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach input and output as relative to a stage. Avoid claiming that representations are inherently truthful or complete. This lesson introduces information loss through counterexamples, without requiring formal information theory. The two-origins method is the important reasoning move: if two source records map to one stored result but imply different answers, the stored result cannot decide that question alone.

Readiness answer

The fitted model produced the delay estimate; the written greater-than-10 rule selected the colour. A caretaker or driver decision is a separate action.

Catalogue records A science 80, B science 150 and C mystery 90 written on cards

The information-path diagram and blank arrow diagrams

Paper for two four-number lists; no devices or accounts are needed

End goal for the pictorial case

By the end, I can trace an information path and name what a summary loses.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Follow the information instead of imagining magic inside the machine.

INPUT songs played, liked, or skipped

PROCESS compare clues and rank possible songs

OUTPUT a suggested song or a not-sure result

CORE IDEA A system transforms information; it does not simply 'know.'

UNDER THE HOOD Input, process, and output are functional roles. The process may contain human choices, fixed rules, calculations, retrieval, or a learned model. Naming the three stages prevents magical explanations of computer behavior.

Draw a fresh example with all three stages:

Every step connects a claim to observable evidence.

CASE A music helper receives listening choices, compares them with a ranking process, and suggests a song. The suggestion appears only after information has moved through the system.

STEP 1 — OBSERVE songs played, liked, or skipped

STEP 2 — TRACE compare clues and rank possible songs

STEP 3 — CONCLUDE a suggested song or a not-sure result

MODEL REASONING Start with what enters, name the actual transformation rather than saying the system thinks, and identify the result. If the process is unknown, state what evidence is missing instead of inventing a mechanism.

DO NOT OVERCLAIM The output is not proof that the system understood the input as a person would.

What new evidence could change this answer?

Concrete teaching case

A playlist helper receives a mood, matches song tags and displays three titles.

Name input, process and output. Is displaying titles the same as playing audio?

Exact explanation to model

Input is mood; process is tag matching; output is titles. Audio playback is another step. Matching can use fixed rules; the description alone does not establish machine learning.

Explain the added worked example

A library kiosk asks Sam for a genre. Sam selects mystery. The kiosk compares that preference with catalogue tags and displays three book titles. Sam says the kiosk has read three books aloud. That conclusion adds an action that the description never supplied: displaying a title is different from producing spoken audio.

An information path names what enters each stage, what happens there and what leaves it. Treat input and output as roles relative to a stage. A list of titles is the output of the search, but it could become the input to a separate text-to-speech stage. A component can therefore receive the output of another component without doing the same job.

The kiosk's genre-matching operation can be implemented with a written rule. Nothing in this description establishes that a model was trained. This connects to Week 1: tracing information tells us what a process needs to do, while mechanism evidence tells us how it does it.

Notice the difference between a title, a description and an entire book. All three can be text, but they represent different amounts of information. Even a speech stage receiving three titles can speak only those supplied titles; it has not thereby read the full books. Always identify the content of an input, not just its data type.

A recommendation is also different from a loan. Selecting a title does not reserve a copy unless an authorised reservation step exists. Keeping these distinctions clear prevents us from crediting a system with actions it did not take.

Key terms

Term · Meaning

Term: Representation

Meaning: A way of recording information so that it can be stored, communicated or processed

Term: Input

Meaning: Information supplied to a particular process

Term: Process

Meaning: An operation that changes, selects or interprets information

Term: Output

Meaning: The result produced by a process

Term: Information loss

Meaning: Details that cannot be recovered from the retained representation

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Consider two catalogue records. Book A has 90 pages and is about a child solving a seaside mystery. Book B has 90 pages and is about a lost spaceship. If we keep only page count, both become the number 90. The number is useful for a length limit, but it cannot tell us which story is a mystery. Information that was never retained cannot be recovered just by calculating harder.

Page count 90 · Is the book under 100 pages? · Is its story a mystery?

Page count 90: Genre tag mystery

Is the book under 100 pages?: Does it match a mystery request?

Is its story a mystery?: Will this particular reader enjoy it?

Page count 90: Short summary

Is the book under 100 pages?: What does the description say happens?

Is its story a mystery?: What exact sentence occurs on page 42?

The phrase cannot settle alone matters. A genre tag might be inaccurate, and a reader might enjoy an unfamiliar genre. A representation is useful only in relation to a question and its limits. More detail is not automatically better: unnecessary personal information can add risk without helping the task.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Input, Process, Output

A fictional classroom cupboard records coloured pencils, then reports just a total.

The facts we will use

Box A has 2 red and 4 blue pencils. Box B has 5 red and 1 blue.

The process adds colour counts and stores only the total, not the two counts.

Different colour counts, same total

	Red	Blue	Total
Box A	2	4	6
Box B	5	1	6

Read a cell using both its row and column labels.

Input, Process, Output

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Read colours

A: red 2, blue 4. B: red 5, blue 1.



2. Add counts

A: $2+4=6$. B: $5+1=6$.



3. Store total

Both records become total 6.



4. Ask a new question

The saved totals cannot tell which box has more red pencils.

CHANGE ONE THING

Store red count alongside total.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Read colours

What happens and why: A: red 2, blue 4. B: red 5, blue 1.

Step: 2. Add counts

What happens and why: A: $2+4=6$. B: $5+1=6$.

Step: 3. Store total

What happens and why: Both records become total 6.

Step: 4. Ask a new question

What happens and why: The saved totals cannot tell which box has more red pencils.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Adding preserves the number of pencils but discards how that number was divided between colours. Both distinct inputs lead to the same stored output. Working backwards from 6 therefore has several possible answers; it is not an instruction to divide equally.

What this example does not establish

The two-colour assumption matters. Extra colours would prevent inferring blue from total and red alone.

Change one thing in the pictured case

Change: Store red count alongside total.

Prediction: The records become (6,2) and (6,5).

Reason: Blue count can now be recovered by total minus red, assuming these are the only colours.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: A playlist helper receives a mood, matches song tags and displays three titles.

Write the question to explain: Name input, process and output. Is displaying titles the same as playing audio?

Reveal after predictions: Input is mood; process is tag matching; output is titles. Audio playback is another step. Matching can use fixed rules; the description alone does not establish machine learning.

Keep for an independent attempt: A classroom fan receives a temperature reading, compares it with 25 degrees C, and turns on. Name the input, process and output. What should happen if the reading is missing?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Visitor schedules can be three at 09:00 or one each at 09:00, 10:00 and 11:00. The total does not reveal timing or busiest hour. Displaying a book title produces text on a screen; speaking needs audio generation, reserving needs an authorised availability update and reading the whole book needs its full content.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start 0 to 7 minutes

Teacher action: Retrieve the bus stages from Week 1. Ask which result becomes a later input.

Stage: 7 to 20 minutes

Teacher action: Read the kiosk case and trace the first diagram row. Cover later rows, then reveal them as additional operations rather than assumed capabilities.

Stage: 20 to 33 minutes

Teacher action: Use the two 90-page book descriptions. Ask which question survives when only 90 is kept. Model one counterexample.

Stage: 33 to 45 minutes

Teacher action: Pairs complete W1 and the visitor example. Require exact input fields and outputs.

Stage: Session 2 start 0 to 8 minutes

Teacher action: Ask whether a largest temperature proves a rising sequence. Have two students construct alternative sequences.

Stage: 8 to 23 minutes

Teacher action: Complete W2 and W3. Separate current records, exact source text and summary tags.

Stage: 23 to 38 minutes

Teacher action: Collect W4 independently. Give no example list until the attempt is saved.

Stage: 38 to 45 minutes

Teacher action: Use W5 to connect information loss with stage diagnosis. Review the exit explanation and preview measurement.

Reduce help deliberately

Completion task: A record stores only total visitors=3. Give two different arrival schedules that produce this total. Can the total tell us the busiest hour? Explain.

Teacher check: Examples: three visitors at 09:00, or one each at 09:00, 10:00 and 11:00. Both total 3, but their busiest-hour patterns differ. The total lacks arrival-time information, so the busiest hour cannot be recovered from it alone.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Representations and information paths. Proposed explanation: "Every output is the final action". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Trace an output entering the next stage. Ask whether the borrowing or speech stage exists and has run.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Use the richer record to find blue pencils in Box B. Explain why total alone was insufficient.

Reasoned teacher answer

$6 - 5 = 1$ blue pencil. Total 6 alone fits many red/blue combinations, including both boxes.

Changed-case reasoning: The records become (6,2) and (6,5). Blue count can now be recovered by total minus red, assuming these are the only colours.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Predict first, test honestly, and explain what the evidence means.

State your prediction before the result is known.

Complete the task: Trace a music recommender and draw all three stages.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

CLAIM TO REPAIR The fan's movement is the input.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Every output is the final action: Trace an output entering the next stage. Ask whether the borrowing or speech stage exists and has run.

More calculation can recover discarded details: Ask students to distinguish two original records with the same retained value. No deterministic calculation of that value alone can know which original occurred.

A data type tells us what the data means: Compare a title, a summary and a full chapter. All can be text while supporting different questions.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed

incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Input is mood; process is tag matching; output is titles. Audio playback is another step. Matching can use fixed rules; the description alone does not establish machine learning.

Independent question

A classroom fan receives a temperature reading, compares it with 25 degrees C, and turns on. Name the input, process and output. What should happen if the reading is missing?

Expected independent answer

Input is the reading; process is comparison with 25 degrees C; output is the fan command. A missing reading calls for a fault signal or human review, not an invented temperature.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “The fan's movement is the input.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Input is the genre request, processing is catalogue filtering, output is three titles. There is no audio-output stage. Filtering could use a written rule; the description does not establish learning. The claim confuses title display with reading aloud.

Explanations for the additional workbook examples

W1 Trace a request

The kiosk receives genre=science and maximum pages=120. The catalogue contains A science 80 pages, B science 150 pages and C mystery 90 pages. It keeps records with the requested genre and no more than 120 pages. Draw the input, process and output, naming the surviving record.

Input includes both request fields and all three catalogue records. The process checks science AND pages≤120. Output contains A only; B fails the length condition and C fails the genre condition. Listing A does not establish that a copy was reserved.

W2 Finish the visitor example

A record stores only total visitors=3. Give two different arrival schedules that produce this total. Can the total tell us the busiest hour? Explain.

Examples: three visitors at 09:00, or one each at 09:00, 10:00 and 11:00. Both total 3, but their busiest-hour patterns differ. The total lacks arrival-time information, so the busiest hour cannot be recovered from it alone.

W3 Choose a sufficient representation

For each task, choose the information needed: decide whether a book is under 120 pages; quote its first sentence exactly; decide whether a copy is available now. Explain why a genre tag alone is insufficient for all three.

Use the page count for the length condition, the actual first sentence from the correct edition for an exact quote, and a current copy-availability record for availability. Genre supplies none of those facts. Even suitable records must be checked for the correct edition or time.

W4 Investigate a new loss of information

A classroom device receives four scores and stores only their total, 20. A student claims that every score must be 5. Give two different lists of four nonnegative whole-number scores with total 20. Explain precisely what the stored total establishes and what it does not.

For example [5,5,5,5] and [2,4,6,8] both total 20. The stored total establishes the sum under the stated recording process, but not the individual scores or their equality. A list with fewer than four entries or a different total is not a valid counterexample.

W5 Diagnose before repairing

A voice calculator receives a spoken request for 16 divided by 4. Its transcript says 60 divided by 4 and its calculator returns 15. Identify the first incorrect stage, show the intended result and propose a check before calculation.

Transcription first changes 16 to 60. The calculator correctly computes the wrong supplied expression. The intended result is 4. Display or confirm the interpreted numbers before calculating, rather than changing

the arithmetic code to force the expected answer.

Assess independent transfer

Selected case: A classroom device receives four scores and stores only their total, 20. A student claims that every score must be 5. Give two different lists of four nonnegative whole-number scores with total 20. Explain precisely what the stored total establishes and what it does not.

Selected case answer

For example [5,5,5,5] and [2,4,6,8] both total 20. The stored total establishes the sum under the stated recording process, but not the individual scores or their equality. A list with fewer than four entries or a different total is not a valid counterexample.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Helpful Classroom Sorter

Draw the Classroom Sorter's first input-process-output map and show where a person may review the result.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Use physical cards, spoken explanations and a three-stage drawing. Read aloud without giving the answer. Stretch: compare two mechanisms with the same visible output and explain what evidence distinguishes them.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 3: Sensors Are Messengers. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide four empty boxes and counters for learners who need arithmetic support. Let them explain information loss orally. Extension: ask which extra field, such as minimum score, would rule out one of their lists and whether it would uniquely determine the original list.

W4 is secure when both lists contain four nonnegative whole numbers, both sum to 20, at least one is not all fives, and the explanation distinguishes sum from individual values. If the learner offers only one list, request another record consistent with the same total. Use a different total for the uncoached retry.

Week 3 examines how physical signals become measurements, including the units and conditions needed to interpret recorded values.

Plan the delayed return

Suggested return points in this level: ai-1/3, ai-1/5, ai-1/8. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Choose sorter inputs that retain the clues needed for its decision; draw the transformation and identify discarded details.

7. Prepare, teach and assess

Teaching target: Trace information through a system without confusing information with a physical action

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: A record stores only total visitors=3. Give two different arrival schedules that produce this total. Can the total tell us the busiest hour? Explain.

Reasoned practice answer: Examples: three visitors at 09:00, or one each at 09:00, 10:00 and 11:00. Both total 3, but their busiest-hour patterns differ. The total lacks arrival-time information, so the busiest hour cannot be recovered from it alone.

Check every learner before discussion: Use the worked case for Representations and information paths. Proposed explanation: “Every output is the final action”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Trace an output entering the next stage. Ask whether the borrowing or speech stage exists and has run.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Store red count alongside total. Require a prediction and a reason before comparing. Expected result: The records become (6,2) and (6,5). Reason: Blue count can now be recovered by total minus red, assuming these are the only colours.

Independent assessment: withhold the reserved answer until the learner has attempted the new case.

Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Frame the need. Name the user, the problem, allowed inputs and a safe simple starting method.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.