

Good Data, Bad Data

Project: Helpful Classroom Sorter

1. Good Data, Bad Data

Teach the learning cycle

Primary target: Check records against a stated format, unit and meaning before using them

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Recommendations

Without opening the old lesson, explain one key idea from Recommendations. Give an example and a mistake that the idea helps you avoid.

Look for: Apply eligibility requirements before ranking candidates by preferences

Reference example, not the only acceptable wording: J eligible scores 2; K eligible scores 1; L excluded for Spanish; M excluded because unavailable. Recommend J. Preference matches cannot compensate for failing the English requirement.

Confidence Is Not Correctness

Without opening the old lesson, explain one key idea from Confidence Is Not Correctness. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish a confidence claim from evidence that a prediction was correct

Reference example, not the only acceptable wording: The learner replaced the documented score meaning with a probability interpretation. Report 80 of 100 feature-match points. To claim a chance of correctness, a defined probability method and relevant outcome evaluation would be needed.

Save New Examples for Testing

Without opening the old lesson, explain one key idea from Save New Examples for Testing. Give an example and a mistake that the idea helps you avoid.

Look for: Separate examples used to choose a model from examples reserved for its final evaluation

Reference example, not the only acceptable wording: Comparing candidates is development. Scoring a frozen model on previously reserved examples is evaluation, provided they did not influence its development. Changing a threshold after reading the test score uses that test information for development of the revision; the same set is no longer independent of that revision.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A table lists leaf lengths 8 cm, 90 mm, blank and 700 cm. Propose a documented cleaning action for each row. Which values can you safely change immediately?

Concept to explain

Coverage, correctness, and relevance matter more than raw quantity.

Term · Meaning

Term: coverage

Meaning: how well examples represent needed situations

Term: correctness

Meaning: whether records and labels are accurate

Term: relevance

Meaning: whether data supports the task

Term: duplicate

Meaning: repeated record adding little new coverage

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

This paper investigation separates validation, source checking, correction and reporting. The schema is a classroom contract, not a universal range for real ramps or flights. Preserve raw records and treat a repair as an evidence claim. No spreadsheet, AI account or collection of student data is required.

Readiness answer

No. The score does not supply the missing fact. Keep availability unknown and seek evidence before counting the item as eligible.

The five raw RampLog rows and source-card statements printed in the lesson

A blank change log with ID, field, old value, new value, evidence, reason, reviewer and date

The five independent flight rows and source statements printed in W4

End goal for the pictorial case

By the end, I can repair data with traceable evidence while preserving valid zero and unknown.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Follow the information instead of imagining magic inside the machine.

INPUT collected examples and labels

PROCESS audit coverage, correctness, relevance, and duplication

OUTPUT accept, repair, or reject the dataset

CORE IDEA Coverage, correctness, and relevance matter more than raw quantity.

UNDER THE HOOD Data quality is multidimensional. More rows can amplify duplicates, systematic labeling errors, stale conditions, or irrelevant fields. Fitness depends on the intended population and decision, not a universal quality score.

Draw a fresh example with all three stages:

Every step connects a claim to observable evidence.

CASE One animal dataset has 1,000 blurry duplicate photos; another has 120 clear, correctly labeled photos across settings and animal types.

STEP 1 — OBSERVE collected examples and labels

STEP 2 — TRACE audit coverage, correctness, relevance, and duplication

STEP 3 — CONCLUDE accept, repair, or reject the dataset

MODEL REASONING Choose the set that covers intended conditions, uses checked labels, includes relevant fields, and avoids misleading duplication. State remaining gaps rather than declaring any dataset perfect.

DO NOT OVERCLAIM Large quantity cannot compensate for systematic absence or incorrect labels.

What new evidence could change this answer?

Concrete teaching case

Ordinary pencil lengths are recorded as 12 cm, 14 cm, blank and 130 cm.

What needs checking? May 130 silently become 13?

Exact explanation to model

Investigate missing and unusually large values using the source and units. Do not invent a repair. Document verified corrections.

Explain the added worked example

A tidy table can still contain wrong information. Validation checks whether a record follows a schema. A schema says which fields are required and what their values mean. Passing these checks makes a record usable for a stated task; it does not prove that the measurement or claim is true.

Our fictional RampLog records one ramp trial per trial ID. The fields are trial ID, height in centimetres, travel in centimetres and source card. Height must be a whole number from 1 through 10. Travel must be a whole number from 0 through 10. The source card identifies the original observation. Repeated trial IDs need investigation before counting trials.

The purpose is to count trials whose travel is at least 4 cm. A measured zero means no travel; a blank means no value was recorded. Never silently replace a blank by zero. Use only the invented records here; no personal information is needed.

The complete raw table is T1: height 4, travel 3, card C1; T2: height 60, travel 5, card C2; T3: height 5, travel blank, card C3; T4: height 6, travel 0, card C4. A second export row repeats T1 with height 4, travel 3 and C1. C1 confirms one trial T1, not two. C2 reads height 6 and travel 5. C3 has no travel measurement. C4 reads height 6 and travel 0.

Work in a separate corrected copy. Record T2 height 60 to 6, evidence C2, transcription error, reviewer and review date. Link the repeated T1 export row to the first T1; count that single trial once and keep both raw rows. Do not remove two different trials merely because their measured numbers match.

Key terms

Term · Meaning

Term: Schema

Meaning: A description of required fields, formats, units and allowed values

Term: Validation

Meaning: Checking a record against stated requirements

Term: Provenance

Meaning: A record of where information came from

Term: Correction

Meaning: A change supported by evidence about the intended value

Term: Change log

Meaning: A record of what changed, why, when and on what evidence

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Invalid height 60 · Check C2; correct to 6 · Guess by deleting a zero

Invalid height 60: Missing travel

Check C2; correct to 6: Keep missing; seek source

Guess by deleting a zero: Fill with the class average

Invalid height 60: Repeated T1 ID

Check C2; correct to 6: Confirm one trial on C1; count once

Guess by deleting a zero: Treat every repeated number as a duplicate

Invalid height 60: Two sources disagree

Check C2; correct to 6: Flag conflict; ask for resolution

Guess by deleting a zero: Pick the value that improves the result

A conversion changes units while preserving the quantity. If an authorised source records 50 mm, that is 5 cm because 10 mm equals 1 cm. Write the original unit, conversion and resulting unit in the log. A bare value 50 without a known unit does not justify assuming millimetres.

A plausible value can still be a transcription error: 7 would pass the height rule even if its source said 6. Conversely, an unusual but supported value is not automatically wrong. Checking format and checking agreement with a source are different jobs. A source can itself contain an error, so retain its identity and any unresolved concern.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Good Data, Bad Data

A fictional toy-car distance table needs cleaning before use.

The facts we will use

Contract: unique run ID; whole distance 0–30 cm. Raw rows: A=0 cm, B=200 mm, C=blank, another A=0 cm.

Source log confirms one A run and B's original measurement of 200 mm; C has no measurement.

Good Data, Bad Data

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Validate rows

A's zero is valid; B has wrong unit; C is missing; A is duplicated.



2. Evidence repair

200 mm / 10 = 20 cm; source log supports retaining one A.



3. Keep unknown

C stays unresolved; do not replace it with 0.



4. Clean record

Usable unique rows: A=0 cm, B=20 cm; retain a separate change log.

CHANGE ONE THING

The source log gives B only as bare 200 with no unit.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Validate rows

What happens and why: A's zero is valid; B has wrong unit; C is missing; A is duplicated.

Step: 2. Evidence repair

What happens and why: 200 mm ÷ 10 = 20 cm; source log supports retaining one A.

Step: 3. Keep unknown

What happens and why: C stays unresolved; do not replace it with 0.

Step: 4. Clean record

What happens and why: Usable unique rows: A=0 cm, B=20 cm; retain a separate change log.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Cleaning is not permission to make inconvenient values plausible. The source log supports a unit conversion and removal of a duplicate copy. Zero means a measured zero distance; blank means no supplied measurement. Keep the raw table and explain every change so someone can reconstruct what happened.

What this example does not establish

A clean table can still contain measurement or labelling errors that these checks do not detect.

Change one thing in the pictured case

Change: The source log gives B only as bare 200 with no unit.

Prediction: B remains unresolved rather than becoming 20 cm.

Reason: Without a confirmed unit, division by 10 would be an unsupported assumption.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: Ordinary pencil lengths are recorded as 12 cm, 14 cm, blank and 130 cm.

Write the question to explain: What needs checking? May 130 silently become 13?

Reveal after predictions: Investigate missing and unusually large values using the source and units. Do not invent a repair. Document verified corrections.

Keep for an independent attempt: A table labels a cat photo dog and lists the same photo three times. Identify both data problems and one sensible repair for each.

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Filling T3 with 4 has no observational support. Keep travel missing; T1 3, T2 5 and T4 0 give 1 of 3 assessed at least 4 cm, with 1 missing trial. Seek an original travel observation for T3; C3 currently supplies none. Exit: guessed completeness is not evidence of accuracy. Retain raw values, source identity, supported changes, reviewer, date and unresolved statuses.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start 0 to 7 minutes

Teacher action: Retrieve why a preference score cannot supply an unknown required fact.

Stage: 7 to 20 minutes

Teacher action: Read the schema and distinguish a measured zero from a blank. Complete W1.

Stage: 20 to 33 minutes

Teacher action: Trace the diagram and source cards. Model a correction in a separate copy, then complete W2.

Stage: 33 to 45 minutes

Teacher action: Complete W3. Compare a duplicate export row with a separate trial that happens to have matching values.

Stage: Session 2 start 0 to 8 minutes

Teacher action: Retrieve the evidence needed for a correction and the reason to keep the raw copy.

Stage: 8 to 23 minutes

Teacher action: Complete the guided report. Require 1 of 3 assessed and 1 missing, with no invented T3 measurement.

Stage: 23 to 38 minutes

Teacher action: Collect W4 independently. Check the repair log, distinct-flight count and denominator.

Stage: 38 to 45 minutes

Teacher action: Discuss W5 and the exit. Distinguish unresolved conflicting sources, supported unit conversion and a new observation.

Reduce help deliberately

Completion task: C2 says T2 height is 6 cm and travel is 5 cm; the export says height 60 cm. Write a change-log entry with ID, field, old and new values with units, evidence, reason, reviewer and date. Use a fictional reviewer and date. Explain where the raw export is kept.

Teacher check: Example: T2; height; 60 cm to 6 cm; source C2; transcription error; reviewer R; review date 16 September 2026. Preserve the original export unchanged and apply the correction to a separate working copy. The source supports 6; the invalid 60 alone would not reveal the intended number.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Data quality and documented repair. Proposed explanation: “Every valid value is true”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Schema compliance does not prove agreement with an observation or establish that the source was accurate.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more

demanding variation.

Pictorial practice question

Which repairs are evidence-backed in the original case, and which row must remain unknown?

Reasoned teacher answer

Convert B to 20 cm and keep one confirmed A; C stays unknown. A's valid zero must not be treated as missing.

Changed-case reasoning: B remains unresolved rather than becoming 20 cm. Without a confirmed unit, division by 10 would be an unsupported assumption.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Predict first, test honestly, and explain what the evidence means.

State your prediction before the result is known.

Complete the task: Audit two mini datasets and choose the safer one.

Keep a normal case and an edge case clearly separated.

Record what happened—even when it does not match your prediction.

Explain the result, one limitation, and the next useful test.

INDEPENDENCE After support is removed, repeat the proof with a fresh case.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

CLAIM TO REPAIR More rows always mean more useful evidence.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Every valid value is true: Schema compliance does not prove agreement with an observation or establish that the source was accurate.

A blank means zero: Zero is a known value; a blank is missing information.

Matching measurements must be duplicates: Distinct trials can have equal measurements; investigate identity and provenance.

A repair should make the result look better: Corrections follow evidence, regardless of whether the result improves.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Investigate missing and unusually large values using the source and units. Do not invent a repair. Document verified corrections.

Independent question

A table labels a cat photo dog and lists the same photo three times. Identify both data problems and one sensible repair for each.

Expected independent answer

The label is wrong and the record is duplicated. Check and correct the label using evidence, then remove unintended duplicates while keeping a record of the repair.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “More rows always mean more useful evidence.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Keep 8 cm; convert 90 mm to 9 cm and record the conversion. Mark the blank as missing. Investigate 700 cm against the original record and units; do not silently change it to 7 cm. Preserve the original values and

reasons for changes.

Explanations for the additional workbook examples

W1 Check a schema without guessing

Use the RampLog schema. State the issue or valid status for height 60, travel blank and travel 0. Give the range allowed for each numeric field and explain why a blank and zero require different treatment.

Height 60 fails the whole-number range 1 through 10. Travel blank is missing; its value cannot be inferred. Travel 0 is valid in the whole-number range 0 through 10 and can represent observed no travel. Zero is a measurement, not a replacement for a blank.

W2 Write a traceable correction

C2 says T2 height is 6 cm and travel is 5 cm; the export says height 60 cm. Write a change-log entry with ID, field, old and new values with units, evidence, reason, reviewer and date. Use a fictional reviewer and date. Explain where the raw export is kept.

Example: T2; height; 60 cm to 6 cm; source C2; transcription error; reviewer R; review date 16 September 2026. Preserve the original export unchanged and apply the correction to a separate working copy. The source supports 6; the invalid 60 alone would not reveal the intended number.

W3 Distinguish duplicate rows from similar trials

The export repeats T1 with the same source C1, which confirms one trial. A different trial T5 also has height 4 and travel 3, with its own source C5 confirming a separate trial. Explain which rows count once and why T5 must remain separate.

The two export rows for T1 represent one confirmed trial and count once, with a link explaining the duplicate. T5 is another confirmed trial and stays separate even though its measurements equal T1. Matching numeric values alone do not establish duplication.

W4 Audit an independent paper-plane log

Each flight ID must be unique; distance is a whole number from 0 through 20 cm. Raw rows: F1 8 cm; F2 120 cm; F3 blank; F4 0 cm; another F1 8 cm. Source S1 confirms one F1 flight. S2 says F2 travelled 12 cm. S3 is blank. S4 confirms zero. Preserve the raw rows, describe supported repairs and give the number of distinct flights. Report how many assessed flights travelled at least 10 cm, including missing records separately.

Correct F2 distance from 120 to 12 cm using S2 and log the change. Link the duplicate F1 row using S1 and count F1 once. Keep F3 missing and F4 at measured zero. Four distinct flights remain; three have recorded distances 8, 12 and 0. Only F2 meets at least 10 cm: 1 of 3 assessed, with 1 missing. Retain all five raw rows and the evidence for both repair actions.

W5 Handle conflicting and converted evidence

Two signed cards disagree about the same F3 flight: one says 9 cm and the other 11 cm. Neither is

established as the correction. What can you report for the at-least-10-cm question? Separately, a source for a new F5 flight explicitly records 100 mm. Convert it to centimetres and state the conversion evidence to retain.

Keep F3 unresolved because 9 would fail and 11 would meet the threshold; do not choose whichever improves the result. Flag both sources and request resolution; the known F1, F2 and F4 results still give 1 of 3 assessed with F3 unresolved. F5 is 10 cm because 100 divided by 10 equals 10. Preserve 100 mm, the source ID and the 10-mm-per-cm conversion. F5 is a new flight, not a repair of F3.

Assess independent transfer

Selected case: Each flight ID must be unique; distance is a whole number from 0 through 20 cm. Raw rows: F1 8 cm; F2 120 cm; F3 blank; F4 0 cm; another F1 8 cm. Source S1 confirms one F1 flight. S2 says F2 travelled 12 cm. S3 is blank. S4 confirms zero. Preserve the raw rows, describe supported repairs and give the number of distinct flights. Report how many assessed flights travelled at least 10 cm, including missing records separately.

Selected case answer

Correct F2 distance from 120 to 12 cm using S2 and log the change. Link the duplicate F1 row using S1 and count F1 once. Keep F3 missing and F4 at measured zero. Four distinct flights remain; three have recorded distances 8, 12 and 0. Only F2 meets at least 10 cm: 1 of 3 assessed, with 1 missing. Retain all five raw rows and the evidence for both repair actions.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Helpful Classroom Sorter

Audit the sorter's example cards and add a reason for including each field and condition.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Use physical cards, spoken explanations and a three-stage drawing. Read aloud without giving the answer. Stretch: compare two mechanisms with the same visible output and explain what evidence distinguishes them.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 22: Missing and Unbalanced Examples. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Use three cards labelled measured zero, missing and conflicting. Provide a change-log frame while requiring students to supply the evidence. Extension: show a value that passes the schema but disagrees with its source, and ask which check reveals the problem.

W4 requires the supported 120-to-12 correction, one count for the repeated F1, four distinct flights, measured zero retained and 1 of 3 assessed with 1 missing. After support change F1 to 10 cm with confirming S1: the numerator becomes 2 of the same 3 assessed; the missing count remains 1. Do not award independent mastery for copying the original report.

Week 22 examines sampling and coverage: which cases supplied the records, which are absent, and how that limits a conclusion.

Plan the delayed return

Suggested return points in this level: ai-1/22, ai-1/24, ai-1/27. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Keep raw sorter inputs, validated records and an evidence-linked repair log as different artifacts.

7. Prepare, teach and assess

Teaching target: Check records against a stated format, unit and meaning before using them

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: C2 says T2 height is 6 cm and travel is 5 cm; the export says height 60 cm. Write a change-log entry with ID, field, old and new values with units, evidence, reason, reviewer and date. Use a fictional reviewer and date. Explain where the raw export is kept.

Reasoned practice answer: Example: T2; height; 60 cm to 6 cm; source C2; transcription error; reviewer R; review date 16 September 2026. Preserve the original export unchanged and apply the correction to a separate working copy. The source supports 6; the invalid 60 alone would not reveal the intended number.

Check every learner before discussion: Use the worked case for Data quality and documented repair. Proposed explanation: “Every valid value is true”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Schema compliance does not prove agreement with an observation or establish that the source was accurate.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: The source log gives B only as bare 200 with no unit. Require a prediction and a reason before comparing. Expected result: B remains unresolved rather than becoming 20 cm. Reason: Without a confirmed unit, division by 10 would be an unsupported assumption.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.