

Branching Logic

Project: Transparent Book Recommender

1. Branching Logic

Teach the learning cycle

Primary target: Trace the selected branch in an if elif else chain

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Case exposure check: this source example appears in ai-2/3, python-bridge/5. Reuse a familiar case for

recall or modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Decompose a Goal

Without opening the old lesson, explain one key idea from Decompose a Goal. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish a function definition from a function call

Reference example, not the only acceptable wording: Name show_remaining; parameters capacity and used. Arguments 15 and 6 match capacity = 15 and used = 6. Expected printed result 9.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Classify lengths with if pages<80 then Short; else if pages<=160 then Medium; else Long. Trace 79,80,160,161. What happens if the <=160 branch is placed first?

Concept to explain

Ordered conditions determine which path a system takes.

Term · Meaning

Term: condition

Meaning: A statement evaluated as true or false to help select an action.

Term: branch

Meaning: One path taken when a condition selects among alternatives.

Term: if/else

Meaning: A programming structure that chooses a path according to whether a condition is true or false.

Term: order

Meaning: The sequence in which steps are performed or items are read.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach ordered selection and indentation using a written input contract. A script can cover all branches while missing an equality bug. Reference: <https://docs.python.org/3/tutorial/controlflow.html#if-statements>. The new task requires one four-way chain; independently correct equivalent conditions are acceptable.

Readiness answer

`<=` accepts equality; `<` excludes it. At 12 the two conditions produce different Boolean values.

Python 3 editor and `branches.py`

The written duration rule and boundary case cards

Blank trace table with a skipped marker

End goal for the pictorial case

By the end, I can order branches so each input receives exactly its intended category.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. IF pet is hungry → feed.
2. ELSE IF pet needs exercise → walk or play.
3. ELSE → provide a quiet rest space.
4. Boundary test: what if hungry and needs exercise? The first true branch wins.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

If pages<100 choose Short; otherwise if pages<=200 choose Medium; otherwise Long.

Classify 99,100,200,201 pages.

Exact explanation to model

Short, Medium, Medium, Long. Strict and inclusive boundaries and branch order matter.

Explain the added worked example

A fictional activity sorter labels a supplied integer duration. Negative values are Invalid; values from zero through 12 are Short; larger values are Long. The labels describe duration only. Write this requirement before the program so that a test has an expected answer independent of the code.

An if statement selects a block when its condition is true. An elif is considered only if earlier conditions in the same chain were false. An else handles the remaining cases. Colons end the condition lines. Use four spaces for the indented statements and keep related branches aligned.

The output is Short. For 12, the first condition is false and the second is true. The else block is skipped. print(label) is not indented, so it runs after the selected branch. Each path assigns label before this line reads it. Change only minutes and save before each fresh run.

Key terms

Term · Meaning

Term: Branch

Meaning: A possible path through a program

Term: Condition

Meaning: An expression used to decide which path to take

Term: Indentation

Meaning: Leading spaces that identify a Python code block

Term: Boundary

Meaning: A value where a classification may change

Term: Regression check

Meaning: A previous test rerun after an edit to detect a new failure

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

-1 · Invalid · Negative input rejection

-1: 0

Invalid: Short

Negative input rejection: Lowest valid duration

-1: 11

Invalid: Short

Negative input rejection: Just below the upper boundary

-1: 12

Invalid: Short

Negative input rejection: Exact upper boundary

-1: 13

Invalid: Long

Negative input rejection: Just above the boundary

These tests exercise every branch and the equality case. A change from ≤ 12 to < 12 is exposed by 12; testing 11 alone misses it. Branch coverage means every branch was exercised, but it does not prove every condition is correct.

Suppose the program uses < 12 instead of ≤ 12 . What is printed for 12, why does that violate the written rule, and which earlier test should still pass after repair?

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Branching Logic

A fictional reading-time labeler uses one Python if/elif/else chain.

The facts we will use

Whole minutes below 0: Invalid; 0: Empty; 1–10: Short; above 10: Long.

Order checks as `minutes<0`, `minutes==0`, `minutes<=10`, otherwise. Print the assigned label once.

Branching Logic

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Negative check

-1 takes Invalid and skips later branches.



2. Zero check

0 takes Empty, not Short.



3. Inclusive short range

1 and 10 take Short.



4. Remaining inputs

11 takes Long; only the selected branch assigns the label.

CHANGE ONE THING

Move minutes $\leq$ 10 to the first branch.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Negative check

What happens and why: -1 takes Invalid and skips later branches.

Step: 2. Zero check

What happens and why: 0 takes Empty, not Short.

Step: 3. Inclusive short range

What happens and why: 1 and 10 take Short.

Step: 4. Remaining inputs

What happens and why: 11 takes Long; only the selected branch assigns the label.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

The third comparison alone would include negative values and zero, but earlier branches already handle them. An elif chain selects its first true branch. Multiple independent if statements would have different behavior and could overwrite an earlier label. Boundary traces show why order belongs to the specification.

What this example does not establish

The example assumes whole numeric minutes; strings, missing values and fractional values need a separate declared input contract.

Change one thing in the pictured case

Change: Move `minutes<=10` to the first branch.

Prediction: -1 and 0 wrongly receive Short.

Reason: Both satisfy the earlier comparison before their intended checks are reached.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: If `pages<100` choose Short; otherwise if `pages<=200` choose Medium; otherwise Long.

Write the question to explain: Classify 99,100,200,201 pages.

Reveal after predictions: Short, Medium, Medium, Long. Strict and inclusive boundaries and branch order matter.

Keep for an independent attempt: If pages are at most 80, choose short; otherwise choose long. Classify books with 79, 80 and 81 pages and explain the boundary.

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

The faulty < 12 version prints Long for 12, contrary to the inclusive Short rule. Repair to ≤ 12 and rerun 11 or 13 as well as 12. Exit: exact 12 is missing. -1, 2 and 20 can visit all branches even when the equality comparison is wrong.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve inclusive comparison and collect the prerequisite.

Stage: 7 to 20 minutes

Teacher action: Translate the duration rule and complete W1.

Stage: 20 to 33 minutes

Teacher action: Trace the diagram and code, marking skipped branches.

Stage: 33 to 45 minutes

Teacher action: Complete W2 with predicted and actual outputs.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve why equality needs a separate test.

Stage: 8 to 20 minutes

Teacher action: Run the faulty two-if script and complete W3 and the guided question.

Stage: 20 to 35 minutes

Teacher action: Collect the new sorter in W4 before hints.

Stage: 35 to 45 minutes

Teacher action: Use W5 and the exit to distinguish coverage from correctness.

Reduce help deliberately

Completion task: For -1, 12 and 13, record checked conditions, skipped conditions and the final label. Run each as a fresh script after predicting.

Teacher check: -1: first True, second skipped, Invalid. 12: first False, second True, Short. 13: both False, else selected, Long. Retain observed results separately.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Branching and boundary tests. Proposed explanation: “Every condition in the chain always runs”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Once one condition succeeds, later alternatives are skipped.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Give expected labels for -1,0,10,11 and identify the equality boundary for Short.

Reasoned teacher answer

Invalid, Empty, Short, Long. Ten is included in Short because the comparison uses $\leq$.

Changed-case reasoning: -1 and 0 wrongly receive Short. Both satisfy the earlier comparison before their intended checks are reached.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict $\rightarrow$ Test $\rightarrow$ Record $\rightarrow$ Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Trace six pet cards through the same ordered rules. Change only the rule order and compare outputs.

What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Every condition in the chain always runs: Once one condition succeeds, later alternatives are skipped.

Two if statements behave like if then elif: Independent if statements can both run and overwrite a result.

Indentation is cosmetic: Leading spaces define the branch body.

Every branch tested means every input correct: A missing equality case can hide a wrong comparison.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Short, Medium, Medium, Long. Strict and inclusive boundaries and branch order matter.

Independent question

If pages are at most 80, choose short; otherwise choose long. Classify books with 79, 80 and 81 pages and explain the boundary.

Expected independent answer

79 and 80 are short; 81 is long. At most 80 includes 80.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “At most 80 excludes 80.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Original results are Short, Medium, Medium, Long. With ≤ 160 first, 79 is incorrectly routed to Medium and the Short branch becomes unreachable for nonnegative short books. Check values just below, at and above each boundary.

Explanations for the additional workbook examples

W1 Explain the chain

Describe the purpose of if, elif and else in the worked duration sorter. Explain why print(label) is outside the indented branches.

if tests negative first; elif checks ≤ 12 only after that fails; else handles the rest. Unindented print runs after any selected branch, whose assignment gives label a value.

W2 Trace the tested path

For -1, 12 and 13, record checked conditions, skipped conditions and the final label. Run each as a fresh script after predicting.

-1: first True, second skipped, Invalid. 12: first False, second True, Short. 13: both False, else selected, Long. Retain observed results separately.

W3 Repair the overwritten result

Trace the two-independent-if example for -1. Identify which assignment overwrites the earlier label and make the smallest repair.

The first assignment sets Invalid; the second if also succeeds and changes label to Short. Replace the second if with elif. The repaired output is Invalid.

W4 Build a new sorter independently

Use an integer tiles count. Label a negative value Invalid, zero Empty, 1 through 6 Small and values above 6 Large. Write an ordered if elif else script and predict -1, 0, 1, 6 and 7. Include one print after the chain.

Use if tiles < 0, elif tiles == 0, elif tiles <= 6, else, assigning the respective labels and printing after the chain. Outputs Invalid, Empty, Small, Small, Large. Zero must be handled before the <= 6 branch.

W5 Choose revealing regression tests

A repair changes the small-count condition from < 6 to <= 6. Name the case that exposes the original error and two different kinds of earlier cases to rerun.

6 exposes the original wrong Large label. Rerun zero for Empty and a negative count for Invalid, or 7 for Large. Passing only 6 does not check earlier branches.

Assess independent transfer

Selected case: Use an integer tiles count. Label a negative value Invalid, zero Empty, 1 through 6 Small and values above 6 Large. Write an ordered if elif else script and predict -1, 0, 1, 6 and 7. Include one print after the chain.

Selected case answer

Use if tiles < 0, elif tiles == 0, elif tiles <= 6, else, assigning the respective labels and printing after the chain. Outputs Invalid, Empty, Small, Small, Large. Zero must be handled before the <= 6 branch.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Transparent Book Recommender

Branch when a reader has a hard constraint such as language, format, or maximum length.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record. Retrieve this record next week rather than restarting the project.

Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 4: Trace Tables. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Provide movable branch cards and align the four-space blocks on a ruled page. Permit an oral trace alongside the script and record help. Extension: swap the zero and ≤ 6 checks and find the smallest

nonnegative counterexample.

W4 must assign one correct label on all five cases and explain zero before the small branch. After support, retry a shelf-count sorter with Empty at zero, Few for 1 through 4, Many above 4 and Invalid below zero. Expected outputs at -1, 0, 4, 5 are Invalid, Empty, Few, Many.

Week 6 repeats a block with loops and records each change in state.

Plan the delayed return

Suggested return points in this level: ai-2/4, ai-2/6, ai-2/9. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Validate recommender requests before ranking items, retaining explicit labels for missing or invalid cases.

7. Prepare, teach and assess

Teaching target: Trace the selected branch in an if elif else chain

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: For -1, 12 and 13, record checked conditions, skipped conditions and the final label. Run each as a fresh script after predicting.

Reasoned practice answer: -1: first True, second skipped, Invalid. 12: first False, second True, Short. 13: both False, else selected, Long. Retain observed results separately.

Check every learner before discussion: Use the worked case for Branching and boundary tests. Proposed

explanation: “Every condition in the chain always runs”. Decide whether this explanation is supported.
Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Once one condition succeeds, later alternatives are skipped.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Move minutes ≤ 10 to the first branch. Require a prediction and a reason before comparing.
Expected result: –1 and 0 wrongly receive Short. Reason: Both satisfy the earlier comparison before their intended checks are reached.

Independent assessment: withhold the reserved answer until the learner has attempted the new case.
Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Frame the need. Name the user, the problem, allowed inputs and a safe simple starting method.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner’s explanation and evidence.