

# Prompt Experiments

Project: Transparent Book Recommender

## 1. Prompt Experiments

### Teach the learning cycle

Primary target: Explain the mechanism and terminology of controlled prompt experiments

#### Session · Sequence and minutes · Resources

**Session:** Session 1 · Understand · 45 min

**Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Case exposure check: this source example appears in ai-2/28, ai-3/7, ai-3/9. Reuse a familiar case for

recall or modelling; verify that the case used to assess transfer has not already received feedback.

## Retrieval answer guidance

### Predictive vs Generative

Without opening the old lesson, explain one key idea from Predictive vs Generative. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish discriminative prediction from generation by inspecting the requested output

Reference example, not the only acceptable wording: Teacher explanation: Message labels are discriminative prediction; continuing a sequence is generation; record lookup is retrieval rather than learned generation by itself. One application can route a request, retrieve evidence and generate a response.

### Text as Pieces

Without opening the old lesson, explain one key idea from Text as Pieces. Give an example and a mistake that the idea helps you avoid.

Look for: Encode and decode text under an explicit toy vocabulary

Reference example, not the only acceptable wording: Teacher explanation: The rule chooses the longest matching ordinary token; sat has length three and s length one. Vocabulary and matching are case sensitive and contain no uppercase C.

### Nearest Neighbor Reasoning

Without opening the old lesson, explain one key idea from Nearest Neighbor Reasoning. Give an example and a mistake that the idea helps you avoid.

Look for: Compute absolute distances and rank training neighbours

Reference example, not the only acceptable wording: Distances to A,B,C,D,E are 1,1,5,7,9 cm. A and B are equally far from 3 on the numeric feature; their labels do not enter the distance calculation.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

### What the learner must demonstrate

Prompt A is tested on easy requests and B on requests with missing data. B scores lower. Design a fair comparison and specify what to do when outputs vary across runs.

### Concept to explain

Prompt quality is evaluated by controlled comparisons and success criteria.

#### Term · Meaning

**Term:** prompt

**Meaning:** Input instructions and context supplied to a generative system.

---

**Term:** constraint

**Meaning:** A condition that a valid solution must satisfy.

---

**Term:** criterion

**Meaning:** One stated standard used to judge a result.

---

**Term:** controlled comparison

**Meaning:** A comparison designed to keep relevant conditions alike except for the factor being studied.

---

## Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

## Preparation for the connected explanation

Two 45-minute sessions. A prompt experiment compares complete specifications using the same task cases. Define success before inspecting outputs; change one intended instruction and preserve other settings. Use the supplied constructed scenarios to make the mechanism inspectable. Collect W4 before sharing solutions. Students should name intermediate evidence and limitations; classroom pacing and learning effectiveness remain unvalidated.

## Readiness answer

A result depends on the inputs, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from predictions or unmeasured conditions. If the prior concept cannot be explained, use a short retrieval activity before this chapter.

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

## End goal for the pictorial case

By the end, I can compare prompts on paired cases and inspect a subgroup before choosing.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

## 2. Explain the mechanism

### Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. Prompt A meets 3 of 6 rubric checks.
2. Add one constraint: 'Use 3 sentences and name no ending.'
3. Prompt B meets 5 of 6 checks.
4. Improvement = +2 checks; repeat on more books before claiming it generalizes.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

### Concrete teaching case

Prompt B adds under 100 pages and explain the match to Prompt A. Both use a catalogue.

Design a fair comparison.

### Exact explanation to model

Use identical requests, catalogue and scoring criteria. Check constraint compliance and supported explanation; repeat stochastic outputs when relevant.

### Explain the added worked example

A prompt experiment compares complete specifications using the same task cases. Define success before inspecting outputs; change one intended instruction and preserve other settings.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing. These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Evaluate both prompts on paired cases with fixed model/version, source records, output contract and scoring rubric. Use development results for selection, then reserve new final cases. Score each case rather than counting attractive sentences.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same inputs. If a required input is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

## Key terms

### Term · Meaning

**Term:** Paired case

**Meaning:** The same case evaluated under each compared procedure

---

**Term:** Rubric

**Meaning:** Prespecified criteria for judging an output

---

**Term:** Regression

**Meaning:** A previously passing condition that fails after a change

---

## Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results.

P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Compare the intermediate evidence with the final statement. Explain why each number or decision follows from the stated inputs. The conclusion belongs to this scenario and procedure; changing the inputs, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

### Thinking move · Teacher prompt

**Thinking move:** Plan

**Teacher prompt:** What is given? What is the question? Which procedure fits these facts?

\_\_\_\_\_

**Thinking move:** Do

**Teacher prompt:** Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

\_\_\_\_\_

**Thinking move:** Check

**Teacher prompt:** Does the output answer the question? Which assumption or limitation prevents a larger claim?

\_\_\_\_\_

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

**A pictorial worked case: Prompt Experiments**

A fictional book-help project tests two prompt versions on seven shared development cases.

**The facts we will use**

P passes cases 1,2,3,4. Q passes 1,2,3,5,6. Cases 4 and 7 involve missing sources.

Same inputs, system configuration and rubric; only the prompt changes. These are invented records.

AI ACADEMY / AI-2/28

**Paired overall and missing-source passes**

|   | Overall passes /7 | Missing-source passes /2 |
|---|-------------------|--------------------------|
| P | 4                 | 1                        |
| Q | 5                 | 0                        |

Read a cell using both its row and column labels.

## Prompt Experiments

### Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



#### 1. Paired setup

Use the same seven cases and pass criteria for both prompts.



#### 2. Overall rates

$P=4/7$ ;  $Q=5/7$ .



#### 3. Missing-source slice

P passes 1/2; Q passes 0/2 in cases 4 and 7.



#### 4. Decide explicitly

Q improves overall count but worsens missing-source behavior; use the declared priorities.

### CHANGE ONE THING

Make missing-source correctness a required selection gate.

Explain the changed result using the matching lesson.

## Read the picture one step at a time

### Step · What happens and why

**Step:** 1. Paired setup

**What happens and why:** Use the same seven cases and pass criteria for both prompts.

---

**Step:** 2. Overall rates

**What happens and why:**  $P=4/7$ ;  $Q=5/7$ .

---

### Step: 3. Missing-source slice

**What happens and why:** P passes 1/2; Q passes 0/2 in cases 4 and 7.

---

### Step: 4. Decide explicitly

**What happens and why:** Q improves overall count but worsens missing-source behavior; use the declared priorities.

---

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

## Why this result follows

A larger total can conceal a more serious failure category. Paired records show which cases changed, not just how many passed. If refusing unsupported claims is mandatory, Q's overall advantage may not justify selection. Keep the failing examples for development and obtain fresh cases after choosing a final version.

## What this example does not establish

Seven development cases cannot establish causal learning benefits or untouched final performance; repeated generation may also vary.

## Change one thing in the pictured case

Change: Make missing-source correctness a required selection gate.

Prediction: Neither prompt clears a 2/2 gate on these records.

Reason: P fails 7 and Q fails both 4 and 7; both need revision.

## Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

# 3. Demonstrate and guide practice

## Demonstrate and guide practice

### Board sequence

Write the given facts: Prompt B adds under 100 pages and explain the match to Prompt A. Both use a catalogue.

Write the question to explain: Design a fair comparison.

Reveal after predictions: Use identical requests, catalogue and scoring criteria. Check constraint compliance and supported explanation; repeat stochastic outputs when relevant.

Keep for an independent attempt: Prompt A and B are tested on different questions. B scores higher. Can wording alone explain the difference? Design a controlled comparison.

## Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

## Model these guided questions

Guided: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged. Qualification: Prompt selection on development cases cannot be reported as independent final performance. Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the mechanism; reject a claim resting on unmeasured evidence.

## Case-specific teaching sequence

### Stage · Teacher action

**Stage:** Session 1: 0–7 minutes

**Teacher action:** Retrieve the prerequisite; identify the input, procedure and evidence source.

---

**Stage:** 7–18 minutes

**Teacher action:** Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

---

**Stage:** 18–32 minutes

**Teacher action:** Trace the declared procedure and worked case. Complete W2, recording intermediate steps.

---

**Stage:** 32–45 minutes

**Teacher action:** Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

---

**Stage:** Session 2: 0–8 minutes

**Teacher action:** Retrieve the worked reasoning and collect the guided response before discussing it.

---

**Stage:** 8–20 minutes

**Teacher action:** Compare a proposed boundary variant with the original case; identify what remains fixed.

---

**Stage:** 20–35 minutes

**Teacher action:** Collect W4 independently. Require the procedure trace and the bounded conclusion.

---

**Stage:** 35–45 minutes

**Teacher action:** Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

---

## Reduce help deliberately

Completion task: On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results. Show the intermediate steps and give the conclusion with its scope.

Teacher check: Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

## Individual reasoning check

Use the worked case for Controlled prompt experiments. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Prompt selection on development cases cannot be reported as independent final performance.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step

for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

### Pictorial practice question

Name the case P passes and Q fails, and explain why it matters.

### Reasoned teacher answer

Case 4, a missing-source case. Its regression can matter more than gains on ordinary cases if unsupported answers are unacceptable.

Changed-case reasoning: Neither prompt clears a 2/2 gate on these records. P fails 7 and Q fails both 4 and 7; both need revision.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

## 4. Run the weekly evidence lab

### Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Define six rubric checks, keep task and examples fixed, change one prompt element, score both versions across three cases, and explain uncertainty.

What did the hardest test teach you that the normal test did not?

### Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

#### Record · What to capture

**Record:** Input or evidence

**What to capture:** Exact data, instruction or claim

---

**Record:** Expected result

**What to capture:** Answer or safe fallback declared before the run

---

**Record:** Observed result

**What to capture:** Actual result, including errors

---

**Record:** Explanation

**What to capture:** Rule, calculation or evidence explaining the outcome

---

**Record:** Next test

**What to capture:** One justified change and a new prediction

---

## Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

## Address these additional misconceptions

The worked result establishes every future case: Prompt selection on development cases cannot be reported as independent final performance.

A missing input may be replaced without recording the change: A replacement changes the evidence or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent evidence: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

## Match the support to the first error

### What the response shows · Next teaching action

**What the response shows:** Missing or misread facts

**Next teaching action:** Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

---

**What the response shows:** Wrong procedure

**Next teaching action:** Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

---

**What the response shows:** Arithmetic or implementation error

**Next teaching action:** Trace intermediate values or lines; preserve the first mismatch and retry that step.

---

**What the response shows:** Correct result without a reason

**Next teaching action:** Ask for a trace and a changed case before marking independent understanding.

---

**What the response shows:** An unsupported wider claim

**Next teaching action:** Ask which supplied evidence supports the claim and which further observation would be needed.

---

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

## 5. Assess and explain the answers

### Assess and explain the answers

#### Worked case answer

Use identical requests, catalogue and scoring criteria. Check constraint compliance and supported explanation; repeat stochastic outputs when relevant.

#### Independent question

Prompt A and B are tested on different questions. B scores higher. Can wording alone explain the difference? Design a controlled comparison.

#### Expected independent answer

No; question difficulty also changed. Compare both prompts on the same evaluation questions and rubric, with repeated runs when outputs vary.

#### What counts as evidence

**Criterion · 0 points · 1 point · 2 points**

### Criterion: Result

**0 points:** Incorrect or absent

**1 point:** Partly correct

**2 points:** Correct with necessary conditions

---

### Criterion: Reasoning

**0 points:** No supporting trace

**1 point:** Some steps

**2 points:** Clear mechanism, calculation or source support

---

### Criterion: Limit

**0 points:** Overclaims certainty

**1 point:** Vague limitation

**2 points:** Relevant uncertainty or missing fact

---

### Criterion: Transfer

**0 points:** Copies without adapting

**1 point:** Adapts with prompts

**2 points:** Solves a changed case independently

---

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

## Feedback

Ask the learner to find the evidence that challenges this claim: “Changing several factors proves which one caused improvement.” Keep the first attempt and an uncoached retry separate.

## Original transfer answer

Run both prompts on the same predefined requests and catalogue, with identical criteria for existence, constraints and explanation support. Repeat stochastic runs and retain failures. Separate prompt-development cases from final evaluation and report per-case outcomes, not only the mean.

## Explanations for the additional workbook examples

### W1 Explain the mechanism

Explain the weekly mechanism in your own words. Use the worked scenario to name its input, decision rule and output.

Teacher explanation: A prompt experiment compares complete specifications using the same task cases. Define success before inspecting outputs; change one intended instruction and preserve other settings. Evaluate both prompts on paired cases with fixed model/version, source records, output contract and scoring rubric. Use development results for selection, then reserve new final cases. Score each case rather than counting attractive sentences.

### W2 Trace the worked case

On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results. Show the intermediate steps and give the conclusion with its scope.

Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

### W3 Audit the limit

A report omits this qualification: Prompt selection on development cases cannot be reported as independent final performance. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher explanation: Prompt selection on development cases cannot be reported as independent final performance. State the observed result separately from the unverified or out-of-scope claim; preserve the original evidence rather than inventing a missing fact.

### W4 Apply a new case independently

On eight paired cases A passes 1–5; B passes 1–4, 6, 7. Special cases are 5 and 8. Compare overall and special-case results; select by total passes.

Teacher explanation:  $A=5/8$ ,  $B=6/8$ , so select B on development. Special-case passes  $A=1/2$ ,  $B=0/2$ ; the aggregate selection hides a regression requiring review.

### W5 Design a revealing follow-up

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison. Do not reuse W4 as a new final test after receiving feedback.

Teacher explanation: Accept a concrete variant of the worked input or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure. Require preserved settings, original outputs and data roles. Prompt selection on development cases cannot be reported as independent final

performance. The new case should test this particular mechanism rather than merely restate the original result.

## Assess independent transfer

Selected case: On eight paired cases A passes 1–5; B passes 1–4, 6, 7. Special cases are 5 and 8. Compare overall and special-case results; select by total passes.

## Selected case answer

Teacher explanation:  $A=5/8$ ,  $B=6/8$ , so select B on development. Special-case passes  $A=1/2$ ,  $B=0/2$ ; the aggregate selection hides a regression requiring review.

### Dimension · Evidence required

**Dimension:** Explanation

**Evidence required:** Names the applicable idea or procedure and ties it to the supplied facts.

---

**Dimension:** Trace and result

**Evidence required:** Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

---

**Dimension:** Limits

**Evidence required:** States the assumptions, missing evidence or conditions under which the result would change.

---

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

## Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

# 6. Connect and extend learning

## Connect and extend learning

## Transparent Book Recommender

Test generated book explanations with a fixed rubric and prohibit invented details.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record.

Retrieve this record next week rather than restarting the project.

### Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

### Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

### Bridge to the next week

Next: Week 29: Evidence and Sources. Retrieve today's evidence and identify what carries forward and what is new.

### Support and fresh reassessment

Provide an input/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace. Extension: compare two concrete variants of this mechanism while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

W4:  $A=5/8$ ,  $B=6/8$ , so select B on development. Special-case passes  $A=1/2$ ,  $B=0/2$ ; the aggregate selection hides a regression requiring review. Require intermediate reasoning and the stated scope. Fresh retry: A passes 1–4 of six; B passes 1, 2, 5. Special cases 4 and 6. Compare. Expected reasoning:  $A=4/6$ ,  $B=3/6$ ; special  $A=1/2$ ,  $B=0/2$ . Preserve both outcomes; no final result supplied. If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Next connection: Generation failures and verification. Preserve the current case record and retrieve its evidence boundary before moving on.

### Plan the delayed return

Suggested return points in this level: ai-2/29, ai-2/31, ai-2/34. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

## Record · Teacher evidence

**Record:** Learner code and date

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Concept and case used; prior exposure

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Explanation / trace / limits

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Support and first repair

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Changed case and delayed outcome

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

**Record:** Next teaching action

**Teacher evidence:** \_\_\_\_\_

\_\_\_\_\_

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

### **Project evidence from this case**

Run controlled recommender explanation experiments with paired cases and report important failure conditions separately.

## **7. Prepare, teach and assess**

Teaching target: Explain the mechanism and terminology of controlled prompt experiments

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

### **Session · Plan · Resources**

**Session:** Session 1 · Understand · 45 min

**Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

**Resources:** Sections 1–6; record the brief recall in the workbook.

---

**Session:** Session 2 · Practise · 45 min

**Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

**Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

---

**Session:** Session 3 · Investigate and transfer · 45 min

**Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

**Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

---

Before class, solve the supported practice: On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results. Show the intermediate steps and give the conclusion with its scope.

Reasoned practice answer: Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Check every learner before discussion: Use the worked case for Controlled prompt experiments. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Prompt selection on development cases cannot be reported as independent final performance.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Make missing-source correctness a required selection gate. Require a prediction and a reason before comparing. Expected result: Neither prompt clears a 2/2 gate on these records. Reason: P fails 7 and Q fails both 4 and 7; both need revision.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

**Criterion · Not yet · With support · Independent**

**Criterion:** Explanation

**Not yet:** Names an answer without a deciding fact

**With support:** Uses a hint to link fact and decision

**Independent:** Explains the deciding fact in own words

---

**Criterion:** Trace or test

**Not yet:** Cannot connect input and result

**With support:** Completes steps with prompts

**Independent:** Traces or tests a changed case accurately

---

**Criterion:** Limits and revision

**Not yet:** Claims more than evidence supports

**With support:** Names a limit after a prompt

**Independent:** States a defensible limit and useful next test

---

Project checkpoint: Prepare the demonstration. Gather reproducible instructions, evidence, access checks and remaining limitations.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.