

Project Problem and Success Test

Project: Transparent Book Recommender

1. Project Problem and Success Test

Teach the learning cycle

Primary target: Define a small application purpose

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Permissions and Human Review

Without opening the old lesson, explain one key idea from Permissions and Human Review. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of least privilege and tool scopes

Reference example, not the only acceptable wording: Teacher explanation: Least privilege grants only capabilities required by the task. Tool access should include resource and operation scope, not merely a broad tool name. A reporting assistant may lookup public rooms but may not write records, send messages or read teacher notes. Check actor, operation and resource before executing a proposed call.

Evidence and Sources

Without opening the old lesson, explain one key idea from Evidence and Sources. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of claim support and citation evaluation

Reference example, not the only acceptable wording: Teacher explanation: Citation evaluation checks source existence, exact passage support and coverage of answer claims. A real citation can still be irrelevant. For this classroom rubric count a claim as supported only when its cited passage entails it. Separately count correct citation links. Use the number of factual claims as the support denominator.

Image and Voice Pipelines

Without opening the old lesson, explain one key idea from Image and Voice Pipelines. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the mechanism and terminology of speech pipelines and multimodal evidence

Reference example, not the only acceptable wording: Teacher explanation: A multimodal pipeline may transcribe speech, inspect an image and generate a response. Errors at one stage can propagate even when later stages run correctly. Track source modality, segment/time references, transcription, interpretation and final claims separately. Compare conflicting evidence without assuming one modality always wins. Ask for clarification when the task needs unresolved information.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Specify three acceptance tests for a recommender: a normal match, a tied score and no qualifying book. Include expected behaviour before implementation.

Concept to explain

Week 32: Project Problem and Success Test

Term · Meaning

Term: user need

Meaning: The problem or desired outcome the system is meant to address for a person.

Term: requirement

Meaning: A behaviour or condition the proposed system must satisfy.

Term: acceptance test

Meaning: A predefined check that a product satisfies a stated requirement.

Term: scope

Meaning: The tasks, users, information and actions included within an agreement or design.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach Week 31 as a two-session investigation using fictional data. Plan a fictional activity chooser for a teacher-supervised 20-minute session. It will validate a small local dataset, exclude over-limit items, rank eligible items using $2 * \text{fun} + \text{learning}$ and break ties alphabetically. It will explain the result for human review. It will not book, message or collect personal student profiles. Assess the three stated outcomes through the independent task, not by copying the worked result.

Readiness answer

Otherwise it would silently violate the stated requirement.

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional input records from this lesson; no real student identifiers

Apply the connected idea: A reproducible data investigation

Teach Week 30 as a two-session investigation using fictional data. Investigate the fictional question: among supplied sessions with valid duration records, what is the mean duration? Inputs are 10, 0, 20, None and -2 minutes. Our schema accepts exact integers 0 through 60. The wording deliberately limits the answer to accepted records. Assess the three stated outcomes through the independent task, not by copying the worked result.

Readiness answer

Record the rejection and reason; preserve the raw value for authorized review.

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional input records from this lesson; no real student identifiers

End goal for the pictorial case

By the end, I can plan a recommender with acceptance tests before writing its selection code.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete evidence.

1. Need: help a reader choose from 12 classroom books.
2. Requirements: use stated preferences; show score; protect privacy.
3. Tests: correct arithmetic; unsuitable hard constraint removed; explanation names evidence.
4. Out of scope: claiming the objectively 'best' book or storing private history.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the evidence answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

A project recommends from ten approved books using genre and length.

Define acceptance tests.

Exact explanation to model

Verify book existence, hard constraints, correct scoring explanations, tie handling and no-match behaviour on predefined requests.

Explain the added worked example

Plan a fictional activity chooser for a teacher-supervised 20-minute session. It will validate a small local dataset, exclude over-limit items, rank eligible items using $2 * \text{fun} + \text{learning}$ and break ties alphabetically. It will explain the result for human review. It will not book, message or collect personal student profiles.

Define fields name, minutes, fun and learning. Require a nonempty text name, integer minutes 0 through 60 and integer ratings 0 through 5. Reject duplicate names because the tie rule uses names as identifiers. Write cases before implementing so requirements do not drift to fit outputs.

Key terms

Term · Meaning

Term: Requirement

Meaning: A statement of behavior the application must provide

Term: Acceptance case

Meaning: An input and expected behavior used to judge a requirement

Term: Non-goal

Meaning: Something intentionally outside project scope

Term: Prototype

Meaning: A limited implementation for testing a design

Apply the connected idea: A reproducible data investigation

Investigate the fictional question: among supplied sessions with valid duration records, what is the mean duration? Inputs are 10, 0, 20, None and -2 minutes. Our schema accepts exact integers 0 through 60. The wording deliberately limits the answer to accepted records.

The result is 3 accepted, 2 rejected, and mean 10.0 minutes. A reproducible report states the question, raw

input version, schema, exclusion reasons, calculation and scope. Someone else should obtain the same result from the same inputs and rules.

Four accepted values total 60, so mean 15 minutes; still two rejected. Exit: Input records/version, schema, excluded rows and reasons, accepted count, calculation and code/configuration version.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Write an acceptance case for the duration boundary and one for no eligible option.

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Project Problem and Success Test

A fictional reading-break chooser needs a transparent contract.

The facts we will use

Items have id text, minutes integer 0–30, interest integer 0–5. Request limit is integer 0–30.
Eligible if minutes<=limit; score=interest; highest wins; ties choose alphabetically smaller ID; invalid rows excluded and counted.

AI ACADEMY / AI-2/32

Project Problem and Success Test

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Specify inputs

Validate each row and request; keep rejected-row reasons.

↓



2. Filter and rank

At limit 8: A(time8,interest3), B(9,5), C(6,3). B is ineligible.

↓



3. Expected output

A beats tied C by ID; report A and its score 3.

↓



4. Acceptance cases

Also plan invalid request, no eligible item and equal-score cases.

CHANGE ONE THING

Reduce the limit from 8 to 5.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Specify inputs

AI Academy | 7 / 22

What happens and why: Validate each row and request; keep rejected-row reasons.

Step: 2. Filter and rank

What happens and why: At limit 8: A(time8,interest3), B(9,5), C(6,3). B is ineligible.

Step: 3. Expected output

What happens and why: A beats tied C by ID; report A and its score 3.

Step: 4. Acceptance cases

What happens and why: Also plan invalid request, no eligible item and equal-score cases.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Planning fixes what success means before code returns an answer. The duration boundary is including equality, and the tie policy prevents accidental list-order dependence. A complete output may include why other rows were excluded. Test expectations should come from the contract rather than copying the first program result.

What this example does not establish

The supplied interest scores are fictional; the specification does not establish genuine learner preferences.

Change one thing in the pictured case

Change: Reduce the limit from 8 to 5.

Prediction: Return no eligible item.

Reason: All three valid rows take more than five minutes.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: A project recommends from ten approved books using genre and length.

Write the question to explain: Define acceptance tests.

Reveal after predictions: Verify book existence, hard constraints, correct scoring explanations, tie handling and no-match behaviour on predefined requests.

Keep for an independent attempt: Define a testable goal for a book recommender serving readers who want short space books. Include a concrete success condition.

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

An otherwise valid 20-minute item qualifies; a 21-minute-only dataset yields no eligible option under limit 20. Exit: Examples: real student profiling, automatic booking or claims of proven learning benefit. They need separate evidence, permissions and scope.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve the prerequisite and explain the purpose in the opening section.

Stage: 7 to 20 minutes

Teacher action: Read the worked example and diagram; ask learners to trace each step aloud.

Stage: 20 to 33 minutes

Teacher action: Complete W1 and W2, then compare predictions with observed results.

Stage: 33 to 45 minutes

Teacher action: Collect the guided prediction before running; discuss a mismatch and its cause.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the main rule without showing the previous answer.

Stage: 8 to 20 minutes

Teacher action: Use W3 to diagnose and repair the stated failure; rerun an earlier case.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, including code or plan, predictions and explanations, before hints.

Stage: 35 to 45 minutes

Teacher action: Discuss W5 and the exit; use the fresh retry when support was needed.

Teach the connected idea

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve the prerequisite and explain the purpose in the opening section.

Stage: 7 to 20 minutes

Teacher action: Read the worked example and diagram; ask learners to trace each step aloud.

Stage: 20 to 33 minutes

Teacher action: Complete W1 and W2, then compare predictions with observed results.

Stage: 33 to 45 minutes

Teacher action: Collect the guided prediction before running; discuss a mismatch and its cause.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the main rule without showing the previous answer.

Stage: 8 to 20 minutes

Teacher action: Use W3 to diagnose and repair the stated failure; rerun an earlier case.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, including code or plan, predictions and explanations, before hints.

Stage: 35 to 45 minutes

Teacher action: Discuss W5 and the exit; use the fresh retry when support was needed.

Reduce help deliberately

Completion task: Give a tie case for A and B with score 8 each and valid durations.

Teacher check: With both eligible, choose A alphabetically regardless of input order.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Planning the application. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: The scope is a rule-based prototype using fictional ratings. It does not demonstrate personalized learning impact or a trained AI model. A clear non-goal protects students from building an untestable or overly broad project.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Connected teaching cycle: A reproducible data investigation

Target: Write a reproducible data question

Reserve further sessions for this topic; the 135-minute primary plan does not absorb all added content.

Completion practice: Classify 0, None, -2 and 60 under the schema.

Teacher check: 0 and 60 accepted; None missing/unknown and -2 out of range are rejected.

Individual check: For A reproducible data investigation, use its worked case to evaluate this proposed explanation: “A successful run proves the conclusion”. Explain the deciding step.

Expected correction: Missing or invalid durations might belong to unusually long sessions. The accepted mean may therefore differ from the full group's mean. Do not make a causal claim from this descriptive investigation.

Apply the same support, independent transfer and delayed-review decisions to the named connected-topic workbook tasks.

Pictorial practice question

Write an equality test and explain which requirement it checks.

Reasoned teacher answer

Limit 8 with A taking 8 must include A; it checks that time eligibility uses $\leq$ rather than $<$.

Changed-case reasoning: Return no eligible item. All three valid rows take more than five minutes.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Interview a reader, write one need statement, define three measurable tests and two out-of-scope items, then peer-review for testability.

What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A successful run proves the conclusion: The scope is a rule-based prototype using fictional ratings. It does not demonstrate personalized learning impact or a trained AI model. A clear non-goal protects students from building an untestable or overly broad project.

Matching the example is enough: Require the new W4 case, explicit predictions and an explanation. Fresh retry: plan a 10-minute chooser with boundary 10/11, duplicate-name rejection and an empty-input case. Collect the plan before implementation.

A convenient shortcut preserves meaning: A requirement such as make a smart choice cannot be tested

precisely. Replace it with a stated score, limit, tie rule and output explanation. If real feedback later changes the policy, record a versioned change rather than rewriting previous evidence.

Check these misconceptions

A successful run proves the conclusion: Missing or invalid durations might belong to unusually long sessions. The accepted mean may therefore differ from the full group's mean. Do not make a causal claim from this descriptive investigation.

Matching the example is enough: Require the new W4 case, explicit predictions and an explanation. Fresh retry: [5, None, 15, -1, 10] gives accepted [5,15,10], 2 rejected and mean 10, with coverage 3 of 5.

A convenient shortcut preserves meaning: Dividing the accepted total 30 by all five records gives 6 and answers no clear observed-duration question. Use the accepted count for this mean, disclose exclusions, and never describe it as the average for every supplied session.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

Verify book existence, hard constraints, correct scoring explanations, tie handling and no-match behaviour on predefined requests.

Independent question

Define a testable goal for a book recommender serving readers who want short space books. Include a concrete success condition.

Expected independent answer

On supplied test preferences, recommend a space book within the stated page limit and explain the matching fields. Include a no-match fallback. Other clear measurable criteria are valid.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “Make it smart is a measurable success test.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

For a normal request, return an existing eligible highest-scoring book with traceable score; for a tie, apply the declared tie policy; for no match, state none found without inventing a title. Exact fictional catalogue rows and requests must accompany each test.

Explanations for the additional workbook examples

W1 Name the user need

State the purpose and decision owner of the worked chooser.

Suggest a suitable eligible activity for a teacher-supervised session; the teacher reviews and decides.

W2 Write an acceptance case

Give a tie case for A and B with score 8 each and valid durations.

With both eligible, choose A alphabetically regardless of input order.

Choose two individually valid records with unique names A and B, scores 8 each and durations within the limit. Both survive validation and filtering, then tie on score. The name rule selects A in either order.

Require actual record fields so the proposed test can be reproduced, rather than accepting an unexplained winner name.

W3 Repair vague scope

Replace the requirement always choose the best activity with a checkable one.

Choose the highest 2 * fun + learning score among valid items within the limit, using alphabetical ties; return no eligible option if none qualify.

W4 Plan independently

Plan a 15-minute fictional club chooser. Specify schema, score, duration limit, tie rule, invalid-data behavior, output and three acceptance cases.

Retain the stated schema and scoring or justify an explicit alternative. Require boundary 15/16, tie/order and no-match cases with expected results, rejection reasons and human review.

W5 State non-goals

Name two capabilities excluded from this prototype and explain why.

Examples: real student profiling, automatic booking or claims of proven learning benefit. They need separate evidence, permissions and scope.

A reproducible data investigation — W1 State the question

Write the worked investigation question so its population of records is clear.

What is the mean duration among supplied sessions with valid integer minutes from 0 through 60?

A reproducible data investigation — W2 Trace exclusions

Classify 0, None, -2 and 60 under the schema.

0 and 60 accepted; None missing/unknown and -2 out of range are rejected.

A reproducible data investigation — W3 Repair a denominator

A report divides a valid total of 24 by six supplied rows, though only three are valid. Correct the valid-record mean.

$24/3 = 8$. Report 3 accepted and 3 rejected; do not use all six as the valid-record denominator.

A reproducible data investigation — W4 Investigate independently

Analyze raw durations [6, 12, None, 0, 70, 18] with the same schema. Report question, accepted list, rejections, mean and one limitation.

Accepted [6, 12, 0, 18], 2 rejected, total 36, mean 9. State 4 of 6 accepted; missing/invalid records may differ. Preserve the raw list and rules.

A reproducible data investigation — W5 Support reproduction

A report gives only mean 9. What additional evidence lets a peer reproduce it?

Input records/version, schema, excluded rows and reasons, accepted count, calculation and code/configuration version.

Assess independent transfer

Selected case: Plan a 15-minute fictional club chooser. Specify schema, score, duration limit, tie rule, invalid-data behavior, output and three acceptance cases.

Selected case answer

Retain the stated schema and scoring or justify an explicit alternative. Require boundary 15/16, tie/order and no-match cases with expected results, rejection reasons and human review.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Transparent Book Recommender

Freeze the brief before building so later choices can be traced to requirements.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record.

Retrieve this record next week rather than restarting the project.

Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 33: Build the Recommender. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Use a one-page requirements card. Extension: trace each requirement to a specific acceptance case and identify uncovered requirements.

Independent W4 evidence: Retain the stated schema and scoring or justify an explicit alternative. Require boundary 15/16, tie/order and no-match cases with expected results, rejection reasons and human review. Record whether the learner needed no help, a hint or explanation. Fresh retry: plan a 10-minute chooser with boundary 10/11, duplicate-name rejection and an empty-input case. Collect the plan before implementation.

Next week: Building the data pipeline. Reuse this week's explicit contracts and evidence.

Readiness and reassessment for A reproducible data investigation

Provide an investigation checklist with blank evidence fields. Extension: compare median and mean of accepted values and explain what each hides.

Independent W4 evidence: Accepted [6, 12, 0, 18], 2 rejected, total 36, mean 9. State 4 of 6 accepted; missing/invalid records may differ. Preserve the raw list and rules. Record whether the learner needed no help, a hint or explanation. Fresh retry: [5, None, 15, -1, 10] gives accepted [5,15,10], 2 rejected and mean 10, with coverage 3 of 5.

Plan the delayed return

Suggested return points in this level: ai-2/33, ai-2/35. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Retain the Transparent Book Recommender's schema, constraints, score, tie rule and acceptance table as its build specification.

7. Prepare, teach and assess

Teaching target: Define a small application purpose

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Give a tie case for A and B with score 8 each and valid durations.

Reasoned practice answer: With both eligible, choose A alphabetically regardless of input order.

Check every learner before discussion: Use the worked case for Planning the application. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: The scope is a rule-based prototype using fictional ratings. It does not demonstrate personalized learning impact or a trained AI model. A clear non-goal protects students from building an untestable or overly broad project.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Reduce the limit from 8 to 5. Require a prediction and a reason before comparing. Expected result: Return no eligible item. Reason: All three valid rows take more than five minutes.

Independent assessment: withhold the reserved answer until the learner has attempted the new case.

Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with evidence.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.