

Classification or Regression?

Project: Responsible Plant Classifier

1. Classification or Regression?

Teach the learning cycle

Primary target: Identify a task from the meaning of its target

Session · Sequence and minutes · Resources

Session: Session 1 · Understand · 45 min

Sequence and minutes: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Sequence and minutes: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Sequence and minutes: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building. Repeated copies of a case share one recorded attempt; they are not new evidence.

Retrieval answer guidance

Features, Labels, Targets

Without opening the old lesson, explain one key idea from Features, Labels, Targets. Give an example and a mistake that the idea helps you avoid.

Look for: Separate prediction inputs from observed targets

Reference example, not the only acceptable wording: Candidate features are pages and queue_at_checkout. The target is returned_late and the tracking field is loan_id. days_to_return is known only after return and directly defines the target, so it must not enter checkout predictions.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

System A predicts class codes 0=oak,1=maple. System B predicts leaf area in cm². Name the task types and explain why code 1 is not 'one more species' than code 0.

Concept to explain

Classification predicts a category; regression predicts a numerical quantity. The target—not the input format—determines the task type.

Term · Meaning

Term: classification

Meaning: predict a category

Term: regression

Meaning: predict a number

Term: class

Meaning: one allowed category

Term: continuous target

Meaning: number that can vary across a range

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Use two 45-minute sessions to distinguish tasks by target meaning, not by input types or whether values contain decimals. Connect to Week 2 by keeping inputs available at dispatch and outcomes separate. Supplied duration estimates let students inspect category decisions and numerical errors without suggesting a model was trained. The threshold is fixed before evaluation. All examples are fictional.

Readiness answer

No. It is known later and is the outcome to predict, not an available dispatch-time input.

Printed lesson and workbook

Number line marked at 10 minutes and cards for no and yes

Optional Python 3 editor; no packages needed

Blank actual estimate category absolute error table

End goal for the pictorial case

By the end, I can explain classification or regression? using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

2. Explain the mechanism

Explain the mechanism

Trace the information, fitted behavior, and evaluation proof separately.

QUESTION Choose the task type for six scenarios and define the output space precisely.

MODEL IDEA Classification predicts a category; regression predicts a numerical quantity. The target—not the input format—determines the task type.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

UNDER THE HOOD Predict plant species from a photo: target is a category, so classification. Predict plant height next week: target is centimeters, so regression.

Draw a fresh data → model → prediction → evaluation trace:

Predict first. Then check each step. A correct answer without visible evidence cannot be audited.

STEP 1 Predict plant species from a photo: target is a category, so classification.

STEP 2 Predict plant height next week: target is centimeters, so regression.

STEP 3 Predict low/medium/high growth: categories, even though ordered.

STEP 4 State allowed classes or numerical unit before selecting a model and metric.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the evidence independently:

Concrete teaching case

Task A predicts healthy/spotted; B predicts next week's height in cm.

Choose task and output types.

Exact explanation to model

A is classification with categorical output; B is regression with numeric output and units. Numeric class codes do not make classification regression.

Explain the added worked example

At robot dispatch, we can ask two questions about the same fictional trip. Will it take more than 10 minutes? Or how many minutes will it take? The first asks for a category. The second asks for an amount with units. The target question determines the task, even if both models would use the same dispatch-time inputs.

Classification predicts a category from a defined set. Regression estimates a numerical quantity for which differences have meaning. A category may be coded with numbers: 0 and 1 here are names for no and yes, not travel times. Conversely, a duration recorded as a whole number of minutes can still be a regression target. Decimal points do not decide the task.

Keep Week 2's prediction time: route length and the saved queue may exist at dispatch, while the observed duration is available later for training or evaluation. Do not feed that observed duration into an earlier dispatch prediction.

The following predictions are supplied for practice; no model is fitted here. Each estimate was written before revealing its matching observed duration. We compare duration error with a category decision made from that estimate. Predict slow when the estimated duration is greater than 10 minutes; exactly 10 is not slow. A classifier could also predict categories directly, but this example uses a threshold on estimates.

zip pairs the lists in order. They must have equal lengths and refer to the same trips; otherwise this loop is not a valid evaluation. abs gives the distance from zero, so both a one-minute overestimate and a one-minute underestimate have absolute error 1. The output is 2 3 followed by [1, 1, 2]. The mean absolute error is $(1 + 1 + 2) / 3 = 4/3$ minutes, about 1.33 minutes.

Key terms

Term · Meaning

Term: Classification

Meaning: Predicting a category from a defined set

Term: Regression

Meaning: Estimating a numerical quantity with meaningful differences

Term: Threshold

Meaning: A boundary used to turn a value into a decision

Term: Absolute error

Meaning: The nonnegative distance between an estimate and an observation

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a prediction, then explain the deciding step. These teacher notes contain solutions; do not reveal the independent case answer during modelling.

The 14-minute trip has the largest duration error in our example, yet its slow category is correct. The 10-minute trip has only a one-minute error but the category is wrong. These checks answer different questions. Report 2 correct out of 3 category decisions separately from a mean absolute error of about 1.33 minutes. Do not compare a fraction directly with minutes.

A trip actually takes 10 minutes and its estimate is 10.5 minutes. At the greater-than-10 boundary, give the actual category, predicted category and absolute duration error. Is the category decision correct?

Thinking move · Teacher prompt

Thinking move: Plan

Teacher prompt: What is given? What is the question? Which procedure fits these facts?

Thinking move: Do

Teacher prompt: Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move: Check

Teacher prompt: Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Classification or Regression?

Distinguish predicting growth height from predicting a growth category.


The facts we will use

Actual heights are [4, 7, 9] cm; estimates are [5, 6, 10] cm. Tall means strictly greater than 6 cm.

All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

Actual and estimated heights (paired order)

cm



Bar length shows the supplied value; the marked baseline is zero.

Classification or Regression?

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Regression errors

Absolute errors are 1, 1, 1 cm; mean absolute error is 1 cm.



2. Actual categories

Actual classes are short, tall, tall.



3. Predicted categories

Estimated classes are short, short, tall: 2/3 correct.

CHANGE ONE THING

Change the category boundary to strictly greater than 7 cm.

Explain the changed result using the matching lesson.

Read the picture one step at a time

Step · What happens and why

Step: 1. Regression errors

What happens and why: Absolute errors are 1, 1, 1 cm; mean absolute error is 1 cm.

Step: 2. Actual categories

What happens and why: Actual classes are short, tall, tall.

Step: 3. Predicted categories

What happens and why: Estimated classes are short, short, tall: 2/3 correct.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Read the picture in order. Estimated classes are short, short, tall: 2/3 correct. The arrows show which recorded input or intermediate result each decision uses. Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Regression error and category accuracy measure different targets; neither alone covers every use consequence.

Change one thing in the pictured case

Change: Change the category boundary to strictly greater than 7 cm.

Prediction: Actual and estimated categories both become short, short, tall: 3/3 correct.

Reason: The numerical estimates did not improve; the decision definition changed.

Ask while showing the picture

Cover the result. Ask learners to name the inputs and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its evidence. Then change the supplied condition and compare. The picture is a representation; it does not document execution of a real AI model.

3. Demonstrate and guide practice

Demonstrate and guide practice

Board sequence

Write the given facts: Task A predicts healthy/spotted; B predicts next week's height in cm.

Write the question to explain: Choose task and output types.

Reveal after predictions: A is classification with categorical output; B is regression with numeric output and units. Numeric class codes do not make classification regression.

Keep for an independent attempt: Task A predicts whether a plant is fern or grass. Task B predicts its height in centimetres. Which is classification and which is regression?

Classroom dialogue

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks evidence; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided: actual category 0, predicted category 1, absolute duration error 0.5 minutes; the category is wrong. Exit: specify regression for duration in minutes and use a numerical error check such as mean absolute error in minutes. Category agreement does not report how close the duration estimates are to observed times.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Retrieve the Week 2 rule that later outcomes cannot be dispatch inputs. Ask the prerequisite question and keep the prediction moment visible.

Stage: 7 to 18 minutes

Teacher action: Compare the three target questions. Ask why numeric category codes remain categories and why whole-minute durations remain quantities.

Stage: 18 to 32 minutes

Teacher action: Trace the three supplied estimates. Explain abs and zip, including equal lengths and matching record order. Complete W1 and W2.

Stage: 32 to 45 minutes

Teacher action: Use the number line for the guided 10 versus 10.5 case. Separate category agreement from numerical closeness.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve task meaning and units. Ask for a numerical category code and a whole-number quantity as counterexamples to the decimal shortcut.

Stage: 8 to 20 minutes

Teacher action: Complete W3 and discuss information lost by binning. Distinguish directly predicting a class from thresholding a quantity estimate.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently, requiring category lists, denominator, absolute errors and the mean with units. Record hints or other support.

Stage: 35 to 45 minutes

Teacher action: Use W5 and the exit to match outputs to a user need. Offer the fresh retry after support where necessary.

Reduce help deliberately

Completion task: For actual 14 minutes and estimate 12 minutes, calculate absolute error and both slow categories using greater than 10. Explain why a correct category does not mean an exact duration.

Teacher check: Absolute error is 2 minutes. Both actual and predicted categories are 1, so the category matches even though the duration estimate is 2 minutes too low.

Start by identifying the given inputs together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood. For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Classification and regression. Proposed explanation: “Numbers always mean regression”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Expected correction: Category codes remain categories. Ask what a difference between the numbers would mean in the task.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class. If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Did regression MAE improve when the boundary changed? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Reasoned teacher answer

No. MAE remains 1 cm. Category agreement rose because the class boundary changed, not because predictions became numerically closer. Changed-case check: Actual and estimated categories both become short, short, tall: 3/3 correct. The numerical estimates did not improve; the decision definition changed.

Changed-case reasoning: Actual and estimated categories both become short, short, tall: 3/3 correct. The numerical estimates did not improve; the decision definition changed.

Collect each learner's explanation before discussion. Use the first missing connection between input, deciding step and result to choose support. This question is worked-case practice, not fresh mastery evidence.

4. Run the weekly evidence lab

Run the weekly evidence lab

Keep the test conditions fixed, record every result, and change only one planned factor.

1. Write the hypothesis and expected evidence before running.
2. Task-Type Clinic: classify six problem statements, rewrite vague targets, and match each to a useful metric.
3. Run one normal, one boundary, one missing, and one shifted case.
4. Calculate the metric from raw counts or row-level errors.
5. Interpret what changed, what did not, and what remains unsafe or unknown.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing. Keep the expected result separate from an observed mistake.

Record · What to capture

Record: Input or evidence

What to capture: Exact data, instruction or claim

Record: Expected result

What to capture: Answer or safe fallback declared before the run

Record: Observed result

What to capture: Actual result, including errors

Record: Explanation

What to capture: Rule, calculation or evidence explaining the outcome

Record: Next test

What to capture: One justified change and a new prediction

Diagnose and reteach

MISCONCEPTION TO REPAIR A photograph always means classification and a table always means regression.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation. Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Numbers always mean regression: Category codes remain categories. Ask what a difference between the numbers would mean in the task.

Regression requires decimal observations: A quantity measured or rounded to whole minutes still has meaningful numerical distances. Target meaning decides the task.

A correct category means a precise estimate: The 14 versus 12 minute example has a correct category but a two-minute error. Conversely, a small error near the boundary can change the category.

Match the support to the first error

What the response shows · Next teaching action

What the response shows: Missing or misread facts

Next teaching action: Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.

What the response shows: Wrong procedure

Next teaching action: Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.

What the response shows: Arithmetic or implementation error

Next teaching action: Trace intermediate values or lines; preserve the first mismatch and retry that step.

What the response shows: Correct result without a reason

Next teaching action: Ask for a trace and a changed case before marking independent understanding.

What the response shows: An unsupported wider claim

Next teaching action: Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal. Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

5. Assess and explain the answers

Assess and explain the answers

Worked case answer

A is classification with categorical output; B is regression with numeric output and units. Numeric class codes do not make classification regression.

Independent question

Task A predicts whether a plant is fern or grass. Task B predicts its height in centimetres. Which is classification and which is regression?

Expected independent answer

A is classification because it selects a category; B is regression because it predicts a numerical quantity.

What counts as evidence

Criterion · 0 points · 1 point · 2 points

Criterion: Result

0 points: Incorrect or absent

1 point: Partly correct

2 points: Correct with necessary conditions

Criterion: Reasoning

0 points: No supporting trace

1 point: Some steps

2 points: Clear mechanism, calculation or source support

Criterion: Limit

0 points: Overclaims certainty

1 point: Vague limitation

2 points: Relevant uncertainty or missing fact

Criterion: Transfer

0 points: Copies without adapting

1 point: Adapts with prompts

2 points: Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold. Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the evidence that challenges this claim: “Any task involving plant measurements is regression.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

A is classification; B is regression. The codes name categories and do not establish arithmetic differences between species. Area is a numeric target with meaningful units and distances; choose evaluation appropriate to each output.

Explanations for the additional workbook examples

W1 Classify the target meaning

At dispatch, identify the task for predicting route type coded 1 or 2, duration in whole minutes, and whether duration exceeds 10 minutes. Explain your choices.

Route type is classification because 1 and 2 encode categories. Whole-minute duration is regression because numerical differences measure time. Exceeding 10 minutes is binary classification because the target is yes or no.

W2 Trace both checks

For actual 14 minutes and estimate 12 minutes, calculate absolute error and both slow categories using greater than 10. Explain why a correct category does not mean an exact duration.

Absolute error is 2 minutes. Both actual and predicted categories are 1, so the category matches even though the duration estimate is 2 minutes too low.

W3 Repair a category average

Indoor is coded 1 and outdoor is coded 2. Someone averages predictions and reports route type 1.5 as an accurate halfway category. Explain the problem and name an appropriate check.

The codes label categories, so 1.5 is not a defined route type. Predict one of the defined categories and compare it with the observed category. A numerical midpoint of arbitrary codes does not establish correctness.

W4 Compare new evidence independently

For three fictional print jobs, actual completion times are 4, 5 and 9 minutes; estimates are 6, 5 and 8 minutes in matching order. Slow means more than 5 minutes. Write actual and predicted category lists, count correct categories, calculate each absolute error and the mean error in minutes. State what each result measures.

Actual categories are [0, 0, 1]; predicted categories are [1, 0, 1], so 2 of 3 match. Absolute errors are [2, 0, 1] minutes; their mean is 1 minute. The fraction measures threshold-category agreement on these jobs, while mean absolute error measures average duration discrepancy.

W5 Specify a useful output

A user needs the arrival duration in minutes, but a report gives only slow or not slow. What task should be specified, and what information was lost by the category output?

Specify regression for duration in minutes and check numerical error, such as mean absolute error in minutes. The category omits the estimated duration and how far it is from the boundary; it cannot answer the requested quantity.

Assess independent transfer

Selected case: For three fictional print jobs, actual completion times are 4, 5 and 9 minutes; estimates are 6, 5 and 8 minutes in matching order. Slow means more than 5 minutes. Write actual and predicted category lists, count correct categories, calculate each absolute error and the mean error in minutes. State what each result measures.

Selected case answer

Actual categories are [0, 0, 1]; predicted categories are [1, 0, 1], so 2 of 3 match. Absolute errors are [2, 0, 1] minutes; their mean is 1 minute. The fraction measures threshold-category agreement on these jobs, while mean absolute error measures average duration discrepancy.

Dimension · Evidence required

Dimension: Explanation

Evidence required: Names the applicable idea or procedure and ties it to the supplied facts.

Dimension: Trace and result

Evidence required: Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.

Dimension: Limits

Evidence required: States the assumptions, missing evidence or conditions under which the result would change.

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace. Do not penalise an honestly recorded model failure if the learner correctly explains its evidence and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case. Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

6. Connect and extend learning

Connect and extend learning

Responsible Plant Classifier

Confirm whether Plant Classifier predicts a health category or a numerical severity score; document why.

Keep the decision, input, result, explanation and remaining limitation in the project evidence record.

Retrieve this record next week rather than restarting the project.

Support and stretch

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more evidence or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 4: Python and Table Readiness. Retrieve today's evidence and identify what carries forward and what is new.

Support and fresh reassessment

Use a number line to mark actual and estimated times, then color which side of the boundary each lies on. Supply a blank table without answers. Extension: recode no and yes as 7 and 9. The classification task and matching count stay the same, while distances between those codes are not time errors.

Require W4 actual categories [0,0,1], predicted [1,0,1], 2 of 3 correct, absolute errors [2,0,1] and mean 1 minute. The learner must explain both meanings. Fresh retry: actual times 3,6,8 and estimates 4,5,10; slow means greater than 6. Actual and predicted categories are both [0,0,1], so 3 of 3 match. Absolute errors [1,1,2] have mean $4/3$ minutes, about 1.33. Ask why perfect category agreement does not mean zero duration error.

Week 4 inspects datasets and documents their origin, units and limitations. Carry forward the target definition, prediction moment and measurement units. Teacher reference: <https://scikit-learn.org/1.0/tutorial/basic/tutorial.html> (classification and regression definitions; reviewed 2026-09-26).

Plan the delayed return

Suggested return points in this level: ai-4/4, ai-4/6, ai-4/9. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used. For a new level, revisit the previous capstone before checking the new prerequisites.

Record · Teacher evidence

Record: Learner code and date

Teacher evidence: _____

Record: Concept and case used; prior exposure

Teacher evidence: _____

Record: Explanation / trace / limits

Teacher evidence: _____

Record: Support and first repair

Teacher evidence: _____

Record: Changed case and delayed outcome

Teacher evidence: _____

Record: Next teaching action

Teacher evidence: _____

Use the evidence to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Responsible Plant Classifier, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

7. Prepare, teach and assess

Teaching target: Identify a task from the meaning of its target

Prepare the labelled worked-case picture, the matching workbook, fictional input cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

Session: Session 1 · Understand · 45 min

Plan: 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.

Resources: Sections 1–6; record the brief recall in the workbook.

Session: Session 2 · Practise · 45 min

Plan: 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.

Resources: Sections 7–10; use the matching workbook W2 and misconception check.

Session: Session 3 · Investigate and transfer · 45 min

Plan: 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

Resources: Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: For actual 14 minutes and estimate 12 minutes, calculate absolute error and both slow categories using greater than 10. Explain why a correct category does not mean an exact duration.

Reasoned practice answer: Absolute error is 2 minutes. Both actual and predicted categories are 1, so the category matches even though the duration estimate is 2 minutes too low.

Check every learner before discussion: Use the worked case for Classification and regression. Proposed explanation: “Numbers always mean regression”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Misconception repair: Category codes remain categories. Ask what a difference between the numbers would mean in the task.

Support: read the exact case aloud, enlarge the labelled picture, supply input cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extension: Change the category boundary to strictly greater than 7 cm. Require a prediction and a reason before comparing. Expected result: Actual and estimated categories both become short, short, tall: 3/3 correct. Reason: The numerical estimates did not improve; the decision definition changed.

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion · Not yet · With support · Independent

Criterion: Explanation

Not yet: Names an answer without a deciding fact

With support: Uses a hint to link fact and decision

Independent: Explains the deciding fact in own words

Criterion: Trace or test

Not yet: Cannot connect input and result

With support: Completes steps with prompts

Independent: Traces or tests a changed case accurately

Criterion: Limits and revision

Not yet: Claims more than evidence supports

With support: Names a limit after a prompt

Independent: States a defensible limit and useful next test

Project checkpoint: Frame the need. Name the user, the problem, allowed inputs and a safe simple starting method.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and evidence.