

# Functions and arguments

Project: Python readiness portfolio

## 1. Recall and choose your starting point

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

### Lists and indexing

Without opening the old lesson, explain one key idea from Lists and indexing. Give an example and a mistake that the idea helps you avoid.

**My remembered idea, example and correction**

---

---

---

### Branching and boundary tests

Without opening the old lesson, explain one key idea from Branching and boundary tests. Give an example and a mistake that the idea helps you avoid.

**My remembered idea, example and correction**

---

---

---

### Values variables and types

Without opening the old lesson, explain one key idea from Values variables and types. Give an example and a mistake that the idea helps you avoid.

**My remembered idea, example and correction**

---

---

---

## 2. Practise with fading help

Use W2: Follow the execution order for Functions and arguments. Record the answer once; the lesson and workbook refer to the same attempt.

**Given inputs · Procedure I chose · Middle steps · Result and check**

**Given inputs:** \_\_\_\_\_

**Procedure I chose:** \_\_\_\_\_

**Middle steps:** \_\_\_\_\_

**Result and check:** \_\_\_\_\_

\_\_\_\_\_

**The step I completed without help, and the hint I needed**

---

---

---

## 3. Individual reasoning check

Use the worked case for Functions and arguments. Proposed explanation: “Writing def runs the body immediately”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

**My explanation before partner discussion**

---

---

---

---

## 4. Independent transfer case

## Independent case: Match positional arguments to parameters

Predict both returned and printed values, showing which argument supplies first and second. What is displayed if the program contains only the function definition and no calls? Why does swapping these arguments change the result?

```
def difference(first, second):  
    return first - second  
  
print(difference(11, 4))  
  
print(difference(4, 11))
```

### My independent explanation, trace and limits

---

---

---

---

---

---

---

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

## 5. W1 Label the parts

In `def show_remaining(capacity, used)`, identify the function name and parameters. In `show_remaining(15, 6)`, identify the arguments and their matching parameters.

### My reasoning and evidence

---

---

---

---

---

---

## 6. W2 Follow the execution order

Using the correct definition, predict `show_remaining(8, 3)`, `show_remaining(8, 8)` and `show_remaining(8, 0)` in that order. Explain what happens if the file contains only the definition.

### My reasoning and evidence

---

---

---

---

---

---

## 7. W3 Repair ignored arguments

The faulty body calculates `12 - 4` regardless of the call. State the output and expected output for `show_remaining(11, 2)`. Repair the expression and name an earlier call to rerun.

### My reasoning and evidence

---

---

---

---

---

---

## 8. W4 Create a new function independently

Each sealed box contains 6 counters. Define `show_stock(boxes, loose)` to print the total counters using its two parameters. Assume nonnegative integer arguments. Call it with `(3, 2)`, `(0, 2)` and `(3, 0)`. Predict each output and explain why `show_stock(2, 3)` is a different case.

### My reasoning and evidence

---

---

---

---

---

---

---

---

---

## 9. W5 State the input assumption

The correct subtraction function prints -1 for `show_remaining(4, 5)`. Does successful execution make this a valid cupboard record? Explain what the function assumes and what needs checking.

**My reasoning and evidence**

---

---

---

---

---

---

---

## 10. Project checkpoint and reflection

Add a labelled functions and arguments evidence sheet to Python readiness portfolio. Show how you can distinguish a function definition from a function call. Use the supplied fictional case and keep its inputs, intermediate steps, calculation or prediction, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

**My project change, supporting evidence and remaining limit**

---

---

---

---

---

---

---

## 11. Feedback, return check and learning record

### Evidence · My record

**Evidence:** Worked alone / hint / model

**My record:** \_\_\_\_\_  
\_\_\_\_\_

**Evidence:** First step I repaired and why

**My record:** \_\_\_\_\_  
\_\_\_\_\_

**Evidence:** New case checked later; date and result

**My record:** \_\_\_\_\_  
\_\_\_\_\_

**Evidence:** What I can now explain without notes

**My record:** \_\_\_\_\_  
\_\_\_\_\_

**Evidence:** One remaining question

**My record:** \_\_\_\_\_  
\_\_\_\_\_

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

## 12. Pictorial case practice: Functions and arguments

Match arguments to parameters. A function prints the difference between capacity and reserved spaces.

Python 3: `def show_free(capacity,reserved): print(capacity-reserved)`. Calls: `show_free(11,3);`  
`show_free(3,11)`.

# Functions and arguments

## Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



### 1. Define without calling

The definition creates the function but prints nothing yet.



### 2. Match first arguments

capacity=11 and reserved=3 give a printed 8.



### 3. Trace reversed call

capacity=3 and reserved=11 give -8 under the same arithmetic.

## CHANGE ONE THING

Remove both calls and leave the definition only.

Explain the changed result using the matching lesson.

Match every argument to a parameter for the two calls. Why do outputs differ, and what prints when both calls are removed?

### My picture-based explanation and changed-case prediction

---

---

---

---

---

---

Support used: alone / hint / worked example. This record is practice evidence.

Project connection: For Python readiness before the Responsible Plant Classifier, retain a trace of the values, the predicted outputs and the changed-case explanation. Use actual Python 3 results to check the prediction after reasoning first.

## 13. Project portfolio milestone

Project: Python readiness portfolio

Current milestone: Python readiness portfolio. Keep runnable code, predictions, actual outputs, one repaired error and an explanation of a function on changed inputs.

For Python readiness before the Responsible Plant Classifier, retain a trace of the values, the predicted outputs and the changed-case explanation. Use actual Python 3 results to check the prediction after reasoning first.

### Evidence to keep · My record

**Evidence to keep:** This week's input and deciding step

**My record:** \_\_\_\_\_

\_\_\_\_\_

**Evidence to keep:** Prediction and actual result (or labelled paper trace)

**My record:** \_\_\_\_\_

\_\_\_\_\_

**Evidence to keep:** One change since the previous checkpoint and why

**My record:** \_\_\_\_\_

\_\_\_\_\_

**Evidence to keep:** One error or limit and the next test

**My record:** \_\_\_\_\_

\_\_\_\_\_

**Explain what this week adds to your project. Reuse last week's record rather than starting again.**

---

---

---

---

