AI ACADEMY · LEVEL 4 · GRADE 9 · WEEK 5 · STUDENT LESSON

Inspect Before Modeling

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Responsible Plant Classifier

Before you start

AI-1 Week 21: preserve original data when investigating anomalies.

Plan time to read, investigate and explain. Keep predictions separate from observations.

STUDENT LESSON · 1 OF 18

Your mission

> Start with the target: Inspect row meaning missing values and repeated records. Try the recall before opening notes.

Your learning target

I can inspect row meaning **missing value**s and repeated records.

I can document dataset source **schema** and limitations.

I can separate observed quality flags from justified corrections.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Python and Table Readiness. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Features, Labels, Targets. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Dataset **shape**, types, **range**s, **duplicate**s, and **missingness** determine whether modeling results can be trusted.



Your target

LEARNING TARGET A table contains 8 cm, -2 cm, missing and two copies of the same leaf photo. Propose a separate inspection for each issue.

Builder name and experiment date:

Readiness for the connected explanation

Why is elapsed trip duration in minutes a regression target even when recorded as whole numbers?

Readiness for Units conversions and data provenance

How many minutes are 180 seconds?

My readiness explanation

This week’s end goal

By the end, I can explain inspect before modeling using a traced example and a stated limitation.

Notice the evidence

> Investigate the supplied Inspect Before Modeling case. Separate observations, given facts and assumptions before choosing an explanation.

PICTURE ENTRY

Notice → Predict → Explain

Begin with visible **evidence**; do not explain more than the picture and information support.



Start with this puzzle

MYSTERY The team must use inspect before modeling to solve a model-building problem. What information do they have? What important **evidence** is still missing?

Name three visible details without interpreting them.

Predict the data, model, or evaluation decision being made.

Identify one hidden assumption that could change the result.

State what **evidence** would confirm or reject your **prediction**.

My **prediction** and supporting **evidence**:

A closer explanation

A dataset can look like a neat table and still contain missing outcomes, repeated records or impossible values. Before **fitting** a model, inspect what one row represents and document where the table came from.

A **dataset card** is a short record of its purpose, contents, collection, changes and limits. It helps another person decide whether the data suits a proposed use.

Our source is a teacher-authored fictional export called Robot practice v1, created for this lesson. Each row is intended to describe one trip, with one unique trip ID and elapsed duration in minutes.

Durations may be zero or positive; None means unknown. All trips are described as indoor practice trips. No real robot measurements or personal records were collected, and there is no **evidence** about outdoor performance.

Trip ID	Duration in minutes	What is visible
A	8	A recorded duration
B	None	An unknown duration
B	None	The same ID appears again
C	-2	A negative duration

Trip ID	Duration in minutes	What is visible
D	12	A recorded duration

Keep this raw version unchanged. At this stage a flag means investigate, not automatically delete or replace. A repeated ID might be a copied row or a problem with the supposed one-row-per-trip definition.

We need **evidence** before deciding what happened.

Apply the connected idea: Units conversions and data provenance

Two fictional activity logs use different duration units. Log A records 180 seconds and Log B records 4 minutes.

Keep the **raw value**s, units and source labels; derive a shared unit so another learner can reproduce the comparison.

STUDENT LESSON · 3 OF 18


See how it works


> Follow the mechanism for Inspect Before Modeling. Connect each labelled input, deciding step and result.

ML MECHANISM

Input → Model → Evidence

Trace the information, fitted behavior, and evaluation proof separately.







Question to explain

QUESTION Produce a data-quality report before **fitting** any model.

MODEL IDEA Dataset **shape**, types, **range**s, **duplicate**s, and **missingness** determine whether modeling results can be trusted.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

How the mechanism works

UNDER THE HOOD Dataset **shape** is 40 rows × 5 columns. Inspection finds 3 **duplicate** rows and 4 missing light values.

Draw a fresh data → model → **prediction** → evaluation trace:

A closer explanation

```
rows = [("A", 8), ("B", None), ("B", None),
        ("C", -2), ("D", 12)]
ids = set()
missing = 0
negative = 0
for trip_id, minutes in rows:
    ids.add(trip_id)
    if minutes is None:
        missing = missing + 1
    elif minutes < 0:
        negative = negative + 1
print(len(rows), len(ids), missing, negative)
```

A set stores each distinct ID once. The **output** is 5 4 2 1: five rows, four distinct IDs, two rows with unknown duration and one row with a negative duration. There is one extra occurrence beyond the four distinct IDs.

This is not a count of all rows in repeated-ID groups: both B rows belong to that group.

Turn an observation into a documented action

FINDING	WHAT IT ESTABLISHES	NEXT ACTION
B appears twice	Identity needs review	Check export history
Two None values	2 of 5 rows lack duration	Keep unknown explicit
C has minus 2	Invalid elapsed duration	Check source and units

Flags can overlap: both rows with ID B also have missing duration. Do not add flag counts as if they were separate groups.

The code assumes every row is a pair and each duration is a number or None. It is a small audit, not full **schema** validation. It does not check text values, units, source truth or whether IDs refer to real unique events.

A successful run does not certify data quality.

Apply the connected idea: Units conversions and data provenance

```
rows = [{"source": "A", "value": 180, "unit": "s"},
        {"source": "B", "value": 4, "unit": "min"}]
minutes = []
for row in rows:
    if row["unit"] == "s":
        minutes.append(row["value"] / 60)
    elif row["unit"] == "min":
        minutes.append(row["value"])
    else:
        minutes.append(None)
print(minutes)
```

Follow the evidence

STEP OR CASE	EVIDENCE	MEANING
A raw	180 seconds	3.0 minutes
B raw	4 minutes	4 minutes

Read each row from left to right and connect the evidence to the stated rule.

The script prints [3.0, 4]. The slash operator returns a floating-point result. The original dictionaries are unchanged. Assume nonnegative numeric **raw value**s have already been validated.

An unsupported unit produces None here and must be reported for review rather than included in arithmetic.

Convert before comparing

A minute contains 60 seconds. To express 180 seconds in minutes, divide 180 by 60 to get 3 minutes. The other value is already 4 minutes, so leave it at 4. Now both quantities use the same unit and can be compared.

Keep the original number, unit and source beside the converted number. That record lets another person check whether you converted the correct measurement in the correct direction.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.


Compare the cases


> Compare the supplied cases for Inspect Before Modeling. Identify the detail that changes the conclusion.

EVALUATION DESIGN


Four Tests, Four Kinds of Evidence

A system is not understood until it survives more than one comfortable example.









NORMAL Expected data and expected behavior.

Keep this boundary clear

BOUNDARY Value close to a threshold, ambiguous label, or uncertain **prediction**.

MISSING Necessary field, label, source, or measurement is unavailable.

SHIFTED New lighting, species, device, subgroup, or time condition.

RELEASE RULE Passing one case never proves generalization. Predefine expected behavior for all four categories.

Which case most threatens today's claim, and why?

Change one thing in the pictured case

Change one thing

Change: The teacher confirms B's second row is an accidental **duplicate**.

Predicted result

Prediction: Remove that **duplicate** with a recorded reason; C still needs correction or explicit exclusion.

Why the result follows

Reason: Resolving one defect does not resolve a separate impossible measurement.

STUDENT LESSON · 5 OF 18

Words that unlock the idea

> Use the vocabulary of Inspect Before Modeling to explain a concrete decision, rather than only memorising definitions.

VOCABULARY

Words You Can Calculate and Defend

A definition matters when it lets you interpret a new dataset, model, or result.


1
SHAPE
number of rows and columns
2
RANGE
smallest to largest plausible value
3
DUPLICATE
repeated example or record
4
MISSINGNESS
where values are absent

Term	Precise meaning	My ML example
shape	number of rows and columns	
range	smallest to largest plausible value	
duplicate	repeated example or record	
missingness	where values are absent	

> MISCONCEPTION TO REPAIR A model will automatically ignore harmless data-quality problems.

Repair the claim using a definition, calculation, or test record:

Words used in the closer explanation

Word	Meaning
Provenance	Where data came from and how it was created
Schema	The stated meaning types units and rules for fields
Missing value	An unknown or unavailable value rather than a measured zero
Dataset card	A concise record of dataset contents creation intended use and limitations

Terms for Units conversions and data provenance

Term	Meaning
Provenance	The origin and processing history of data
Conversion	Expressing a quantity in another unit
Raw value	The value as originally recorded

Term	Meaning
Derived value	A value calculated from recorded data

STUDENT LESSON · 6 OF 18

Follow a worked example

> Follow the worked trace for Inspect Before Modeling, predict a step, then compare with its explanation.

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible **evidence** cannot be audited.

WEEK 5 • WORKED EVIDENCE

1. Dataset shape is 40 rows × 5 columns.
2. Inspection finds 3 duplicate rows and 4 missing light values.
3. Leaf widths range from 0.4 to 48 cm; inspect the extreme value and unit.
4. Document, repair, or exclude by a stated rule—never silently delete inconvenient rows.

Step 1

STEP 1 Dataset **shape** is 40 rows × 5 columns.

Step 2

STEP 2 Inspection finds 3 **duplicate** rows and 4 missing light values.

Step 3

STEP 3 Leaf widths **range** from 0.4 to 48 cm; inspect the extreme value and unit.

Step 4

STEP 4 Document, repair, or exclude by a stated rule—never silently delete inconvenient rows.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the **evidence** independently:

A closer explanation

Worked explanation · Inspect Before Modeling

For Robot practice v1, record the purpose as practising inspection, the source as teacher-authored fictional data, and the row meaning as an intended single indoor trip.

Record the five-row count, the ID field, minutes as the duration unit and None as unknown. List the **duplicate**-ID and invalid-duration findings.

State that no cleaning has occurred, no train/test split is assigned, and no model has been evaluated.

Worked explanation · Inspect Before Modeling

Add intended use, excluded uses, known gaps, version and a contact or owner. Here the lesson teacher maintains the practice copy; its allowed classroom purpose is inspection practice.

Do not describe it as validated navigation data.

For a real external dataset, also verify its actual permission or licence and collection context; an absent field in the documentation is an unanswered question, not permission to invent a value.

What fraction of the five raw rows has unknown duration? Can you subtract two missing rows, one negative row and one extra ID occurrence from five to count distinct usable trips? Explain using the B rows.

Apply the connected idea: Units conversions and data provenance

Convert 90 seconds and 0 seconds. Which is longer: 90 seconds or 2 minutes?

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Inspect Before Modeling

Spot a **duplicate**, an impossible value and a valid boundary before **fitting**.

The facts we will use

Supplied facts

Toy heights table: A=3, B=5, B=5, C=-2, D=0 cm. Each plant should have exactly one nonnegative height record.

Supplied facts

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-4/5

Inspect Before Modeling

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Count rows

Five raw rows represent four distinct IDs; B is duplicated.



2. Check schema

C violates the nonnegative-height rule; D=0 is valid under this contract.



3. Flag before fitting

Flag duplicate B and invalid C. Do not count B twice or silently replace C.

CHANGE ONE THING

The teacher confirms B's second row is an accidental duplicate.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Count rows	Five raw rows represent four distinct IDs; B is duplicated.
2. Check schema	C violates the nonnegative-height rule; D=0 is valid under this contract.
3. Flag before fitting	Flag duplicate B and invalid C. Do not count B twice or silently replace C.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Read the picture in order. Flag **duplicate** B and invalid C. Do not count B twice or silently replace C. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Keep the stated limit

A plausible nonnegative value can still be incorrectly measured; **schema** checks do not

establish truth.

Keep the stated limit

Read the labelled picture: Which original information should the inspection log preserve? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Keep the stated limit

Change one thing: The teacher confirms B's second row is an accidental **duplicate**. Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Inspect Before Modeling claim and explain a repair using the supplied evidence.

Find the first error

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, data problem, or experiment error.

!

COMPARE • DIAGNOSE • REPAIR

Tempting claim: A model will automatically ignore harmless data-quality problems. Inspect the dataset, split, calculation, error type, subgroup, or experiment record; identify one testable cause; change one factor; rerun the same evidence.

Evidence record	Expected	Actual	Likely cause / next test
normal case	passes		
boundary case	defined behavior		
missing case	safe fallback		
shifted case	measured limit		

CLAIM TO CHALLENGE A model will automatically ignore harmless data-quality problems.

Diagnose one cause and name the cleanest next experiment:

A closer explanation

Check the claim against the facts

A complete-looking card does not prove the table is accurate or suitable for a model. It makes claims and unanswered questions reviewable.

Report raw counts separately from any later accepted subset, with explicit rules for missing, invalid and repeated records. Do not silently change denominators after cleaning.

Check the claim against the facts

For this exercise, zero is allowed and unknown is not zero. That is a stated **schema** choice, not a universal rule for all duration datasets.

In a real task, measurement resolution and event definitions determine which values make sense. Dataset inspection also does not replace protecting held out data from model choices.

A card says the dataset is ready because it has no empty cells. Name two checks that claim misses, then write a more accurate statement about Robot practice v1.

Apply the connected idea: Units conversions and data provenance

Correct **conversion** does not establish that the sources measured the same activity, used the same start and stop rules, or are accurate. **Provenance** helps someone investigate those differences.

A record contains value 8 and unit ticks with no conversion rule. Should you assume seconds?


Practise together

> Practise Inspect Before Modeling with support, then explain the deciding step in your own words.

ML STUDIO

Specify Before You Run

A trustworthy result can be reproduced from the recorded data, code, settings, and evaluation rule.



Experiment record

Question to explain

QUESTION + intended use + success threshold

DATA version + grouped split + leakage check

CODE/pre**process**ing + features + model + settings + seed

METRICS + positive class + units + denominators

PREDICTIONS + errors + subgroup slices + limitations

HUMAN reviewer + release, revise, limit, or stop decision

Write the minimum record needed to reproduce today's result:

A closer explanation

A learner replaces both None values with 0 and removes the negative sign from -2. The table now passes a simple nonnegative check, but those edits invent durations.

Keep the original values, record the reason for each flag, and check the source. If a correction is supported, save a new version with the original value, corrected value and reason. If not, keep the uncertainty visible.

Another learner says all robot trips are covered because every row says indoor. A **dataset card** should instead state that outdoor trips are absent and that the data is fictional.

Extra copies of existing rows do not create new conditions or new independent **evidence**.

Apply the connected idea: Units conversions and data provenance

Comparing raw 180 to raw 4 ignores their units. Dividing 4 by 60 without checking its unit is also wrong: it was already minutes. Branch on the documented unit and keep a **conversion** note.

Practise with less help: Interpret the audit counts

Use workbook W2 for the connected example “Dataset inspection and cards”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Dataset inspection and cards. Proposed explanation: “A complete card certifies data quality”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Practise the connected topic: Units conversions and data provenance

Use its named workbook W2. Identify the given **input**s, try the middle steps with less help, then explain your trace. Check this claim before group discussion: A successful run proves the conclusion

Explain the picture

Which original information should the inspection log preserve? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

> **My explanation using a pictured step and the given facts**

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18

Run the investigation

> Investigate Inspect Before Modeling. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

EVIDENCE LAB

Predict → Run → Calculate → Interpret

Keep the test conditions fixed, record every result, and change only one planned factor.

LAB

PREDICT → RUN → CALCULATE → INTERPRET

Data Triage: calculate missing counts, flag ranges, find duplicates, and write a keep/repair/exclude reason for each issue.

1. Write the hypothesis and expected **evidence** before running.

2. Data Triage: calculate missing counts, flag **range**s, find **duplicate**s, and write a keep/repair/exclude reason for each issue.

3. Run one normal, one boundary, one missing, and one shifted case.

4. Calculate the metric from raw counts or row-level errors.

5. Interpret what changed, what did not, and what remains unsafe or unknown.

Case · Prediction · Actual · Calculation / evidence · Meaning / next test

> **Case:** Normal

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Boundary

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Missing

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Case: Shifted

Prediction: _____

Actual: _____

Calculation / evidence: _____

Meaning / next test: _____

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.


Build your understanding

> Move from recall to tracing, diagnosis and transfer in Inspect Before Modeling. Explain why each step is justified.

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce **evidence** without copying the example.



DEFINE Use all four terms precisely: **shape**, **range**, **duplicate**, **missingness**.

CALCULATE Reproduce the worked **evidence** with units and denominator.

TRACE Explain the data, code or decision path.

DIAGNOSE A model will automatically ignore harmless data-quality problems.

TRANSFER Solve a fresh dataset or model case.

IMPROVE Change one cause and rerun fixed **evidence**.

DEFEND State intended use, metric, limitation, and human responsibility.

MASTERY RULE A coached calculation becomes mastery only after a different case is completed independently.

STUDENT LESSON · 11 OF 18

Connect your project

> Apply this week's idea to Responsible Plant Classifier. Keep an annotated decision and the evidence supporting it.

CUMULATIVE PROJECT

Responsible Plant Classifier

Every week adds one reviewable artifact to the same **evidence**-based capstone.

RESPONSIBLE PLANT CLASSIFIER

Audit the Plant Classifier table and attach a data-quality report before any baseline or model is trained.

THIS WEEK'S CHECKPOINT Audit the Plant Classifier table and attach a data-quality report before any baseline or model is trained.

Which requirement or risk does this artifact address?

Which dataset, split, code, and metric version does it use?

What normal and shifted cases were tested?

What remains uncertain or weak?

What decision still belongs to a teacher or qualified human?

RESPONSIBLE RELEASE Never use this classroom prototype for medical, pesticide, agricultural, or other consequential decisions.

My **evidence**-linked project decision:

Evidence for your project

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

STUDENT LESSON · 12 OF 18


Show what you know

> Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

INDEPENDENT PROOF

Explain • Calculate • Transfer • Defend

Complete this with a fresh case after guided practice and compare it with the mastery criteria.



What success looks like

REQUIRED PROOF Produce a data-quality report before **fitting** any model.

- ☐ Define the task, feature/target roles, and intended-use boundary.
- ☐ Show the calculation, code trace, or experiment record.
- ☐ Test a normal case and one revealing boundary, missing, or shifted case.
- ☐ Diagnose one failure without changing several factors at once.
- ☐ Name a limitation, fairness concern, and the human-review action.

Independent **evidence** and defense:

My level: ☐ Not yet ☐ With one hint ☐ Independently ☐ I can teach and defend it

Connect to the next lesson

NEXT BRIDGE Carry the experiment **evidence** into: Label Quality.

Study a complete case

> Revisit the complete Inspect Before Modeling case for supported practice. Repeated examples do not become fresh assessments.

Week 5 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

Lengths include 5 cm, blank and -3 cm, plus a **duplicate** photo row.

The question

Name checks and a deletion risk.

Worked explanation

Check **missingness**, physical validity, units and **duplicate** identity. Investigate and document repair. Blind deletion can disproportionately remove a relevant condition.

Explain it in your own words

> Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Inspect data before choosing repairs

Evidence or stage	Value or result
5 cm	Physically plausible
Blank	Missing measurement
−3 cm	Invalid length
Duplicate photo	Check record identity

Lengths include 5 cm, blank and -3 cm, plus a **duplicate** photo row.

Name checks and a deletion risk.

Check **missingness**, physical validity, units and **duplicate** identity. Investigate and document repair. Blind deletion can disproportionately remove a relevant condition.

STUDENT LESSON · 14 OF 18

Try a new case independently

> Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Inspect and document independently

A new fictional indoor trip export has (P,4), (Q,None), (Q,None), (R,-1), (S,6), (T,0), with durations in minutes and the same **schema**.

Count raw rows, distinct IDs, missing durations, negative durations and extra ID occurrences. Identify overlap. Draft a short **dataset card** stating source, row meaning, unit, findings, unchanged version and one excluded use.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 5 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

A table has height_cm values 12, 15, -8 and a blank. Identify two issues and a suitable first action.

My answer, with a trace, calculation or supporting **evidence**

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed **input** and expected result

Write or draw your reasoning and evidence.

Connect to your project

Audit the Plant Classifier table and attach a data-quality report before any baseline or model is trained.

The **evidence** I will keep

> **Write or draw your reasoning and evidence.**

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice **evidence** together.

Transfer practice from the original programme

A table contains 8 cm, -2 cm, missing and two copies of the same leaf photo. Propose a separate inspection for each issue.

> **Explain the mechanism, evidence and one limit.**

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

Your lesson route

> Use this map to navigate Inspect Before Modeling, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: Spot a **duplicate**, an impossible value and a valid boundary before **fitting**.

By the end, I can	How I will show it
Inspect row meaning missing values and repeated records	Explain the deciding step, show a trace or test, and state one limit.
Document dataset source schema and limitations	Explain the deciding step, show a trace or test, and state one limit.
Separate observed quality flags from justified corrections	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

Finish and return

> Explain Inspect Before Modeling without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: Inspect row meaning **missing value**s and repeated records

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

STUDENT LESSON · 17 OF 18

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Spot a **duplicate**, an impossible value and a valid boundary before **fitting**.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Flag **duplicate** B and invalid C. Do not count B twice or silently replace C.

1. Flag before **fitting**

2. Count rows

3. Check **schema**

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Flag before **fitting** Flag **duplicate** B and invalid C. Do not count B twice or silently replace C. Read the picture in order. Flag **duplicate** B and invalid C.

Do not count B twice or silently replace C. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: The teacher confirms B's second row is an accidental **duplicate**. Which conclusion is supported by the supplied facts?

1. We can decide the result without examining the changed **input** or the procedure.

2. This one example guarantees correct results for every future **input**.

3. Remove that **duplicate** with a recorded reason; C still needs correction or explicit exclusion.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Remove that **duplicate** with a recorded reason; C still needs correction or explicit exclusion. Resolving one defect does not resolve a separate impossible measurement.

Repair a missing building block

Review Python and Table Readiness (ai-4/4). Goal: Specify a table **schema**. Short practice: Why should the **missing value** not silently become zero?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Features, Labels, Targets (ai-4/2). Goal: Separate **prediction input**s from observed targets. Short practice: Why can a historical table contain a field that is an invalid **input**?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work


Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

Visual concept journey

> Explain each Inspect Before Modeling graphic using its labels, deciding evidence and relevant limitation.

01. Inspect Before Modeling: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Spot a **duplicate**, an impossible value and a valid boundary before **fitting**. Supplied facts: Toy heights table: A=3, B=5, B=5, C=-2, D=0 cm. Each plant should have exactly one nonnegative height record.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Count rows: Five raw rows represent four distinct IDs; B is **duplicate**d. → Check **schema**: C violates the nonnegative-height rule; D=0 is valid under this contract. → Flag before **fitting**: Flag **duplicate** B and invalid C.

Do not count B twice or silently replace C.

> Point to each numbered stage and explain which recorded **input** it uses.

03. Turn an observation into a documented action




Follow the labelled picture with the matching explanation. Open the vector diagram

Turn an **observation** into a documented action. B appears twice | Identity needs review | Check export history. Two None values | 2 of 5 rows lack duration | Keep unknown explicit.

C has minus 2 | Invalid elapsed duration | Check source and units

> Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Flag **duplicate** B and invalid C. Do not count B twice or silently replace C. Changed condition: The teacher confirms B's second row is an accidental **duplicate**.

Expected result: Remove that **duplicate** with a recorded reason; C still needs correction or explicit exclusion. Reason: Resolving one defect does not resolve a separate impossible measurement.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram


Read the picture in order. Flag **duplicate** B and invalid C. Do not count B twice or silently replace C. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Limit: A plausible nonnegative value can still be incorrectly measured; **schema** checks do not establish truth.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Which original information should the inspection log preserve? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

> Draw your project trace and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.