AI ACADEMY · LEVEL 6 · GRADE 11 · WEEK 26 · STUDENT LESSON

Incident investigation

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

Before you start

Recall Monitoring quality drift. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

Plan time to read, investigate and explain. Keep predictions separate from observations.

STUDENT LESSON · 1 OF 18

Your mission

> Start with the target: Explain the mechanism and terminology of incident investigation. Try the recall before opening notes.

Your learning target

I can explain the **mechanism** and terminology of incident investigation.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Monitoring quality drift. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Deployment environments. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Data retention and deletion. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

This week you will practise:

Explain the **mechanism** and terminology of incident investigation

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

Recall Monitoring quality drift. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

This week's end goal

Explain incident investigation using the deciding step in this fictional service.

Notice the evidence

> Investigate the supplied Incident investigation case. Separate observations, given facts and assumptions before choosing an explanation.

Incident investigation preserves a timeline and distinguishes **observation** from hypothesis. Repair before **evidence** collection can erase clues.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.


> **List the given facts and one fact that is not supplied.**

STUDENT LESSON · 3 OF 18

See how it works

> Follow the mechanism for Incident investigation. Connect each labelled input, deciding step and result.

Record timestamps, versions, requests, authorised actions and outcomes with minimised logs. Separate immediate **containment** from diagnosis. Compare candidate explanations against **evidence**.



Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

STUDENT LESSON · 4 OF 18

Compare the cases

> Compare the supplied cases for Incident investigation. Identify the detail that changes the conclusion.

Compare a familiar case with a changed case

At09:00 corpus updates; 09:05 stale cache response; 09:06 cache disabled. Team says model weights changed, but weight version is unchanged. Show the intermediate steps and give the conclusion with its scope.

Keep the procedure fixed. Explain what changed in the inputs and result.

Change one thing in the pictured case

Change one thing

Change: Trace instead shows version 6 retrieved and room C drafted.

Predicted result

Prediction: Investigate drafting or validation before blaming caching.

Why the result follows

Reason: The mismatch now appears after retrieval.

STUDENT LESSON · 5 OF 18

Words that unlock the idea

Use the vocabulary of Incident investigation to explain a concrete decision, rather than only

memorising definitions.

Word	Meaning
Incident timeline	Ordered records of relevant events
Containment	An action limiting ongoing harm or failure
Root-cause hypothesis	A proposed mechanism requiring evidence

Use two terms to explain a step in this week's example.

STUDENT LESSON · 6 OF 18

Follow a worked example

Follow the worked trace for Incident investigation, predict a step, then compare with its explanation.

At09:00 corpus updates; 09:05 stale cache response; 09:06 cache disabled. Team says model weights changed, but weight version is unchanged.

Weight-change claim is contradicted by the version record. Stale cache is a supported candidate explanation; preserve timeline and test it with controlled reproduction.

Worked explanation · Incident investigation

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

> The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Incident investigation

An **incident timeline**. After a schedule update, a service gives an old classroom location.

The facts we will use

> **Supplied facts**
>
> 14:00 version 6 publishes room D; 14:05 answer uses version 5 room C; 14:06 user reports mismatch.

AI ACADEMY / AI-6/26

Incident investigation

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Order events

The new source predates the request and report.



2. Locate stale evidence

The answer trace identifies version 5 rather than current version 6.



3. Test explanation

Reproduce version selection with controlled fixtures before naming the exact bug.

CHANGE ONE THING

Trace instead shows version 6 retrieved and room C drafted.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Order events	The new source predates the request and report.
2. Locate stale evidence	The answer trace identifies version 5 rather than current version 6.
3. Test explanation	Reproduce version selection with controlled fixtures before naming the exact bug.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

A timeline separates observed events from a proposed cause. **Evidence** can locate a mismatch without yet explaining why it happened.

What this example does not establish

Keep the stated limit

Missing events may change the account; temporal order alone does not prove causation.

Keep the stated limit

Read the labelled picture: Order the three incident records and locate the old **evidence** version. How does the investigation change if the trace instead retrieves version 6 but drafts room C?

Keep the stated limit

Change one thing: Trace instead shows version 6 retrieved and room C drafted. Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Incident investigation claim and explain a repair using the supplied evidence.

A plausible narrative needs controlled or record-based confirmation and must preserve unknowns.

Check the claim against the facts

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Locate the earliest unsupported step

A report omits this qualification: A plausible narrative needs controlled or record-based confirmation and must preserve unknowns.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

State one repair and the checks you would rerun.

STUDENT LESSON · 8 OF 18

Practise together

> Practise Incident investigation with support, then explain the deciding step in your own words.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Practise with less help: Trace the worked case

Use workbook W2 for the connected example “Incident investigation”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Incident investigation. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

> Order the three incident records and locate the old **evidence** version. How does the investigation change if the trace instead retrieves version 6 but drafts room C?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18

Run the investigation

> Investigate Incident investigation. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

Predict, investigate and preserve the evidence

At09:00 corpus updates; 09:05 stale cache response; 09:06 cache disabled. Team says model weights changed, but weight version is unchanged. Show the intermediate steps and give the conclusion with its scope.

Record	Your evidence
Given input and fixed rule	
Prediction before checking	

Record	Your evidence
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

STUDENT LESSON · 10 OF 18

Build your understanding

> Move from recall to tracing, diagnosis and transfer in Incident investigation. Explain why each step is justified.

Explain → apply → challenge

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

A report omits this qualification: A plausible narrative needs controlled or record-based confirmation and must preserve unknowns.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

> **Explain which evidence supports your conclusion and which claim remains unproved.**

STUDENT LESSON · 11 OF 18

Connect your project

> Apply this week's idea to Grounded Learning Service. Keep an annotated decision and the evidence supporting it.

Add a labelled incident investigation **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of incident investigation.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Evidence for your project

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

STUDENT LESSON · 12 OF 18

Show what you know

> Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

> **Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.**

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My limited claim and a useful next check

STUDENT LESSON · 13 OF 18

Study a complete case

Revisit the complete Incident investigation case for supported practice. Repeated examples do not become fresh assessments.

Complete evidence record

Incident investigation — evidence trace

INPUT AND SCOPE

At09:00 corpus updates; 09:05 stale cache response; 09:06 cache disabled. Team says model weights changed, but weight version is unchanged.

CHECK OR CALCULATION

Record timestamps, versions, requests, authorised actions and outcomes with minimised logs. Separate immediate containment from diagnosis. Compare candidate explanations against evidence.

CONCLUSION AND LIMIT

Weight-change claim is contradicted by the version record. Stale cache is a supported candidate explanation; preserve timeline and test it with controlled reproduction.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

STUDENT LESSON · 14 OF 18

Try a new case independently

> Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Apply a new case independently

10:00 permissions config changes; 10:03 restricted read; model version unchanged. Name a plausible cause and one test.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

10:00 permissions config changes; 10:03 restricted read; model version unchanged. Name a plausible cause and one test.

My independent procedure, result and limitation

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

STUDENT LESSON · 15 OF 18

Your lesson route

> Use this map to navigate Incident investigation, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: An **incident timeline**. After a schedule update, a service gives an old classroom location.

By the end, I can	How I will show it
Explain the mechanism and terminology of incident investigation	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

STUDENT LESSON · 16 OF 18

Finish and return

> Explain Incident investigation without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of incident investigation

> **My deciding step, evidence and one remaining question**

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

STUDENT LESSON · 17 OF 18

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building

> block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

An **incident timeline**. After a schedule update, a service gives an old classroom location.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Reproduce version selection with controlled fixtures before naming the exact bug.

1. Test explanation

2. Order events

3. Locate stale **evidence**

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Test explanation Reproduce version selection with controlled fixtures before naming the exact bug. A timeline separates observed events from a proposed cause.

Evidence can locate a mismatch without yet explaining why it happened.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Trace instead shows version 6 retrieved and room C drafted. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. Investigate drafting or validation before blaming caching.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Investigate drafting or validation before blaming caching. The mismatch now appears after retrieval.

Repair a missing building block

Review Monitoring quality drift (ai-6/25). Goal: Explain the **mechanism** and terminology of monitoring quality drift. Short practice: Compute both clear and ambiguous slice rates for A and B.

Which slice weakens, and how should that slice be reported when no ambiguous questions are observed?. Return to this week and explain what you changed.

Review Deployment environments (ai-6/23). Goal: Explain the **mechanism** and terminology of deployment environments. Short practice: Identify the staging data and credential boundary.

Why must the rehearsal stop if its credential reaches production even though the **process** is labelled staging?. Return to this week and explain what you changed.

Review Data retention and deletion (ai-6/20). Goal: Explain the **mechanism** and terminology of data retention and deletion. Short practice: Apply the seven-day boundary to T1 and T2.

How many T2 locations need verification, and may deletion be called complete if its backup remains?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

STUDENT LESSON · 18 OF 18

Visual concept journey

> Explain each Incident investigation graphic using its labels, deciding evidence and relevant limitation.

01. Incident investigation: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

An **incident timeline**. After a schedule update, a service gives an old classroom location. Supplied facts: 14:00 version 6 publishes room D; 14:05 answer uses version 5 room C; 14:06 user reports mismatch.

> Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Order events: The new source predates the request and report. → Locate stale **evidence**: The answer trace identifies version 5 rather than current version 6. → Test explanation: Reproduce version selection with controlled fixtures before naming the exact bug.

> Point to each numbered stage and explain which recorded **input** it uses.

03. Incident investigation — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram


Incident investigation — **evidence** trace. At09:00 corpus updates; 09:05 stale cache response; 09:06 cache disabled.

Team says model weights changed, but weight version is unchanged. | Record timestamps, versions, requests, authorised actions and outcomes with minimised logs. Separate immediate **containment** from diagnosis.

Compare candidate explanations against **evidence**. | Weight-change claim is contradicted by the version record. Stale cache is a supported candidate explanation; preserve timeline and test it with controlled reproduction.

> Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Reproduce version selection with controlled fixtures before naming the exact bug. Changed condition: Trace instead shows version 6 retrieved and room C drafted.

Expected result: Investigate drafting or validation before blaming caching. Reason: The mismatch now appears after retrieval.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

A timeline separates observed events from a proposed cause. **Evidence** can locate a mismatch without yet explaining why it happened. Limit: Missing events may change the account; temporal order alone does not prove causation.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Order the three incident records and locate the old **evidence** version.

How does the investigation change if the trace instead retrieves version 6 but drafts room C?

> Draw your project trace and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.