AI ACADEMY · LEVEL 6 · GRADE 11 · WEEK 32 · STUDENT LESSON

Documentation and operational readiness

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

Before you start

Recall Red team exercises. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

Plan time to read, investigate and explain. Keep predictions separate from observations.

STUDENT LESSON · 1 OF 18

Your mission

> Start with the target: Explain the mechanism and terminology of documentation and operational readiness. Try the recall before opening notes.

Your learning target

I can explain the **mechanism** and terminology of documentation and operational readiness.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Red team exercises. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Performance and cost experiments. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Incident investigation. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

This week you will practise:

Explain the **mechanism** and terminology of documentation and operational readiness

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

Recall Red team exercises. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

This week's end goal

Explain documentation and operational readiness using the deciding step in this fictional service.

Notice the evidence

> Investigate the supplied Documentation and operational readiness case. Separate observations, given facts and assumptions before choosing an explanation.

Operational documentation tells another person how to run, verify, observe and recover the service. A successful developer demo is not readiness.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

> **List the given facts and one fact that is not supplied.**

STUDENT LESSON · 3 OF 18

See how it works

> Follow the mechanism for Documentation and operational readiness. Connect each labelled input, deciding step and result.

A **runbook** names versions, required non-secret configuration, secret key names, **health check**s, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.

Documentation and operational readiness — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.	A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.	Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

STUDENT LESSON · 4 OF 18

Compare the cases

> Compare the supplied cases for Documentation and operational readiness. Identify the detail that changes the conclusion.

Compare a familiar case with a changed case

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result. Show the intermediate steps and give the conclusion with its scope.

Keep the procedure fixed. Explain what changed in the inputs and result.

Change one thing in the pictured case

Change one thing

Change: Remove the maintainer and escalation route.

Predicted result

Prediction: The diagnostic remains, but responsibility for an unresolved fault becomes unclear.

Why the result follows

Reason: Readiness includes who acts when routine checks do not solve the problem.

STUDENT LESSON · 5 OF 18

Words that unlock the idea

Use the vocabulary of Documentation and operational readiness to explain a concrete

> decision, rather than only memorising definitions.

Word	Meaning
Runbook	Instructions for operating and recovering a service
Health check	A defined observation of service state
Operational owner	The actor responsible for ongoing decisions

> **Use two terms to explain a step in this week's example.**

STUDENT LESSON · 6 OF 18

Follow a worked example

> Follow the worked trace for Documentation and operational readiness, predict a step, then compare with its explanation.

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.

Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

Worked explanation · Documentation and operational readiness

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

> The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Documentation and operational readiness

A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer.

The facts we will use

> #### Supplied facts
>
> The **runbook** names a maintainer and a read-only source-connection diagnostic. The code means no supported answer can be produced.

AI ACADEMY / AI-6/32

Documentation and operational readiness

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Match symptom

Identify the documented unavailable-source condition.



2. Run safe check

Inspect the approved connection without broadening permissions.



3. Escalate clearly

Contact the named maintainer and retain unresolved status.

CHANGE ONE THING

Remove the maintainer and escalation route.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Match symptom	Identify the documented unavailable-source condition.
2. Run safe check	Inspect the approved connection without broadening permissions.
3. Escalate clearly	Contact the named maintainer and retain unresolved status.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Operational documentation connects a symptom, bounded action, responsible person and recovery check. Component names alone do not tell an operator what to do.

What this example does not establish

Keep the stated limit

Rehearse and revise **runbook**s; readable instructions alone cannot establish readiness for every incident.

Keep the stated limit

Read the labelled picture: Match SOURCE_UNAVAILABLE to its safe check and escalation owner. What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?

Keep the stated limit

Change one thing: Remove the maintainer and escalation route. Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Documentation and operational readiness claim and explain a repair using the supplied evidence.

Documentation readiness requires a tested replay and **operational owner**ship, not merely complete-looking prose.

Check the claim against the facts

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Locate the earliest unsupported step

A report omits this qualification: Documentation readiness requires a tested replay and **operational owner**ship, not merely complete-looking prose.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

State one repair and the checks you would rerun.

STUDENT LESSON · 8 OF 18

Practise together

Practise Documentation and operational readiness with support, then explain the deciding step in your own words.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Practise with less help: Trace the worked case

Use workbook W2 for the connected example “Documentation and operational readiness”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Documentation and operational readiness. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

> Match SOURCE_UNAVAILABLE to its safe check and escalation owner. What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18

Run the investigation

> Investigate Documentation and operational readiness. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

Predict, investigate and preserve the evidence

Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result. Show the intermediate steps and give the conclusion with its scope.

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	

Record	Your evidence
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

STUDENT LESSON · 10 OF 18

Build your understanding

> Move from recall to tracing, diagnosis and transfer in Documentation and operational readiness. Explain why each step is justified.

Explain → apply → challenge

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

A report omits this qualification: Documentation readiness requires a tested replay and **operational owner**ship, not merely complete-looking prose.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

Explain which evidence supports your conclusion and which claim remains unproved.

STUDENT LESSON · 11 OF 18

Connect your project

> Apply this week's idea to Grounded Learning Service. Keep an annotated decision and the evidence supporting it.

Add a labelled documentation and operational readiness **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of documentation and operational readiness.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Evidence for your project

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

STUDENT LESSON · 12 OF 18

Show what you know

> Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

> **Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.**

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My limited claim and a useful next check

STUDENT LESSON · 13 OF 18

Study a complete case

> Revisit the complete Documentation and operational readiness case for supported practice. Repeated examples do not become fresh assessments.

Complete evidence record

Documentation and operational readiness — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Runbook says start server, but omits data version and recovery steps. Another operator cannot reproduce a result.	A runbook names versions, required non-secret configuration, secret key names, health checks, release/rollback dependencies, alerts and owners. Test it with a fresh operator and fictional fixtures.	Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

> **My complete trace of the worked case**

STUDENT LESSON · 14 OF 18

Try a new case independently

> Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Apply a new case independently

Documentation includes all setup steps but no incident owner or compatible rollback. Identify readiness gaps.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

Documentation includes all setup steps but no incident owner or compatible rollback. Identify readiness gaps.

My independent procedure, result and limitation

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

STUDENT LESSON · 15 OF 18

Your lesson route

> Use this map to navigate Documentation and operational readiness, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer.

By the end, I can	How I will show it
Explain the mechanism and terminology of documentation and operational readiness	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

STUDENT LESSON · 16 OF 18

Finish and return

> Explain Documentation and operational readiness without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of documentation and operational readiness

> **My deciding step, evidence and one remaining question**

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

STUDENT LESSON · 17 OF 18

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building

> block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Contact the named maintainer and retain unresolved status.

1. Match symptom

2. Escalate clearly

3. Run safe check

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Escalate clearly Contact the named maintainer and retain unresolved status.

Operational documentation connects a symptom, bounded action, responsible person and recovery check. Component names alone do not tell an operator what to do.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Remove the maintainer and escalation route. Which conclusion is supported by the supplied facts?

1. The diagnostic remains, but responsibility for an unresolved fault becomes unclear.

2. We can decide the result without examining the changed **input** or the procedure.

3. This one example guarantees correct results for every future **input**.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: The diagnostic remains, but responsibility for an unresolved fault becomes unclear. Readiness includes who acts when routine checks do not solve the problem.

Repair a missing building block

Review Red team exercises (ai-6/31). Goal: Explain the **mechanism** and terminology of red team exercises. Short practice: Distinguish the exhibit fact from the embedded edit instruction.

Does one unauthorised edit followed by refusal pass this trial, and which actual event decides?. Return to this week and explain what you changed.

Review Performance and cost experiments (ai-6/29). Goal: Explain the **mechanism** and terminology of performance and cost experiments. Short practice: Calculate per-case seconds and cost units for A and B.

Which meets a budget of at most 2 cost units per case, and what speed trade-off does that choice make?. Return to this week and explain what you changed.

Review Incident investigation (ai-6/26). Goal: Explain the **mechanism** and terminology of incident investigation. Short practice: Order the three incident records and locate the old **evidence** version.

How does the investigation change if the trace instead retrieves version 6 but drafts room C?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.


Drafts stay in this browser when storage is available; clear drafts on a shared device.

STUDENT LESSON · 18 OF 18

Visual concept journey

> Explain each Documentation and operational readiness graphic using its labels, deciding evidence and relevant limitation.

01. Documentation and operational readiness: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

A **runbook** with an owner. Another teacher must handle SOURCE_UNAVAILABLE without inventing an answer. Supplied facts: The **runbook** names a maintainer and a read-only source-connection diagnostic.

The code means no supported answer can be produced.

> Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Match symptom: Identify the documented unavailable-source condition. → Run safe check: Inspect the approved connection without broadening permissions. → Escalate clearly: Contact the named maintainer and retain unresolved status.

> Point to each numbered stage and explain which recorded **input** it uses.

03. Documentation and operational readiness — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram


Documentation and operational readiness — **evidence** trace. **Runbook** says start server, but omits data version and recovery steps.

Another operator cannot reproduce a result. | A **runbook** names versions, required non-secret configuration, secret key names, **health check**s, release/rollback dependencies, alerts and owners.

Test it with a fresh operator and fictional fixtures. | Add exact configuration/version references, fixture setup, verification and recovery. Do not publish secret values to make setup easier.

> Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Contact the named maintainer and retain unresolved status. Changed condition: Remove the maintainer and escalation route.

Expected result: The diagnostic remains, but responsibility for an unresolved fault becomes unclear. Reason: Readiness includes who acts when routine checks do not solve the problem.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Operational documentation connects a symptom, bounded action, responsible person and recovery check. Component names alone do not tell an operator what to do.

Limit: Rehearse and revise **runbook**s; readable instructions alone cannot establish readiness for every incident.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Match SOURCE_UNAVAILABLE to its safe check and escalation owner.

What is lost when the maintainer route is removed, even if the diagnostic instructions stay readable?

> Draw your project trace and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.