AI ACADEMY · LEVEL 7 · GRADE 12 · WEEK 25 · STUDENT LESSON

Running the primary experiment

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Reproducible AI Research Study

Before you start

Recall Reproducible environment and records. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

Plan time to read, investigate and explain. Keep predictions separate from observations.

STUDENT LESSON · 1 OF 18

Your mission

> Start with the target: Explain the mechanism and terminology of running the primary experiment. Try the recall before opening notes.

Your learning target

I can explain the **mechanism** and terminology of running the primary experiment.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Reproducible environment and records. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Pilot experiments. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Research ethics and consent. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

This week you will practise:

Explain the **mechanism** and terminology of running the primary experiment

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

Recall Reproducible environment and records. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

This week's end goal

Explain running the primary experiment using the records and boundaries of this fictional investigation.

Notice the evidence

> Investigate the supplied Running the primary experiment case. Separate observations, given facts and assumptions before choosing an explanation.

The primary experiment follows the frozen plan and captures every eligible outcome. Unexpected failures are recorded rather than silently retried away.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

> **List the given facts and one fact that is not supplied.**

STUDENT LESSON · 3 OF 18

See how it works

> Follow the mechanism for Running the primary experiment. Connect each labelled input, deciding step and result.

Run declared cases, store raw paired results and deviations, and keep primary analysis separate from exploratory repairs. Stop or escalate only according to the stated rule.

Running the primary experiment — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Twenty eligible cases:16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage.	Run declared cases, store raw paired results and deviations, and keep primary analysis separate from exploratory repairs. Stop or escalate only according to the stated rule.	16/18≈88.889% completed pass; coverage18/20=90%; two unassessed remain. No20/20 assessment claim.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

STUDENT LESSON · 4 OF 18

Compare the cases

> Compare the supplied cases for Running the primary experiment. Identify the detail that changes the conclusion.

Compare a familiar case with a changed case

Twenty eligible cases:16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage. Show the intermediate steps and give the conclusion with its scope.

Keep the procedure fixed. Explain what changed in the inputs and result.

Change one thing in the pictured case

Change one thing

Change: Tune B after inspecting its case-four failure, then rescore the same set.

Predicted result

Prediction: Label the rerun as development on exposed cases, not untouched primary evaluation.

Why the result follows

Reason: The evaluation outcomes have now influenced the version.

STUDENT LESSON · 5 OF 18

Words that unlock the idea

Use the vocabulary of Running the primary experiment to explain a concrete decision, rather

> than only memorising definitions.

Word	Meaning
Primary run	The experiment under the declared main plan
Unassessed case	An eligible case without the required outcome evidence
Deviation log	A record of changes or interruptions

Use two terms to explain a step in this week's example.

STUDENT LESSON · 6 OF 18

Follow a worked example

> Follow the worked trace for Running the primary experiment, predict a step, then compare with its explanation.

Twenty eligible cases:16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage.

16/18≈88.889% completed pass; coverage18/20=90%; two unassessed remain. No20/20 assessment claim.

Worked explanation · Running the primary experiment

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

> The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Running the primary experiment

Run the frozen experiment. A research team freezes versions A and B, labels and scoring before a six-case **primary run**.

The facts we will use

> **Supplied facts**
>
> A scores [1,0,1,1,0,1]; B scores [1,1,1,0,1,1]. Both answer the same six cases. Binary entries mean 1=correct and 0=incorrect.

AI ACADEMY / AI-7/25

Paired primary case outcomes

	Case 1	Case 2	Case 3	Case 4	Case 5	Case 6
Version A	1	0	1	1	0	1
Version B	1	1	1	0	1	1

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-7/25

Running the primary experiment

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Keep versions fixed

No case result may trigger tuning during this run.



2. Compute results

A totals 4/6; B totals 5/6.



3. Keep case-level records

Cases two and five favour B; case four favours A.

CHANGE ONE THING

Tune B after inspecting its case-four failure, then rescore the same set.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Keep versions fixed	No case result may trigger tuning during this run.
2. Compute results	A totals 4/6; B totals 5/6.
3. Keep case-level records	Cases two and five favour B; case four favours A.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Running the primary experiment means following the declared protocol and retaining raw outcomes. Overall scores alone hide different failure patterns.

What this example does not establish

Keep the stated limit

Six illustrative cases do not establish a population advantage or statistical significance.

Keep the stated limit

Read the labelled picture: Compute A’s and B’s six-case counts and identify the cases that favour each. How must a B revision tuned on case four be labelled when evaluated again on the same set?

Keep the stated limit

Change one thing: Tune B after inspecting its case-four failure, then rescore the same set. Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Running the primary experiment claim and explain a repair using the supplied evidence.

Following the plan and reporting deviations are required even when results contradict the hypothesis.

Check the claim against the facts

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Locate the earliest unsupported step

A report omits this qualification: Following the plan and reporting deviations are required even when results contradict the hypothesis.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

State one repair and the checks you would rerun.

STUDENT LESSON · 8 OF 18

Practise together

> Practise Running the primary experiment with support, then explain the deciding step in your own words.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Practise with less help: Trace the worked case

Use workbook W2 for the connected example “Running the primary experiment”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Running the primary experiment. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

> Compute A's and B's six-case counts and identify the cases that favour each. How must a B revision tuned on case four be labelled when evaluated again on the same set?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18

Run the investigation

> Investigate Running the primary experiment. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

Predict, investigate and preserve the evidence

Twenty eligible cases:16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage. Show the intermediate steps and give the conclusion with its scope.

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or "not run"	

Record	Your evidence
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

STUDENT LESSON · 10 OF 18

Build your understanding

> Move from recall to tracing, diagnosis and transfer in Running the primary experiment. Explain why each step is justified.

Explain → apply → challenge

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

A report omits this qualification: Following the plan and reporting deviations are required even when results contradict the hypothesis.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

Explain which evidence supports your conclusion and which claim remains unproved.

STUDENT LESSON · 11 OF 18

Connect your project

> Apply this week's idea to Reproducible AI Research Study. Keep an annotated decision and the evidence supporting it.

Add a labelled running the primary experiment **evidence** sheet to Reproducible AI Research Study. Show how you can explain the **mechanism** and terminology of running the primary experiment.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Evidence for your project

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

STUDENT LESSON · 12 OF 18

Show what you know

> Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

> **Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.**

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My limited claim and a useful next check

STUDENT LESSON · 13 OF 18

Study a complete case

> Revisit the complete Running the primary experiment case for supported practice. Repeated examples do not become fresh assessments.

Complete evidence record

Running the primary experiment — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Twenty eligible cases:16 pass, 2 fail, 2 unassessed after outage. Plan reports completed rate plus coverage.	Run declared cases, store raw paired results and deviations, and keep primary analysis separate from exploratory repairs. Stop or escalate only according to the stated rule.	16/18≈88.889% completed pass; coverage18/20=90%; two unassessed remain. No20/20 assessment claim.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

STUDENT LESSON · 14 OF 18

Try a new case independently

> Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Apply a new case independently

Twelve eligible cases include 9 passes, 1 failure and 2 unassessed cases. Report completed-case pass rate (passes / completed cases), assessment coverage (completed / eligible cases) and the unassessed count.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

Twelve eligible cases include 9 passes, 1 failure and 2 unassessed cases. Report completed-case pass rate (passes / completed cases), assessment coverage (completed / eligible cases) and the unassessed count.

> **My independent procedure, result and limitation**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

STUDENT LESSON · 15 OF 18

Your lesson route

> Use this map to navigate Running the primary experiment, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: Run the frozen experiment. A research team freezes versions A and B, labels and scoring before a six-case **primary run**.

By the end, I can	How I will show it
Explain the mechanism and terminology of running the primary experiment	Explain the deciding step, show a trace or test, and state one limit.

By the end, I can	How I will show it
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

STUDENT LESSON · 16 OF 18

Finish and return

> Explain Running the primary experiment without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of running the primary experiment

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Run the frozen experiment. A research team freezes versions A and B, labels and scoring before a six-case **primary run**.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Cases two and five favour B; case four favours A.

1. Compute results

2. Keep versions fixed

3. Keep case-level records

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Keep case-level records Cases two and five favour B; case four favours A.

Running the primary experiment means following the declared protocol and retaining raw outcomes. Overall scores alone hide different failure patterns.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Tune B after inspecting its case-four failure, then rescore the same set. Which conclusion is supported by the supplied facts?

1. Label the rerun as development on exposed cases, not untouched primary evaluation.

2. This one example guarantees correct results for every future **input**.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Label the rerun as development on exposed cases, not untouched primary evaluation. The evaluation outcomes have now influenced the version.

Repair a missing building block

Review Reproducible environment and records (ai-7/24). Goal: Explain the **mechanism** and terminology of reproducible environment and records. Short practice: Trace the recorded mean for 2,4,6 and its changed result for 2,4,9.

Which artefacts must accompany the **output** so another team can identify the exact run?. Return to this week and explain what you changed.

Review Pilot experiments (ai-7/22). Goal: Explain the **mechanism** and terminology of pilot experiments. Short practice: Calculate reviewer agreement on the four pilot answers.

What can the disagreement improve, and why are those revised practice answers not untouched final **evidence**?. Return to this week and explain what you changed.

Review Research ethics and consent (ai-7/19). Goal: Explain the **mechanism** and terminology of research ethics and consent. Short practice: Identify which uses the drawing consent permits and excludes.

Can the unrelated project reuse the drawings under this agreement, and what new authorisation would be needed?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.


Drafts stay in this browser when storage is available; clear drafts on a shared device.

STUDENT LESSON · 18 OF 18

Visual concept journey

> Explain each Running the primary experiment graphic using its labels, deciding evidence and relevant limitation.

01. Running the primary experiment: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Run the frozen experiment. A research team freezes versions A and B, labels and scoring before a six-case **primary run**. Supplied facts: A scores [1,0,1,1,0,1]; B scores [1,1,1,0,1,1]. Both answer the same six cases.

Binary entries mean 1=correct and 0=incorrect.

> Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Keep versions fixed: No case result may trigger tuning during this run. → Compute results: A totals 4/6; B totals 5/6. → Keep case-level records: Cases two and five favour B; case four favours A.

> Point to each numbered stage and explain which recorded **input** it uses.

03. Paired primary case outcomes




Follow the labelled picture with the matching explanation. Open the vector diagram

Paired primary case outcomes. Version A: Case 1 = 1, Case 2 = 0, Case 3 = 1, Case 4 = 1, Case 5 = 0, Case 6 = 1. Version B: Case 1 = 1, Case 2 = 1, Case 3 = 1, Case 4 = 0, Case 5 = 1, Case 6 = 1.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Cases two and five favour B; case four favours A. Changed condition: Tune B after inspecting its case-four failure, then rescore the same set.

Expected result: Label the rerun as development on exposed cases, not untouched primary evaluation. Reason: The evaluation outcomes have now influenced the version.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Running the primary experiment means following the declared protocol and retaining raw outcomes. Overall scores alone hide different failure patterns.

Limit: Six illustrative cases do not establish a population advantage or statistical significance.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Draw your **input**, deciding step, result and limit. Supported question: Compute A's and B's six-case counts and identify the cases that favour each.

How must a B revision tuned on case four be labelled when evaluated again on the same set?

> Draw your project trace and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.