Iterative Prompting

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Verified Study Buddy

Iterative Prompting

> Prepare Iterative Prompting: check the target, prerequisites, resources and adaptable teaching schedule.

Teach the learning cycle

Primary target: Explain the **mechanism** and terminology of controlled prompt experiments

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use “Run the investigation”, “Connect your project”, “Show what you know”, “Study a complete case” and “Try a new case independently”. Give extra time for the full task set. If this week has a coding lab, use its named section; section numbers can change when extra explanations are included.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Case exposure check: this source example appears in ai-2/28, ai-3/7, ai-3/9. Reuse a familiar case for recall or modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Examples and Rubrics

Without opening the old lesson, explain one key idea from Examples and **Rubric**s. Give an example and a mistake that the idea helps you avoid.

Look for: Write a prompt specification with observable response criteria

Reference example, not the only acceptable wording: Teacher explanation: Fields status,room,capacity,source_ids.

Status supported or needs_review. supported requires matching current approval and current capacity for the same room; no unresolved conflict.

Sampling and Variability

Without opening the old lesson, explain one key idea from Sampling and Variability. Give an example and a mistake that the idea helps you avoid.

Look for: Sample from a distribution using explicit cumulative intervals

Reference example, not the only acceptable wording: Teacher explanation: Selections red,blue,green,green. The draw 1 violates the half-open [0,1) **input** contract and must be rejected.

Predictive and Generative AI

Without opening the old lesson, explain one key idea from Predictive and Generative AI. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish discriminative **prediction** from generation by inspecting the requested **output**

Reference example, not the only acceptable wording: Teacher explanation: Message labels are discriminative **prediction**; continuing a sequence is generation; record lookup is retrieval rather than learned generation by itself.

One application can route a request, retrieve **evidence** and generate a response.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A summary has accurate facts but uses unexplained terms. Propose one prompt change and a comparison that checks both accessibility and factual preservation.

Concept to explain

Revision should respond to diagnosed **output** failures.

Term	Meaning
iteration	One repeat of a process, often followed by inspection and revision.
failure diagnosis	An investigation locating where and why a process failed.
version	An identified state of a document, dataset, model or program.
change log	A record of what changed, when it changed and why.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Alternative compact allocation

> This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Two 45-minute sessions. A prompt experiment compares complete specifications using the same task cases. Define success before inspecting **output**s; change one intended instruction and preserve other settings.

Use the supplied constructed scenarios to make the **mechanism** inspectable. Collect W4 before sharing solutions.

Students should name intermediate **evidence** and limitations; classroom pacing and learning effectiveness remain unvalidated.

Readiness answer

A result depends on the **input**s, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from **prediction**s or unmeasured conditions.

If the prior concept cannot be explained, use a short retrieval activity before this chapter.

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

End goal for the pictorial case

By the end, I can revise one prompt component and compare paired **output**s using the same **rubric**.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

TEACHER GUIDE · 2 OF 9

Explain the mechanism

> Model Iterative Prompting using the supplied case, labelled mechanism and reasoning. Make the scope of each conclusion explicit.

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.

1. **Version** 1 fails: answer is too advanced.

2. Change only audience constraint; **Version** 2 is age-fit but lacks **evidence**.

3. Add source-use rule; **Version** 3 cites the supplied passage.

4. Record scores and reasons so improvement is traceable.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

The teaching case

A factually correct explanation is too difficult for a nine-year-old.

The teaching case

Make and test one focused revision.

Exact explanation to model

Why the result follows

Constrain vocabulary and request a concrete example. Compare readability and factual preservation on the same passages.

Explain the added worked example

A prompt experiment compares complete specifications using the same task cases. Define success before inspecting **output**s; change one intended instruction and preserve other settings.

Explain the added worked example · 1

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Evaluate both prompts on **paired case**s with fixed model/**version**, source records, **output** contract and scoring **rubric**. Use development results for selection, then reserve new final cases.

Score each case rather than counting attractive sentences.

Explain the added worked example · 2

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Key terms

Term	Meaning
Paired case	The same case evaluated under each compared procedure
Rubric	Prespecified criteria for judging an output
Regression	A previously passing condition that fails after a change

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results.

P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Model the reasoning aloud · 3

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Iterative Prompting


A fictional Study Buddy prompt invents a definition when approved notes omit it.

The facts we will use

> **Supplied facts**
>
> P asks “answer helpfully”. Revision Q adds “if approved notes lack the answer, say not supplied”.

Supplied facts

Hold model settings and four development questions fixed. P passes 1,2; Q passes 1,2,3. Case 4 still fails.



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Locate failure	The target defect is unsupported answers when notes are missing.
2. One controlled change	Q adds the missing-evidence rule; other instructions remain fixed.
3. Paired results	P=2/4; Q=3/4; gain is case 3, with case 4 unresolved.
4. Next action	Inspect case 4 and reserve genuinely fresh questions for final evaluation.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

An **iteration** should respond to a recorded failure with a precise change. Comparing the same questions reveals whether other behavior changed too.

The invented results show a development gain of one case, not a guarantee that the new instruction always works. Save prompt text, settings, source notes and case-level outcomes.

What this example does not establish

Keep the stated limit

Stochastic **output** can vary across runs; a small comparison does not prove an average effect or classroom learning benefit.

Change one thing in the pictured case

Change one thing

Change: Change model settings and note wording at the same time as the prompt.

Predicted result

Prediction: The comparison no longer isolates the prompt revision.

Why the result follows

Reason: Several changes could explain the altered **output**s; record them or run separate controlled comparisons.

Ask while showing the picture

Ask while showing the picture · 4

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

Demonstrate and guide practice

> Demonstrate Iterative Prompting, reduce support deliberately and check individual reasoning before discussing answers.

Board sequence

1. Put the facts on the board

Write the given facts: A factually correct explanation is too difficult for a nine-year-old.

2. State the decision to explain

Write the question to explain: Make and test one focused revision.

3. Reveal the worked reasoning

Reveal after **prediction**s: Constrain vocabulary and request a concrete example. Compare readability and factual preservation on the same passages.

Hold back the independent task

Keep for an independent attempt: You change a prompt's audience, length and source rules together; the result improves. What can you conclude, and how would you investigate the cause?

Classroom dialogue

Ask the class

Ask: Which facts are given, and which would we have to assume? Learners mark relevant

details before discussing answers.

Language to model

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Qualification: Prompt selection on development cases cannot be reported as independent final performance.

Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the **mechanism**; reject a claim resting on unmeasured **evidence**.

Case-specific teaching sequence

Stage	Teacher action
Session 1: 0–7 minutes	Retrieve the prerequisite; identify the input, procedure and evidence source.
7–18 minutes	Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.
18–32 minutes	Trace the declared procedure and worked case. Complete W2, recording intermediate steps.
32–45 minutes	Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.

Stage	Teacher action
Session 2: 0–8 minutes	Retrieve the worked reasoning and collect the guided response before discussing it.
8–20 minutes	Compare a proposed boundary variant with the original case; identify what remains fixed.
20–35 minutes	Collect W4 independently. Require the procedure trace and the bounded conclusion.
35–45 minutes	Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Reduce help deliberately

Completion practice

Completion task: On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results.

Show the intermediate steps and give the conclusion with its scope.

Reasoning to listen for

Teacher check: Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Controlled prompt experiments. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Expected repair

Expected correction: Prompt selection on development cases cannot be reported as independent final performance.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

What **evidence** supports improvement here, and what remains unproven?

Reasoned teacher answer

Q gains case 3 without losing 1 or 2 on this four-case record; 4 still fails and new-case performance remains unknown.

Changed-case reasoning: The comparison no longer isolates the prompt revision. Several changes could explain the altered **output**s; record them or run separate controlled comparisons.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Run the weekly evidence lab

> Run the Iterative Prompting investigation and use the first unsupported step to choose a teaching response.

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Use a fixed prompt and test set. Diagnose one failure, change one element, score again, and preserve all three **version**s.

> What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing.

Keep the expected result separate from an observed mistake.

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

The worked result establishes every future case: Prompt selection on development cases cannot be reported as independent final performance.

A missing **input** may be replaced without recording the change: A replacement changes the **evidence** or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent **evidence**: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Match the support to the first error

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

TEACHER GUIDE · 5 OF 9

Assess and explain the answers

> Use the Iterative Prompting questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

Worked case answer

Teacher key · Worked case answer

Constrain vocabulary and request a concrete example. Compare readability and factual preservation on the same passages.

Independent question

Independent question · withhold the key

You change a prompt's audience, length and source rules together; the result improves. What can you conclude, and how would you investigate the cause?

Expected independent answer

Teacher key · Expected independent answer

The combined revision improved this result; it does not identify which change helped. Compare one controlled change at a time on the same tasks.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “Three simultaneous edits reveal which single edit caused improvement.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

> **Teacher key · Original transfer answer**
>
> Ask for plain Grade 6 wording with short definitions for unavoidable terms. Compare both **version**s on the same passages using readability and claim-support criteria.
>
> Do not simplify by deleting essential qualifications or adding unsupported analogies.

Explanations for the additional workbook examples

W1 Explain the mechanism

Workbook question · W1

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Teacher reasoning · W1

Teacher explanation: A prompt experiment compares complete specifications using the same task cases. Define success before inspecting **output**s; change one intended instruction and preserve other settings.

Evaluate both prompts on **paired case**s with fixed model/**version**, source records, **output** contract and scoring **rubric**. Use development results for selection, then reserve new final cases.

Score each case rather than counting attractive sentences.

W2 Trace the worked case

Workbook question · W2

On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results. Show the intermediate steps and give the conclusion with its scope.

Teacher reasoning · W2

Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

W3 Audit the limit

Workbook question · W3

A report omits this qualification: Prompt selection on development cases cannot be reported as independent final performance. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher reasoning · W3

Teacher explanation: Prompt selection on development cases cannot be reported as independent final performance.

State the observed result separately from the unverified or out-of-scope claim; preserve the original **evidence** rather than inventing a missing fact.

W4 Apply a new case independently

Workbook question · W4

On eight **paired case**s A passes 1–5; B passes 1–4, 6, 7. Special cases are 5 and 8. Compare overall and special-case results; select by total passes.

Teacher reasoning · W4

Teacher explanation: A=5/8, B=6/8, so select B on development. Special-case passes A=1/2, B=0/2; the aggregate selection hides a **regression** requiring review.

W5 Design a revealing follow-up

Workbook question · W5

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

Teacher reasoning · W5

Teacher explanation: Accept a concrete variant of the worked **input** or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure.

Require preserved settings, original **output**s and data roles. Prompt selection on development cases cannot be reported as independent final performance.

The new case should test this particular **mechanism** rather than merely restate the original result.

Assess independent transfer

Independent question · withhold the key

Selected case: A factual response uses four paragraphs when the contract requires three bullets. Design a controlled prompt revision and evaluation.

Selected case answer

Teacher key · Selected case answer

Change the format instruction while keeping approved sources, tasks and evaluation conditions fixed. Compare format compliance and factual support.

Preserve separate fresh final cases; an attractive revision is not **evidence** that facts remain correct.

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

Connect and extend learning

Connect Iterative Prompting to Verified Study Buddy, adapt support and plan a later changed-case check.

Verified Study Buddy

Maintain prompt **version**, diagnosed failure, change, and before/after **rubric** scores.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Support and stretch

Provide one short approved passage; separate instruction, **input**, **output** and **evidence**. Stretch: introduce an unsupported claim or conflicting source and validate claim by claim with a fallback.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 8: Structured **Output** and Schemas. Retrieve today's **evidence** and identify what carries forward and what is new.

Support and fresh reassessment

Provide an **input**/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace.

Extension: compare two concrete variants of this **mechanism** while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

W4: A=5/8, B=6/8, so select B on development. Special-case passes A=1/2, B=0/2; the aggregate selection hides a **regression** requiring review. Require intermediate reasoning and the stated scope.

Fresh retry: A passes 1–4 of six; B passes 1, 2, 5. Special cases 4 and 6. Compare. Expected reasoning: A=4/6, B=3/6; special A=1/2, B=0/2. Preserve both outcomes; no final result supplied.

If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Next connection: Generation failures and verification. Preserve the current case record and retrieve its **evidence** boundary before moving on.

Plan the delayed return

Suggested return points in this level: ai-3/8, ai-3/10, ai-3/13. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Maintain a Study Buddy experiment log linking failure, single revision and paired **rubric** results.

Prepare, teach and assess

> Use this preparation summary alongside the detailed Iterative Prompting lesson; it is a checklist rather than a replacement for the full sequence.

Teaching target

Teaching target: Explain the **mechanism** and terminology of controlled prompt experiments

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use “Run the investigation”, “Connect your project”, “Show what you know”, “Study a complete case” and “Try a new case independently”. Give extra time for the full task set. If this week has a coding lab, use its named section; section numbers can change when extra explanations are included.

Before class, solve the supported practice: On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6. Compare totals and condition results.

Show the intermediate steps and give the conclusion with its scope.

Supported practice answer

Reasoned practice answer: Teacher explanation: P passes 4/6 and Q 5/6. P passes one of two missing-approval cases, Q also one of two. Q improves the aggregate while leaving this condition unchanged.

Check every learner before discussion: Use the worked case for Controlled prompt experiments. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Repair the misconception

Misconception repair: Prompt selection on development cases cannot be reported as independent final performance.

Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extend the reasoning

Extension: Change model settings and note wording at the same time as the prompt. Require a **prediction** and a reason before comparing. Expected result: The comparison no longer isolates the prompt revision.

Reason: Several changes could explain the altered **output**s; record them or run separate controlled comparisons.

Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint

Project checkpoint: Make a transparent first **version**. Keep a trace of how one **input** becomes an **output**; explain the rule or learned component.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

For later coding lessons

> This week has no code block. Use this routine when a later lesson includes an executable lab.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.


Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

Visual concept journey

> Show one Iterative Prompting graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Iterative Prompting: the case



Follow the labelled picture with the matching explanation. Open the vector diagram

A fictional Study Buddy prompt invents a definition when approved notes omit it. Supplied facts: P asks “answer helpfully”. Revision Q adds “if approved notes lack the answer, say not supplied”.


Hold model settings and four development questions fixed. P passes 1,2; Q passes 1,2,3. Case 4 still fails.

Point to the given fact that matters most. Explain why it matters.

Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram


Locate failure: The target defect is unsupported answers when notes are missing. → One controlled change: Q adds the missing-**evidence** rule; other instructions remain fixed. → Paired results: P=2/4; Q=3/4; gain is case 3, with case 4 unresolved. → Next action: Inspect case 4 and reserve genuinely fresh questions for final evaluation.

> Point to each numbered stage and explain which recorded **input** it uses.

Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Controlled prompt experiments — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram

Controlled prompt experiments — **evidence** trace. On six development cases P passes cases 1, 2, 3, 4; Q passes 1, 2, 3, 5, 6. Missing-approval cases are 4 and 6.

Compare totals and condition results. | Evaluate both prompts on **paired case**s with fixed model/**version**, source records, **output** contract and scoring **rubric**. | P passes 4/6 and Q 5/6.


P passes one of two missing-approval cases, Q also one of two.

Read the labels and values. Explain the relationship the model shows.

Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Inspect case 4 and reserve genuinely fresh questions for final evaluation. Changed condition: Change model settings and note wording at the same time as the prompt.

Expected result: The comparison no longer isolates the prompt revision. Reason: Several changes could explain the altered **output**s; record them or run separate controlled comparisons.

Predict before checking the worked changed-case result. Name what changed and what the


supplied facts allow you to conclude.

Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: Several changes could explain the altered **output**s; record them or run separate controlled comparisons.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

An **iteration** should respond to a recorded failure with a precise change. Comparing the same questions reveals whether other behavior changed too.

The invented results show a development gain of one case, not a guarantee that the new instruction always works. Save prompt text, settings, source notes and case-level outcomes.

Limit: Stochastic **output** can vary across runs; a small comparison does not prove an average effect or classroom learning benefit.


> Explain the case, then point to a limit on the claim.

Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: Stochastic **output** can vary across runs; a small comparison does not prove an average effect or classroom learning benefit.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

Maintain a Study Buddy experiment log linking failure, single revision and paired **rubric** results. Draw your **input**, deciding step, result and limit.

Supported question: What **evidence** supports improvement here, and what remains unproven?

Draw your project trace and justify the deciding step using **evidence**.

Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: Q gains case 3 without losing 1 or 2 on this four-case record; 4 still fails and new-case performance remains unknown.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.