Dictionaries and records

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Python readiness portfolio

TEACHER GUIDE · 1 OF 9

Prepare the purpose, prerequisites and materials

> Prepare Dictionaries and records: check the target, prerequisites, resources and adaptable teaching schedule.

Teach the learning cycle

Primary target: Read and update named **dictionary** fields

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Use “Run the investigation”, “Connect your project”, “Show what you know”, “Study a complete case” and “Try a new case independently”. Give extra time for the full task set. If this week has a coding lab, use its named section; section numbers can change when extra explanations are included.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one **record**ed attempt; they are not new **evidence**.

Retrieval answer guidance

Return values and local state

Without opening the old lesson, explain one key idea from Return values and local state. Give an example and a mistake that the idea helps you avoid.

Look for: Use a returned value in a later calculation

Reference example, not the only acceptable wording: result is 9 and doubled is 18. Nothing is displayed by these assignments or the returning function. print(doubled) would display 18.

Lists and indexing

Without opening the old lesson, explain one key idea from Lists and indexing. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish a list index from the value stored at that position

Reference example, not the only acceptable wording: Length 3; indices 0, 1, 2; counts[1] is 7. The equal values occupy different positions, indices 0 and 2.

Boolean conditions

Without opening the old lesson, explain one key idea from Boolean conditions. Give an example and a mistake that the idea helps you avoid.

Look for: Translate stated requirements into comparisons

Reference example, not the only acceptable wording: (minutes <= 12) and quiet. At most includes equality, so <= is required; the nonnegative integer and Boolean **input** contract still applies.

Teach Week 10 as a two-session investigation using fictional data. A fictional cupboard **record** has a name, capacity and used count. A list asks us to remember positions. Named fields make the intended meaning visible.

Our schema requires name as text and capacity and used as nonnegative integers, with used no greater than capacity. Assess the three stated outcomes through the independent task, not by copying the worked result.

Outcomes

Read and update named **dictionary** fields

Connect a **record** to a function call

Distinguish missing fields from zero values

Preparation

Python 3 editor with a fresh local practice file

Paper trace table and the student workbook

Fictional **input record**s from this lesson; no real student identifiers

Prerequisite answer

5; the caller may store or print it.

End goal for the pictorial case

Trace dictionaries and **record**s and explain the changed program before running it.

This added worked case illustrates the week’s main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

Explain and model the mechanism

> Model Dictionaries and records using the supplied case, labelled mechanism and reasoning. Make the scope of each conclusion explicit.

A fictional cupboard **record** has a name, capacity and used count. A list asks us to remember positions. Named fields make the intended meaning visible.

Our schema requires name as text and capacity and used as nonnegative integers, with used no greater than capacity.

Square brackets look up the value for a key. The quoted key "used" is text; its value is an integer. Assigning to an existing key replaces that field. Other fields remain the same.

Dictionary syntax does not enforce our schema: the programmer must check it.

Term	Meaning
Dictionary	A mapping from unique keys to values
Key	A name used to look up a value
Record	Related fields describing one item
KeyError	The error from looking up an absent dictionary key

Follow the evidence

STEP OR CASE	EVIDENCE	MEANING
Read used	4	12 - 4 = 8
Update used	6	12 - 6 = 6

Read each row from left to right and connect the evidence to the stated rule.

Spaces are 0. A present used field with value 0 is different from an absent field. Exit: No. The used count exceeds capacity. Successful arithmetic does not validate the **record**.

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

> **Set used to 12. Predict the returned spaces. Does a used value of 0 mean the field is missing?**

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.

Thinking move	Teacher prompt
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Dictionaries and records

A zero field is still present. A **dictionary record** describes a shelf. The program distinguishes missing data from an actual zero.

The facts we will use

Supplied facts

Python 3: shelf={"count":0,"name":"Atlas"}; print(shelf["count"]); print(shelf.get("price")); print("count" in shelf).

AI ACADEMY / PYTHON-BRIDGE/10

Dictionaries and records

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Read a stored field

count exists with numeric value 0.



2. Read an absent field

get("price") returns None because price is missing and no default was supplied.



3. Test key membership

"count" in shelf is True even though its value is zero.

CHANGE ONE THING

Add the field price with value 0.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Read a stored field	count exists with numeric value 0.
2. Read an absent field	get("price") returns None because price is missing and no default was supplied.
3. Test key membership	"count" in shelf is True even though its value is zero.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Dictionary keys name fields. Presence is different from truthiness of a value; a measured zero should not be discarded as if the field were absent.

What this example does not establish

Keep the stated limit

None is also a possible explicitly stored value; real **record** contracts must define how missing and null values are represented.

Change one thing in the pictured case

Change one thing

Change: Add the field price with value 0.

Predicted result

Prediction: The price lookup now returns 0 instead of None.

Why the result follows

Reason: A **record**ed zero is a present value, whereas the earlier lookup had no field.

Ask while showing the picture

Ask while showing the picture · 1

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

Demonstrate and guide practice

> Demonstrate Dictionaries and records, reduce support deliberately and check individual reasoning before discussing answers.

Choose the pacing route

Compact alternative: this two-session sequence covers selected core tasks. Use the three-session weekly plan for the full lesson, independent transfer, feedback and project work; allow extra time for extensions.

Time or stage	Teacher action
Session 1 start to 7 minutes	Retrieve the prerequisite and explain the purpose in the opening section.
7 to 20 minutes	Read the worked example and diagram; ask learners to trace each step aloud.
20 to 33 minutes	Complete W1 and W2, then compare predictions with observed results.
33 to 45 minutes	Collect the guided prediction before running; discuss a mismatch and its cause.
Session 2 start to 8 minutes	Retrieve the main rule without showing the previous answer.
8 to 20 minutes	Use W3 to diagnose and repair the stated failure; rerun an earlier case.
20 to 35 minutes	Collect W4 independently, including code or plan, predictions and explanations, before hints.
35 to 45 minutes	Discuss W5 and the exit; use the fresh retry when support was needed.

Use the worked example in Sections 3 and 6. Collect a **prediction** before revealing its result; ask the learner to point to each intermediate fact.

Use key cards and value cards. Extension: add a location text field and show why it does not change the remaining calculation.

Reduce help deliberately

Completion practice

Completion task: Change the Red **record** used to 9. State remaining spaces and whether

capacity changes.

Reasoning to listen for

Teacher check: Spaces 0; capacity remains 9.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Dictionaries and **record**s. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Expected repair

Expected correction: Named fields reduce position mistakes but do not prove that a **record** is accurate. A capacity of 2 with used of 5 is representable in a **dictionary** and violates this schema.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Predict all three original **output**s. Explain the difference between count=0 and missing price, then predict the lookup after price=0 is added.

Reasoned teacher answer

Outputs are 0, None, True. count is present with zero; price is absent. Adding price=0 makes get("price") return 0 without changing count membership.

Changed-case reasoning: The price lookup now returns 0 instead of None. A **record**ed zero is a present value, whereas the earlier lookup had no field.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Run the investigation and diagnose misconceptions

> Run the Dictionaries and records investigation and use the first unsupported step to choose a teaching response.

A successful run proves the conclusion: Named fields reduce position mistakes but do not prove that a **record** is accurate. A capacity of 2 with used of 5 is representable in a **dictionary** and violates this schema.

Matching the example is enough: Require the new W4 case, explicit **prediction**s and an explanation. Fresh retry: create a Gold **record** with capacity 11 and used 3; return 8, update used to 11 and return 0.

Require field lookups rather than copied literal arguments.

A convenient shortcut preserves meaning: cupboard["Used"] raises **KeyError** here because keys are case sensitive. Correct it to "used".

Adding a new field called "Used" would create a second key and leave the original unchanged; it would not repair the intended lookup.

Use Section 9 for the **evidence** ledger. Add a boundary or missing-**input** case and **record** the expected response before checking. More successful repeats of one case do not establish wider coverage.

Match the support to the first error

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

Assess and explain the answers

> Use the Dictionaries and records questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

Guided and exit questions

Spaces are 0. A present used field with value 0 is different from an absent field. Exit: No. The used count exceeds capacity. Successful arithmetic does not validate the **record**.

W1 Identify fields

Workbook question · W1

For {"name": "Red", "capacity": 9, "used": 2}, state the keys, value of used and remaining spaces.

Teacher reasoning · W1

Keys name, capacity, used; used is 2; remaining spaces 7.

W2 Trace an update

Workbook question · W2

Change the Red **record** used to 9. State remaining spaces and whether capacity changes.

Teacher reasoning · W2

Spaces 0; capacity remains 9.

W3 Repair a lookup

Workbook question · W3

The code reads **record**["Used"] from the Red **record**. Explain the error and repair it without adding a field.

Teacher reasoning · W3

KeyError because Used is absent. Use **record**["used"].

W4 Build a record independently

Workbook question · W4

Create a Green **record** with capacity 15 and used 6. Pass its fields to remaining and store the result. Update used to 10 and repeat. Predict both results.

Teacher reasoning · W4

Use a **dictionary** with name Green, capacity 15, used 6; results are 9 and then 5. The second call must read the updated field.

W5 Check the contract

Workbook question · W5

A **record** has capacity 3 and used 4. It gives -1 spaces without an error. Should it be accepted? Explain.

Teacher reasoning · W5

No. The used count exceeds capacity. Successful arithmetic does not validate the **record**.

Independent assessment and fresh retry

Teacher key · Independent assessment and fresh retry

Independent W4 **evidence**: Use a **dictionary** with name Green, capacity 15, used 6; results are 9 and then 5. The second call must read the updated field. **Record** whether the learner needed no help, a hint or explanation.

Fresh retry: create a Gold **record** with capacity 11 and used 3; return 8, update used to 11 and return 0. Require field lookups rather than copied literal arguments.

Assess independent transfer

Independent question · withhold the key

Selected case: Predict the three **output**s and trace the named-field update. Explain why zero and a missing count produce different results.

If the condition becomes if not count, which supplied **record** is first handled incorrectly?

```
def describe(record):
    count = record.get("count")
    if count is None:
        return "missing"
    return count
record = {"count": 0}
print(describe(record))
record["count"] = 3
print(describe(record))
print(describe({}))
```

Selected case answer

Teacher key · Selected case answer

Outputs are0,3,missing. A stored0 is a supplied value; an absent field returns None under get here. The update replaces count with3 before the second call.

Using if not count would incorrectly return missing for the original count0 because zero is false in a Boolean test; testing None keeps absence separate.

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly **record**ed model failure if the learner correctly explains its **evidence** and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

Connect the project, support and next lesson

> Connect Dictionaries and records to Python readiness portfolio, adapt support and plan a later changed-case check.

Add a labelled dictionaries and **record**s **evidence** sheet to Python readiness portfolio. Show how you can read and update named **dictionary** fields.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this **record** to last week's **record**; a matching answer without a trace is insufficient.

Use key cards and value cards. Extension: add a location text field and show why it does not change the remaining calculation.

Next week: Reading structured data. Reuse this week's explicit contracts and **evidence**.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

Plan the delayed return

Suggested return points in this level: python-bridge/11. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and **record** support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For Python readiness before the Responsible Plant Classifier, retain a trace of the values, the predicted **output**s and the changed-case explanation. Use actual Python 3 results to check the **prediction** after reasoning first.

Prepare, teach and assess

> Use this preparation summary alongside the detailed Dictionaries and records lesson; it is a checklist rather than a replacement for the full sequence.

Teaching target

Teaching target: Read and update named **dictionary** fields

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

> **Resources:** Use “Run the investigation”, “Connect your project”, “Show what you know”, “Study a complete case” and “Try a new case independently”. Give extra time for the full task set. If this week has a coding lab, use its named section; section numbers can change when extra explanations are included.

Before class, solve the supported practice: Change the Red **record** used to 9. State remaining spaces and whether capacity changes.

Supported practice answer

Reasoned practice answer: Spaces 0; capacity remains 9.

Check every learner before discussion: Use the worked case for Dictionaries and **record**s. Proposed explanation: “A successful run proves the conclusion”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Repair the misconception

Misconception repair: Named fields reduce position mistakes but do not prove that a **record** is accurate. A capacity of 2 with used of 5 is representable in a **dictionary** and violates this schema.

Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extend the reasoning

Extension: Add the field price with value 0. Require a **prediction** and a reason before comparing. Expected result: The price lookup now returns 0 instead of None.

Reason: A **record**ed zero is a present value, whereas the earlier lookup had no field.

Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the new case. **Record** support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint

Project checkpoint: Python readiness portfolio. Keep runnable code, **prediction**s, actual **output**s, one repaired error and an explanation of a function on changed **input**s.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity **record**; judge mastery from the learner's explanation and **evidence**.

TEACHER GUIDE · 8 OF 9

Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.


Collect the completed-work portfolio as **evidence**. **Record** support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

Visual concept journey

> Show one Dictionaries and records graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Dictionaries and records: the case



Follow the labelled picture with the matching explanation. Open the vector diagram

A zero field is still present. A **dictionary record** describes a shelf. The program distinguishes missing data from an actual zero.


Supplied facts: Python 3: shelf={"count":0,"name":"Atlas"}; print(shelf["count"]); print(shelf.get("price")); print("count" in shelf).

Point to the given fact that matters most. Explain why it matters.

Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram


Read a stored field: count exists with numeric value 0. → Read an absent field: get("price") returns None because price is missing and no default was supplied. → Test key membership: "count" in shelf is True even though its value is zero.

Point to each numbered stage and explain which **record**ed **input** it uses.

Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which **record**ed **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Follow the evidence



Follow the labelled picture with the matching explanation. Open the vector diagram


Follow the **evidence**. Read used | 4 | 12 - 4 = 8. Update used | 6 | 12 - 6 = 6

> Read the labels and values. Explain the relationship the model shows.

Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: "count" in shelf is True even though its value is zero. Changed condition: Add the field price with value 0. Expected result: The price lookup now returns 0 instead of None.

Reason: A **record**ed zero is a present value, whereas the earlier lookup had no field.


Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: A **record**ed zero is a present value, whereas the earlier lookup had no field.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Dictionary keys name fields. Presence is different from truthiness of a value; a measured zero should not be discarded as if the field were absent.

Limit: None is also a possible explicitly stored value; real **record** contracts must define how missing and null values are represented.


Explain the case, then point to a limit on the claim.

Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: None is also a possible explicitly stored value; real **record** contracts must define how missing and null values are represented.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For Python readiness before the Responsible Plant Classifier, retain a trace of the values, the predicted **output**s and the changed-case explanation. Use actual Python 3 results to check the **prediction** after reasoning first.

Draw your **input**, deciding step, result and limit. Supported question: Predict all three original **output**s. Explain the difference between count=0 and missing price, then predict the lookup after price=0 is added.

Draw your project trace and justify the deciding step using **evidence**.

Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: **Output**s are 0, None, True. count is present with zero; price is absent. Adding price=0 makes get("price") return 0 without changing count membership.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.