Learned representations

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Learned representations before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Debugging shapes and gradients

Without opening the old lesson, explain one key idea from Debugging shapes and gradients. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Regularisation and early stopping

Without opening the old lesson, explain one key idea from Regularisation and early stopping. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Batching and epochs

Without opening the old lesson, explain one key idea from Batching and epochs. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Lesson reference for workbook practice

Use this reference for the original W1–W3 and W5 exercises. The separately named independent case supplies its own changed facts; use those facts for that attempt before feedback.

Consider fictional rectangles with **input** [width, height] in cm. The task is to identify rectangles whose width is strictly greater than height. The target is 1 for wider rectangles and 0 otherwise.

A square therefore has target 0. This is an arithmetic teaching task, not a claim that a network is needed to measure rectangles.

Define two hidden units: h1 = ReLU(width - height) and h2 = ReLU(height - width). Their weight rows are [1, -1] and [-1, 1], with zero biases. The **representation** h = [h1, h2] records excess width or excess height.

Predict 1 when h1 > 0; otherwise predict 0.

Input	Hidden representation	Prediction
[4, 2]	[2, 0]	1
[2, 4]	[0, 2]	0
[3, 3]	[0, 0]	0
[5, 3]	[2, 0]	1

These weights were chosen by the lesson author. They demonstrate a **representation** that could be implemented by a network, but no **training** run has established that a model learned it.

Learning would require adjusting parameters using **training** data and recording the procedure.

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Learned representations trace and record the first step you can explain without help.

Use W2: Prove an information loss for Learned **representation**s. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

> **The step I completed without help, and the hint I needed**

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Learned representations explanation against the supplied facts before discussing it.

Use the worked case for Learned **representation**s. Proposed explanation: “Two hidden values preserve both **input** measurements”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Audit a new representation independently

A different layer uses g = [ReLU(width - height - 1), ReLU(height - width - 1)]. Encode [4, 3] and [3, 4]. State their targets for width strictly greater than height.

Can any deterministic head receiving only g classify both correctly?

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Trace new inputs

> Trace new inputs. Apply the supplied Learned representations facts and keep your reasoning.

Encode [8, 3], [3, 8] and [4, 4] with the lesson layer. Apply its **prediction** rule and explain the square boundary.

My reasoning and evidence

WORKBOOK · 6 OF 15

W2 Prove an information loss

> Prove an information loss. Apply the supplied Learned representations facts and keep your reasoning.

Give the hidden vectors and areas for [4, 2] and [5, 3]. Explain why increasing only the complexity of a deterministic area head cannot make both exact **prediction**s correct.

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Compare another encoding

> Compare another encoding. Apply the supplied Learned representations facts and keep your reasoning.

The alternative **representation** is s = width + height. Use [4, 2] and [2, 4] to decide whether s alone always supports the wider-than-height task.

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Audit a new representation independently

Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Audit a new representation independently. Apply the supplied Learned representations facts and keep your reasoning.

A different layer uses g = [ReLU(width - height - 1), ReLU(height - width - 1)]. Encode [4, 3] and [3, 4]. State their targets for width strictly greater than height.

Can any deterministic head receiving only g classify both correctly?

My reasoning and evidence

W5 Repair and qualify a claim

Repair and qualify a claim. Apply the supplied Learned representations facts and keep your reasoning.

For h = [2, 0] and s = 8, recover width, height and area. Does this algebra prove that a **training** program learned the **representation** or that it will work well on noisy measurements?

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Learned representations to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled learned **representation**s **evidence** sheet to Image-pattern Network Investigation. Show how you can trace an **input** through a hidden **representation** and a decision rule.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15

Pictorial case practice: Learned representations

> See when a representation preserves a distinction and when it destroys it. Explain the labelled step before checking the changed condition.

See when a **representation** preserves a distinction and when it destroys it.

Toy **input** [left, right]; **representation** h=[ReLU(left-right), ReLU(right-left)]. A=[5, 2]; B=[2, 5]; target is left-brighter versus right-brighter.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/19

A representation can preserve direction

	left	right	h1	h2
A	5	2	3	0
B	2	5	0	3

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-5/19

Learned representations

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Encode A

A becomes [3, 0], with left brighter.



2. Encode B

B becomes [0, 3], with right brighter.



3. Compare collapsed summary

If the head receives only h1+h2, both become 3 and the target distinction is lost.

CHANGE ONE THING

The head keeps both ordered hidden values instead of their sum.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Why can no deterministic head using only the sum classify both correctly? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week’s input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week’s input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

See when a **representation** preserves a distinction and when it destroys it.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? If the head receives only h1+h2, both become 3 and the target distinction is lost.

1. Encode B

2. Encode A

3. Compare collapsed summary

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Compare collapsed summary If the head receives only h1+h2, both become 3 and the target distinction is lost.

A hidden **representation** decides which distinctions remain available to an **output** head. These two hidden coordinates preserve whether the left or right side is brighter.

Adding them discards that direction and gives both examples the same scalar. A deterministic head cannot assign different labels to identical **input**s; retain the distinction or change the task.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: The head keeps both ordered hidden values instead of their sum. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. We can decide the result without examining the changed **input** or the procedure.

3. It can distinguish [3, 0] from [0, 3] in this example.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: It can distinguish [3, 0] from [0, 3] in this example. The **representation** retains the direction of brightness difference when coordinates stay separate.

Repair a missing building block

Review Debugging shapes and gradients (ai-5/18). Goal: Check dimension contracts before computing a layer. Short practice: What should a debugging record pair with every gradient value?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Regularisation and early stopping (ai-5/16). Goal: Separate a weight penalty from **prediction** error. Short practice: Why should the penalty value not be reported as validation error?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Batching and epochs (ai-5/13). Goal: Distinguish an example a batch an update and an epoch. Short practice: Why do the single-example orders finish at different weights?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Learned representations picture from its labels, then record a relevant limit.

01. Learned representations: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


See when a **representation** preserves a distinction and when it destroys it. Supplied facts: Toy **input** [left, right]; **representation** h=[ReLU(left-right), ReLU(right-left)].

A=[5, 2]; B=[2, 5]; target is left-brighter versus right-brighter. All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Encode A: A becomes [3, 0], with left brighter. → Encode B: B becomes [0, 3], with right brighter. → Compare collapsed summary: If the head receives only h1+h2, both become 3 and the target distinction is lost.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. A representation can preserve direction




Follow the labelled picture with the matching explanation. Open the vector diagram

A **representation** can preserve direction. A: left = 5, right = 2, h1 = 3, h2 = 0. B: left = 2, right = 5, h1 = 0, h2 = 3.

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: If the head receives only h1+h2, both become 3 and the target distinction is lost.
Changed condition: The head keeps both ordered hidden values instead of their sum.

Expected result: It can distinguish [3, 0] from [0, 3] in this example. Reason: The **representation** retains the direction of brightness difference when coordinates stay separate.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A hidden **representation** decides which distinctions remain available to an **output** head. These two hidden coordinates preserve whether the left or right side is brighter.

Adding them discards that direction and gives both examples the same scalar. A deterministic head cannot assign different labels to identical **input**s; retain the distinction or change the task.

Limit: This is a hand-chosen **representation**, not **evidence** that a trained image model actually learned these units.

> Explain the case, then point to a limit on the claim.


My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project

AI ACADEMY / AI-5/19 · 06 · DRAW AND EXPLAIN

Make the idea visible in your project

For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.



Why can no deterministic head using only the sum classify both correctly? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Why can no deterministic head using only the sum classify both correctly? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

> Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.