Release and rollback

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Release and rollback before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Deployment environments

Without opening the old lesson, explain one key idea from Deployment environments. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Caching and stale information

Without opening the old lesson, explain one key idea from Caching and stale information. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Untrusted input boundaries

Without opening the old lesson, explain one key idea from Untrusted **input** boundaries. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Lesson reference for workbook practice

> Use this reference for the original W1–W3 and W5 exercises. The separately named independent case supplies its own changed facts; use those facts for that attempt before feedback.

Release records bind code, configuration, data schema and evaluation **evidence**. **Rollback** requires **compatibility** with the current stored data.

Version v2 writes schema 2. Version v1 reads only schema 1. A **rollback** to v1 after v2 writes data cannot safely proceed without migration or a compatible reader.

Practise with fading help

> Complete the supported Release and rollback trace and record the first step you can explain without help.

Use W2: Trace the worked case for Release and **rollback**. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

> **The step I completed without help, and the hint I needed**

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Release and rollback explanation against the supplied facts before discussing it.

Use the worked case for Release and **rollback**. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Apply a new case independently

> New release changes corpus and prompt. Old prompt requires old field names absent from the new corpus. Is reverting prompt alone valid?

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Explain the mechanism

> Explain the mechanism. Apply the supplied Release and rollback facts and keep your reasoning.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

My reasoning and evidence

W2 Trace the worked case

> Trace the worked case. Apply the supplied Release and rollback facts and keep your reasoning.

After deployment v2 creates schema 2 records; operator proposes **rollback** code alone to v1. Show the intermediate steps and give the conclusion with its scope.

My reasoning and evidence

W3 Audit the limit

> Audit the limit. Apply the supplied Release and rollback facts and keep your reasoning.

A report omits this qualification: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

My reasoning and evidence

W4 Apply a new case independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Apply a new case independently. Apply the supplied Release and rollback facts and keep your reasoning.

New release changes corpus and prompt. Old prompt requires old field names absent from the new corpus. Is reverting prompt alone valid?

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Design a revealing follow-up

> Design a revealing follow-up. Apply the supplied Release and rollback facts and keep your reasoning.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Release and rollback to Grounded Learning Service, identify a limit and choose the next useful test.

Add a labelled release and **rollback evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of release and **rollback**.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

> **My project change, supporting evidence and remaining limit**

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

Pictorial case practice: Release and rollback

> A higher score can still block release. Version B is proposed to replace A; every privacy gate is mandatory. Explain the labelled step before checking the changed condition.

A higher score can still block release. Version B is proposed to replace A; every privacy gate is mandatory.

A passes 8/10 correctness cases. B passes 9/10 but fails one mandatory privacy check.

AI ACADEMY / AI-6/24

Release and rollback

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.

1. Compute quality

Correctness rises from 80% to 90% on these cases.

2. Apply privacy gate

The mandatory failure blocks B's release.

3. Keep recovery ready

Retain the reviewed A version and documented rollback procedure.

CHANGE ONE THING

Repair B and pass privacy on a fresh reserved case.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Compute A's and B's correctness percentages. Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Grounded Learning Service record.

Project: Grounded Learning Service

Current milestone: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	

Evidence to keep	My record
One change since the previous checkpoint and why	
One error or limit and the next test	

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A higher score can still block release. Version B is proposed to replace A; every privacy gate is mandatory.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Retain the reviewed A version and documented **rollback** procedure.

> 1. Keep recovery ready

2. Apply privacy gate

3. Compute quality

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Keep recovery ready Retain the reviewed A version and documented **rollback** procedure. Release criteria combine benefits and mandatory conditions.

Rollback requires known versions and compatible data, not an informal promise.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Repair B and pass privacy on a fresh reserved case. Which conclusion is supported by the supplied facts?

1. B may enter the remaining gates; one repair does not approve everything.

2. We can decide the result without examining the changed **input** or the procedure.

3. This one example guarantees correct results for every future **input**.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: B may enter the remaining gates; one repair does not approve everything. All required release conditions still apply.

Repair a missing building block

Review Deployment environments (ai-6/23). Goal: Explain the **mechanism** and terminology of deployment environments. Short practice: Identify the staging data and credential boundary.

Why must the rehearsal stop if its credential reaches production even though the **process** is labelled staging?. Return to this week and explain what you changed.

Review Caching and stale information (ai-6/21). Goal: Explain the **mechanism** and terminology of caching and stale information. Short practice: Identify the version mismatch in the cached 09:00 answer.

What should the first version -5 request return, and what permits a later version -5 cache hit?. Return to this week and explain what you changed.

Review Untrusted **input** boundaries (ai-6/18). Goal: Explain the **mechanism** and terminology of untrusted **input** boundaries. Short practice: Classify h3, H3, h30 and the trailing-space **input** by the stated shape contract.

Does a valid z0 grant record access, and which separate gate still remains?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


> **What I repaired, the evidence I kept and the next test**
>
> | |
> |---|
> | |
> | |
> | |
> | |

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Release and rollback picture from its labels, then record a relevant limit.

01. Release and rollback: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

A higher score can still block release. Version B is proposed to replace A; every privacy gate is mandatory. Supplied facts: A passes 8/10 correctness cases. B passes 9/10 but fails one mandatory privacy check.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Compute quality: Correctness rises from **80%** to 90% on these cases. → Apply privacy gate: The mandatory failure blocks B's release. → Keep recovery ready: Retain the reviewed A version and documented **rollback** procedure.

> Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Release and rollback — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram

Release and **rollback** — **evidence** trace. After deployment v2 creates schema 2 records; operator proposes **rollback** code alone to v1. | Version v2 writes schema 2. Version v1 reads only schema 1.


A **rollback** to v1 after v2 writes data cannot safely proceed without migration or a compatible reader. | Code-only **rollback** is incompatible with stored schema 2.

Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

> Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Retain the reviewed A version and documented **rollback** procedure. Changed condition: Repair B and pass privacy on a fresh reserved case.

Expected result: B may enter the remaining gates; one repair does not approve everything. Reason: All required release conditions still apply.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram


Release criteria combine benefits and mandatory conditions. **Rollback** requires known versions and compatible data, not an informal promise.

Limit: Rolling back code may not reverse earlier external effects or incompatible data changes.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Compute A's and B's correctness percentages. Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?

> Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.