Trace Tables

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Transparent Book Recommender

Before you start

Week 3: conditions use the current value of a variable.

Plan time to read, investigate and explain. Keep predictions separate from observations.

Your mission

> Start with the target: Trace variable values before and after each loop iteration. Try the recall before opening notes.

Your learning target

I can **trace variable** values before and after each **loop iteration**.

I can use the excluded stop value in range correctly.

I can explain **initialization** and test zero one and several **iteration**s.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.


Without opening the old lesson, explain one key idea from Branching Logic. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Precision in Algorithms. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Week 4: **Trace Table**s

A **trace table** records changing **state** and reveals reasoning errors.



THINKER MISSION

Trace variables through a score-based game helper.

Thinker name and date:

> **Write or draw your reasoning and evidence.**

Readiness for the connected explanation

> Starting with total = 2, what does total = total + 3 store?

This week's end goal

By the end, I can make a **trace table** for a for-**loop**, including zero **iteration**s.

STUDENT LESSON · 2 OF 18


Notice the evidence

> Investigate the supplied Trace Tables case. Separate observations, given facts and assumptions before choosing an explanation.

PICTURE STORY

Notice → Predict → Explain

Begin with visible **evidence**. Do not explain more than the picture and information support.



Start with this puzzle

MYSTERY

The learners must use **trace table**s to solve a problem. What information do they have? What decision or calculation do they make? What would count as **evidence** that it worked?

Three **observation**s (what you can point to):

Write or draw your reasoning and evidence.

My **prediction** and the clue supporting it:

Write or draw your reasoning and evidence.

A closer explanation

Imagine adding numbered counters: first 1, then 2, then 3. A **loop** can repeat the same addition with a different number each time. This week you will predict each change before running a short Python script.

Tracing repeated calculations prepares you to inspect the data **process**ing used in larger AI applications.

In for turn in range(1, 4), Python supplies 1, 2 and 3 in order. The start is included and the stop is excluded. The indented body runs once for each supplied value. The colon and four-space indentation mark that body.

This lesson uses integer range values with the default positive step of 1.

STUDENT LESSON · 3 OF 18


See how it works

> Follow the mechanism for Trace Tables. Connect each labelled input, deciding step and result.


VISUAL MECHANISM

Input → Process → Output


Trace the information. At each stage, ask what changed and how you could test it.



↓


PROCESS
A trace table records changing state and reveals reasoning errors.

↓


OUT
OUTPUT
Trace variables through a score-based game helper.

Which stage could fail even when the other two are correct? Explain:

Write or draw your reasoning and evidence.

A closer explanation

```
total = 0
for turn in range(1, 4):
    total = total + turn
print(total)
```

State after each addition

TURN	TOTAL BEFORE	TOTAL AFTER
1	0	1
2	1	3
3	3	6

Initialize total to 0 before the loop. The unindented print runs once afterward.

The **output** is 6. Before the first **iteration**, total is 0. Each assignment reads the previous total and adds the current turn. After turn 3, the range is exhausted, so execution continues after the **loop**.

The table records **state**; it does not create extra instructions.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

STUDENT LESSON · 4 OF 18

Compare the cases


> Compare the supplied cases for Trace Tables. Identify the detail that changes the conclusion.

The case to investigate

CASE GALLERY

Four Tests, Four Kinds of **Evidence**


A system is not understood until it survives more than one comfortable example.


NORMAL
Expected everyday case


BOUNDARY
Near a decision edge

The normal case

NORMAL CASE: predict and name **evidence**. BOUNDARY CASE: predict and name **evidence**.





Check missing information

MISSING INFORMATION: predict and name **evidence**. TRANSFER CASE: predict and name **evidence**.

Which case is most likely to reveal a hidden assumption? Why?

Write or draw your reasoning and evidence.

Change one thing in the pictured case

Change one thing

Change: Use range(0) instead of range(4).

Predicted result

Prediction: The **loop** body never runs and the printed total is 1.

Why the result follows

Reason: The iterable contains no turn values; the initial assignment still happened.

STUDENT LESSON · 5 OF 18

Words that unlock the idea

> Use the vocabulary of Trace Tables to explain a concrete decision, rather than only memorising definitions.

VOCABULARY LAB

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

1

VARIABLE


a named value that can change

2

STATE

all relevant values at one moment





Word	My own example	Not this / boundary
variable	A named reference to a value that can be used or changed in a program.	
state	The current values and information that determine what a process does next.	

Word	My own example	Not this / boundary
trace	A record of the successive states, decisions or information transformations in a process.	
iteration	One repeat of a process, often followed by inspection and revision.	

Words used in the closer explanation

Word	Meaning
Loop	A block of instructions that can run repeatedly
Accumulator	A variable that keeps a running result
Initialization	Giving a variable its starting value
Trace table	A record of variable values as instructions execute

---

STUDENT LESSON · 6 OF 18

Follow a worked example

> Follow the worked trace for Trace Tables, predict a step, then compare with its explanation.

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.

WEEK 4 • WORKED EVIDENCE

1. Start score = 2.
2. Correct answer: score = score + 3 → 5.
3. Hint used: score = score − 1 → 4.
4. A table shows exactly where an unexpected value first appears.

1. Start score = 2.

2. Correct answer: score = score + 3 → 5.

3. Hint used: score = score – 1 → 4.

4. A table shows exactly where an unexpected value first appears.

Recalculate, re**trace**, or re**state** the reasoning in your own representation:

Write or draw your reasoning and evidence.

CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

A closer explanation

Range expression	Values supplied	Number of iterations
range(1, 4)	1, 2, 3	3
range(1, 2)	1	1
range(1, 1)	No values	0
range(4)	0, 1, 2, 3	4

Worked explanation · Trace Tables

With one argument, range starts at zero. range(4) supplies four values but none is 4. If the worked script uses range(1, 1), the body never runs and the initialized total remains 0.

Do not rely on a **variable** first assigned inside a **loop**: a zero-**iteration** run might never assign it.

Replace range(1, 4) with range(1, 3) in the worked script. Predict the supplied values and final total. What stop value is needed to include 3?

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Trace Tables

A fictional reading-token jar starts with one token and gains three per round.

The facts we will use

Supplied facts

Python: total=1; for turn in range(4): total=total+3; after the **loop** print(total).

Supplied facts

The update is inside the **loop**; print is outside.

AI ACADEMY / AI-2/4

Loop totals after each iteration

	turn	total after update
First	0	4
Second	1	7
Third	2	10
Fourth	3	13

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-2/4

Trace Tables

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Initial state

Before the loop, total=1.



2. Iteration values

range(4) supplies turn values 0,1,2,3.



3. Updated totals

After each turn total is 4,7,10,13.



4. After the loop

Print 13 once, after all four updates.

CHANGE ONE THING

Use range(0) instead of range(4).

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Initial state	Before the loop, total=1.
2. Iteration values	range(4) supplies turn values 0,1,2,3.
3. Updated totals	After each turn total is 4,7,10,13.
4. After the loop	Print 13 once, after all four updates.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

The turn value labels an **iteration**; it is not the number added. The fixed update adds three each time. Four **iteration**s take the total from 1 to 13.

Keeping print outside the **loop** produces one final display rather than four intermediate displays. Initialise total before the **loop** so a zero-**iteration** run still has a defined value.

What this example does not establish

Keep the stated limit

This finite **loop** does not establish behavior of a while-**loop** with a different update or

stopping condition.

Keep the stated limit

Read the labelled picture: Move print inside the original **loop**. What sequence is displayed?

Keep the stated limit

Change one thing: Use range(0) instead of range(4). Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Trace Tables claim and explain a repair using the supplied evidence.

Find the first error

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, wrong step, or weak **evidence**.

!

COMPARE • DIAGNOSE

Weak idea: A trace table records only the final answer. Strong move: locate evidence, change one cause, and retest.

Evidence record	Expected	Actual	Likely cause / next test
normal case	works		
boundary case	stated rule		
missing input	safe response		
fresh transfer	generalizes		

Repair one cause. Why is this repair better than changing several things?

Write or draw your reasoning and evidence.

A closer explanation

Check the claim against the facts

Write the expected range values and **trace table** before running. Keep predicted and observed **output** separate, then explain the first row where they differ.

For a **loop** that should add a fixed amount repeatedly, zero **iteration**s should preserve the initial amount. One **iteration** checks one update; several check accumulation.

A learner checks the reset bug using only range(1, 2) and sees the expected answer 1. Explain why this does not establish correctness, and give a revealing test with its expected correct output.

STUDENT LESSON · 8 OF 18


Practise together

Practise Trace Tables with support, then explain the deciding step in your own words.

LOGIC STUDIO

Trace Before You Run

Block code, pseudocode, tables, and diagrams are different ways to expose the same reasoning.



SET **evidence**_record PREDICT expected_result RUN one normal case and one boundary case COMPARE actual_result with expected_result IF different: locate first cause; change one factor; RETEST EXPLAIN result, limitation, and next safe step

Trace one **input**. Which line changes the **state** or chooses a path?

Write or draw your reasoning and evidence.

A closer explanation

```
total = 0
for turn in range(1, 4):
    total = 0
    total = total + turn
print(total)
```

This faulty version prints 3. The extra reset discards earlier additions on every **iteration**. Remove the indented reset while keeping **initialization** before the **loop**.

Then test zero, one and several **iteration**s: the one-**iteration** case alone cannot reveal this reset bug.

Moving print(total) into the correct **loop** produces three lines, 1 then 3 then 6. Moving it out produces only the final 6. **Trace** both values and **output** events.

A **loop** follows written instructions; repeating them does not make the program learn.

Practise with less help: Trace before running

Use workbook W2 for the connected example "**Loop**s and **trace table**s". First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your **trace** to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for **Loop**s and **trace table**s. Proposed explanation: "The stop value is included". Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

> Move print inside the original **loop**. What sequence is displayed?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18

Run the investigation

> Investigate Trace Tables. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

EVIDENCE LAB

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.



Use columns for step, event, old score, new score, and branch. **Trace** once by hand, predict the next row, then compare.

Test / input · Prediction · Actual · Evidence / calculation · Change or keep?

> **Test / input:** normal
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

> **Test / input:** boundary
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

> **Test / input:** missing
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

> **Test / input:** fresh transfer
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

What did the hardest test teach you that the normal test did not?

Write or draw your reasoning and evidence.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only **trace**d the procedure.

STUDENT LESSON · 10 OF 18


Build your understanding

> Move from recall to tracing, diagnosis and transfer in Trace Tables. Explain why each step is justified.

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce **evidence** without copying the worked example.



1 • NAME: Define the concept without repeating the textbook.

2 • **TRACE**: Show the information, **state**, branch, calculation, or **evidence** path.

3 • APPLY: Solve a different example independently.

4 • CHALLENGE: Find a boundary case, counterexample, or unfair outcome.

5 • EXPLAIN LIMITS: Say when the result should not be trusted or used alone.

My strongest **evidence** of independent understanding:

Write or draw your reasoning and evidence.

STUDENT LESSON · 11 OF 18


Connect your project

> Apply this week's idea to Transparent Book Recommender. Keep an annotated decision and the evidence supporting it.

CUMULATIVE PROJECT

Transparent Book Recommender

Every week adds one inspectable piece. The system must show how it reached a result.



THIS WEEK'S CHECKPOINT **Trace** each book's genre, length, difficulty, and total score before sorting.

Trace the system

SYSTEM MAP Reader need → allowed **input**s → transparent rule or score → ranked candidates → explanation → test record → **human decision**

What will you add, change, or verify in the project this week?

Write or draw your reasoning and evidence.

What should remain under **human control**?

Write or draw your reasoning and evidence.

Responsible design

RESPONSIBLE DESIGN Collect only necessary information. Show uncertainty and limits. Never confuse a ranking with a fact about a person.

Evidence for your project

Trace recommender **loop**s with current item, eligibility, score and current best so each update can be explained.

STUDENT LESSON · 12 OF 18

Show what you know


> Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

Independent evidence

INDEPENDENT MASTERY PROOF

Explain • Transfer • Test • Defend

Complete this page without copying the worked example. Your reasoning matters more than decoration.



Try a more demanding case

CHALLENGE **Trace variable**s through a score-based game helper.

1. My fresh example, **trace**, calculation, or design:

Write or draw your reasoning and evidence.

2. My **evidence** that it works (include a boundary or missing-data case):

Write or draw your reasoning and evidence.

3. One limitation, fairness concern, or situation needing human review:

Write or draw your reasoning and evidence.

Check your explanation

SELF-CHECK ☐ I explained the **mechanism** ☐ I used **evidence** ☐ I tested a fresh case ☐ I named a limitation ☐ I can answer 'why?'

STUDENT LESSON · 13 OF 18

Study a complete case

Revisit the complete Trace Tables case for supported practice. Repeated examples do not become fresh assessments.

Week 4 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

Set score=2; add 3; if score>4 subtract 1; double score.

The question

Trace every value.

Worked explanation

2,5,4,8. The comparison is evaluated at 5 before subtraction.

Explain it in your own words

> Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Keep the state after each instruction

Evidence or stage	Value or result
Set score	2
Add 3	5
If greater than 4, subtract 1	4
Double	8

Set score=2; add 3; if score>4 subtract 1; double score.

Trace every value.

2,5,4,8. The comparison is evaluated at 5 before subtraction.

STUDENT LESSON · 14 OF 18

Try a new case independently

> Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Build a repeated addition independently

A box starts with 5 counters. Each round adds 2 counters. Use rounds = 3, an initialized total and for turn in range(rounds). Print the final total once after the **loop**.

Trace the totals and predict fresh runs with rounds 0, 1 and 3. Assume rounds is a nonnegative integer.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 4 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

> Set score to 2. Add 3, then double the result. Record the score after each operation. What changes if you double before adding?

My answer, with a **trace**, calculation or supporting **evidence**

> **Write or draw your reasoning and evidence.**

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed **input** and expected result

> **Write or draw your reasoning and evidence.**

Connect to your project

Trace each book's genre, length, difficulty, and total score before sorting.

The **evidence** I will keep

> **Write or draw your reasoning and evidence.**

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice **evidence** together.

Transfer practice from the original programme

Start score=1; add 4; if score>3 subtract 2; double score. Record score after every operation. A student evaluates the condition using the initial value. Locate the divergence.

> **Explain the mechanism, evidence and one limit.**

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

STUDENT LESSON · 15 OF 18

Your lesson route

> Use this map to navigate Trace Tables, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: A fictional reading-token jar starts with one token and gains three per round.

By the end, I can	How I will show it
Trace variable values before and after each loop iteration	Explain the deciding step, show a trace or test, and state one limit.
Use the excluded stop value in range correctly	Explain the deciding step, show a trace or test, and state one limit.

By the end, I can	How I will show it
Explain initialization and test zero one and several iterations	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

STUDENT LESSON · 16 OF 18

Finish and return

> Explain Trace Tables without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: **Trace variable** values before and after each **loop iteration**

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

STUDENT LESSON · 17 OF 18

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A fictional reading-token jar starts with one token and gains three per round.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Print 13 once, after all four updates.

1. **Iteration** values

2. Updated totals

3. After the **loop**

4. Initial **state**

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: After the **loop** Print 13 once, after all four updates. The turn value labels an **iteration**; it is not the number added. The fixed update adds three each time.

Four **iteration**s take the total from 1 to 13. Keeping print outside the **loop** produces one final display rather than four intermediate displays. Initialise total before the **loop** so a zero-**iteration** run still has a defined value.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Use range(0) instead of range(4). Which conclusion is supported by the supplied facts?

1. The **loop** body never runs and the printed total is 1.

2. This one example guarantees correct results for every future **input**.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial **trace**. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: The **loop** body never runs and the printed total is 1. The iterable contains no turn values; the initial assignment still happened.

Repair a missing building block

Review Branching Logic (ai-2/3). Goal: **Trace** the selected branch in an if elif else chain. Short practice: Give expected labels for –1,0,10,11 and identify the equality boundary for Short..

Return to this week and explain what you changed.

Review Precision in Algorithms (ai-2/1). Goal: Translate a short paper calculation into a Python script. Short practice: If print(total) moves before total=total+2, what gets printed for the original **input**?.

Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a **trace** rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.


Drafts stay in this browser when storage is available; clear drafts on a shared device.

STUDENT LESSON · 18 OF 18

Visual concept journey

> Explain each Trace Tables graphic using its labels, deciding evidence and relevant limitation.

01. Trace Tables: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

A fictional reading-token jar starts with one token and gains three per round. Supplied facts: Python: total=1; for turn in range(4): total=total+3; after the **loop** print(total). The update is inside the **loop**; print is outside.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Initial **state**: Before the **loop**, total=1. → **Iteration** values: range(4) supplies turn values 0,1,2,3. → Updated totals: After each turn total is 4,7,10,13. → After the **loop**: Print 13 once, after all four updates.

Point to each numbered stage and explain which recorded **input** it uses.

03. Loop totals after each iteration




Follow the labelled picture with the matching explanation. Open the vector diagram

Loop totals after each **iteration**. First: turn = 0, total after update = 4. Second: turn = 1, total after update = 7. Third: turn = 2, total after update = 10. Fourth: turn = 3, total after update = 13.

> Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Print 13 once, after all four updates. Changed condition: Use range(0) instead of range(4). Expected result: The **loop** body never runs and the printed total is 1.

Reason: The iterable contains no turn values; the initial assignment still happened.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram


The turn value labels an **iteration**; it is not the number added. The fixed update adds three each time. Four **iteration**s take the total from 1 to 13.

Keeping print outside the **loop** produces one final display rather than four intermediate displays. Initialise total before the **loop** so a zero-**iteration** run still has a defined value.

Limit: This finite **loop** does not establish behavior of a while-**loop** with a different update or stopping condition.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

Trace recommender **loop**s with current item, eligibility, score and current best so each update can be explained. Draw your **input**, deciding step, result and limit. Supported question: Move print inside the original **loop**.

What sequence is displayed?

Draw your project **trace** and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.