Predictive vs Generative

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Transparent Book Recommender

Before you start

AI-1 Week 25: distinguish inventing, finding and calculating.

Plan time to read, investigate and explain. Keep predictions separate from observations.

Your mission

> Start with the target: Distinguish discriminative prediction from generation by inspecting the requested output. Try the recall before opening notes.

Your learning target

I can distinguish discriminative **prediction** from generation by inspecting the requested **output**.

I can calculate an empirical next-token distribution from counted continuations.

I can separate next-token fit from factual support and downstream usefulness.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Image and Voice Pipelines. Give an example and a mistake that the idea helps you avoid.


Without opening the old lesson, explain one key idea from Feedback Loops. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Similarity by Selected Traits. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

Week 27: **Predictive** vs **Generative**

Predictive systems select a target; **generative** systems construct new **output**.



THINKER MISSION

Match problems to classifier, predictor, or generator.

Thinker name and date:

Write or draw your reasoning and evidence.

Readiness for the connected explanation

What is the difference between a model **prediction** and **evidence** that a statement is true?

This week's end goal

By the end, I can distinguish a generated continuation from a **prediction** checked against the world.

STUDENT LESSON · 2 OF 18


Notice the evidence

Investigate the supplied Predictive vs Generative case. Separate observations, given facts and assumptions before choosing an explanation.

PICTURE STORY

Notice → Predict → Explain

Begin with visible **evidence**. Do not explain more than the picture and information support.



Start with this puzzle

MYSTERY

The learners must use **predictive** vs **generative** to solve a problem. What information do they have? What decision or calculation do they make? What would count as **evidence** that it worked?

Three **observation**s (what you can point to):

> **Write or draw your reasoning and evidence.**

My **prediction** and the clue supporting it:

> **Write or draw your reasoning and evidence.**

A closer explanation

A classifier might map a message to the label request or report. A text generator instead produces a sequence, predicting a distribution over the next token given a prefix.

Both make **prediction**s, but the **training** targets and permitted **output**s differ. One application can combine generation with a classifier, retrieval and human approval.

Calling a whole product "**generative**" does not describe every component.

The objective defines what **training** attempts to fit. Next-token fit rewards matching observed continuations; it does not directly certify that an answer is true, well sourced or permitted.

A fluent completion is still an **output** to evaluate against the task.

See how it works


> Follow the mechanism for Predictive vs Generative. Connect each labelled input, deciding

> step and result.


VISUAL MECHANISM

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.



↓


PROCESS
Predictive systems select a target; generative systems construct new output.
OUT
OUTPUT
Match problems to classifier, predictor, or generator.

Which stage could fail even when the other two are correct? Explain:

Write or draw your reasoning and evidence.

A closer explanation

Prefix	Continuation	Count
The marker is	red	6
The marker is	blue	3
The marker is	green	1

There are ten observed continuations. The empirical probabilities are red 6/10 = 0.6, blue 3/10 = 0.3, green 1/10 = 0.1. They are nonnegative and sum to 1.

A simple frequentist classroom model uses these relative counts as its next-token distribution. These probabilities describe the supplied corpus counts, not the current colour of any actual marker.

Keep the evidence roles separate

PLAN OR INPUT	PROCEDURE	PERMITTED CONCLUSION
Ten corpus continuations	Count red 6, blue 3, green 1	Distribution 0.6, 0.3, 0.1
Prefix: The marker is	Select a next token	An output, not an observation
Current marker question	Check direct evidence	Colour claim needs support

The continuation model and a factual observation have different evidence sources.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

STUDENT LESSON · 4 OF 18

Compare the cases


> Compare the supplied cases for Predictive vs Generative. Identify the detail that changes the conclusion.


The case to investigate

CASE GALLERY

Four Tests, Four Kinds of **Evidence**


A system is not understood until it survives more than one comfortable example.





The normal case

NORMAL CASE: predict and name **evidence**. BOUNDARY CASE: predict and name **evidence**.


?
MISSING
Needed information absent


→
TRANSFER
Fresh situation or user

Check missing information

MISSING INFORMATION: predict and name **evidence**. TRANSFER CASE: predict and name **evidence**.

Which case is most likely to reveal a hidden assumption? Why?

Write or draw your reasoning and evidence.

Change one thing in the pictured case

Change one thing

Change: Change the **training** table to full 2, empty 7, unknown 1.

Predicted result

Prediction: Greedy **output** becomes empty with probability 0.7.

Why the result follows

Reason: The continuation distribution changed; the independently observed box has not changed.

STUDENT LESSON · 5 OF 18


Words that unlock the idea


> Use the vocabulary of Predictive vs Generative to explain a concrete decision, rather than only memorising definitions.


VOCABULARY LAB

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.




2
GENERATIVE
constructs new content


3
OUTPUT SPACE
set of possible outputs



Word	My own example	Not this / boundary
predictive	Estimating a target from supplied inputs.	
generative	Producing new content from learned patterns and supplied conditions.	
output space	The set or range of outputs a system can produce for a task.	
fit for purpose	Suitable for the stated users, task, conditions and consequences.	

Words used in the closer explanation

Word	Meaning
Generative objective	A training aim concerned with producing or modelling possible outputs
Discriminative objective	A training aim mapping inputs to a specified target such as a label
Conditional distribution	Probabilities for alternatives given stated information
Autoregressive generation	Producing a sequence one next item at a time using preceding items

STUDENT LESSON · 6 OF 18


Follow a worked example

> Follow the worked trace for Predictive vs Generative, predict a step, then compare with its explanation.

WORKED EVIDENCE

Reason Step by Step

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.



1. 'Is this book suitable?' → classification.

2. 'How many days to finish?' → numeric **prediction**.

3. ‘Write a spoiler-free teaser’ → generation.

4. A product may combine them, but each stage needs its own test.

Recalculate, retrace, or restate the reasoning in your own representation:

Write or draw your reasoning and evidence.

CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

A closer explanation

Worked explanation · Predictive vs Generative

After producing red, the next step conditions on the expanded prefix “The marker is red”. A second table might give an end token probability 0.8 and the token today probability 0.2.

A generated sequence can stop at the end token or continue. Do not reuse the first-step table unchanged after adding a token unless the model explicitly ignores the new prefix.

Worked explanation · Predictive vs Generative

A separate classifier can return red as a label from an image; that is a different **input** and target from continuing text. A downstream evaluation asks whether the system correctly reports the current marker.

It must include ground truth or sources and appropriate failure handling, not just count plausible phrases.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Predictive vs Generative

A fictional toy generator predicts the next word after “The box is”.

The facts we will use

Supplied facts


Observed **training** continuations: full 6, empty 3, unknown 1.

Supplied facts

Use counts divided by total 10. The current physical box is separately checked and found empty.

AI ACADEMY / AI-2/27

Toy next-word distribution



Bar length shows the supplied value; the marked baseline is zero.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-2/27

Predictive vs Generative

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Count table

Continuation counts are 6,3,1; total 10.



2. Probabilities

full=0.6; empty=0.3; unknown=0.1.



3. Greedy continuation

Largest probability chooses full for this toy prefix.



4. Check reality

Current observation says empty; frequent wording is not a present inventory reading.

CHANGE ONE THING

Change the training table to full 2, empty 7, unknown 1.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Count table	Continuation counts are 6,3,1; total 10.
2. Probabilities	full=0.6; empty=0.3; unknown=0.1.
3. Greedy continuation	Largest probability chooses full for this toy prefix.
4. Check reality	Current observation says empty; frequent wording is not a present inventory reading.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

The table predicts a continuation in a text exercise, not the contents of the current box. Generating the most frequent token is a model-defined decision. A factual inventory statement needs current **evidence**.

The numerical table is intentionally small; real **generative** systems condition on richer context and do not simply consult these three counts.

What this example does not establish

Keep the stated limit

A one-step toy distribution does not describe every **predictive** or **generative** model or validate factual accuracy.

Keep the stated limit

Read the labelled picture: Does matching the physical box in the changed table prove the generator measures boxes?

Keep the stated limit

Change one thing: Change the **training** table to full 2, empty 7, unknown 1. Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Predictive vs Generative claim and explain a repair using the supplied evidence.

Find the first error

ERROR DETECTIVE

Compare → Diagnose → Repair

Do not patch the answer. Find the earliest unsupported assumption, wrong step, or weak **evidence**.

!

COMPARE • DIAGNOSE

Weak idea: Anything that produces an answer is generative AI. Strong move: locate evidence, change one cause, and retest.

Evidence record	Expected	Actual	Likely cause / next test
normal case	works		
boundary case	stated rule		
missing input	safe response		
fresh transfer	generalizes		

Repair one cause. Why is this repair better than changing several things?

Write or draw your reasoning and evidence.

A closer explanation

Check the claim against the facts

Keep three questions separate: did the model fit continuation data; did the **output** satisfy the requested format or task; and are factual claims supported?

A system that drafts a fictional description has different criteria from one reporting a live measurement. Record the source and time when a claim refers to changing conditions.

No AI account is needed to reason about these distinctions.

Exit: a team says “the highest-probability continuation proves the current fact”. Name the evidence they actually have and the evidence still needed.

STUDENT LESSON · 8 OF 18


Practise together

Practise Predictive vs Generative with support, then explain the deciding step in your own words.

LOGIC STUDIO

Trace Before You Run

Block code, pseudocode, tables, and diagrams are different ways to expose the same reasoning.



SET **evidence**_record PREDICT expected_result RUN one normal case and one boundary case COMPARE actual_result with expected_result IF different: locate first cause; change one factor; RETEST EXPLAIN result, limitation, and next safe step

Trace one **input**. Which line changes the state or chooses a path?

Write or draw your reasoning and evidence.

A closer explanation

Supported case: the prefix “The door is” is followed in a tiny corpus by open four times and closed once. The empirical probabilities are 4/5 and 1/5. A current sensor reports closed.

Selecting the most frequent continuation open would be plausible under the corpus model but inconsistent with the sensor **observation**.

Guided: compute both probabilities and explain why selecting open does not establish the current door state.

Practise with less help: Compute the distribution

Use workbook W2 for the connected example "**Generative** and **predictive** objectives". First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for **Generative** and **predictive** objectives. Proposed explanation: "**Generative** models do not predict". Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

> Does matching the physical box in the changed table prove the generator measures boxes?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18


Run the investigation

> Investigate Predictive vs Generative. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

EVIDENCE LAB

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.



Sort nine task cards by **mechanism**, name the **output space**, and specify one evaluation method for each category.

Test / input · Prediction · Actual · Evidence / calculation · Change or keep?

> **Test / input:** normal
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

> **Test / input:** boundary
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

> **Test / input:** missing
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

> **Test / input:** fresh transfer
> **Prediction:** _____
> **Actual:** _____
> **Evidence / calculation:** _____
> **Change or keep?:** _____

What did the hardest test teach you that the normal test did not?

Write or draw your reasoning and evidence.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

STUDENT LESSON · 10 OF 18


Build your understanding

> Move from recall to tracing, diagnosis and transfer in Predictive vs Generative. Explain why each step is justified.

MASTERY

From Knowing the Word to Owning the Idea

Move upward only when you can produce **evidence** without copying the worked example.



1 • NAME: Define the concept without repeating the textbook.

2 • TRACE: Show the information, state, branch, calculation, or **evidence** path.

3 • APPLY: Solve a different example independently.

4 • CHALLENGE: Find a boundary case, counterexample, or unfair outcome.

5 • EXPLAIN LIMITS: Say when the result should not be trusted or used alone.

My strongest **evidence** of independent understanding:

Write or draw your reasoning and evidence.

STUDENT LESSON · 11 OF 18


Connect your project

> Apply this week's idea to Transparent Book Recommender. Keep an annotated decision and the evidence supporting it.

CUMULATIVE PROJECT

Transparent Book Recommender

Every week adds one inspectable piece. The system must show how it reached a result.



THIS WEEK'S CHECKPOINT Keep scoring **predictive** and explanations templated or carefully generated and verified.

Trace the system

SYSTEM MAP Reader need → allowed **input**s → transparent rule or score → ranked candidates → explanation → test record → **human decision**

What will you add, change, or verify in the project this week?

Write or draw your reasoning and evidence.

What should remain under **human control**?

Write or draw your reasoning and evidence.

Responsible design

RESPONSIBLE DESIGN Collect only necessary information. Show uncertainty and limits. Never confuse a ranking with a fact about a person.

Evidence for your project

Use approved book facts for recommender explanations; generated fluency is not a replacement for catalogue **evidence**.

STUDENT LESSON · 12 OF 18

Show what you know


Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

Independent evidence

INDEPENDENT MASTERY PROOF

Explain • Transfer • Test • Defend

Complete this page without copying the worked example. Your reasoning matters more than decoration.



Try a more demanding case

CHALLENGE Match problems to classifier, predictor, or generator.

1. My fresh example, trace, calculation, or design:

Write or draw your reasoning and evidence.

2. My **evidence** that it works (include a boundary or missing-data case):

Write or draw your reasoning and evidence.

3. One limitation, fairness concern, or situation needing human review:

Write or draw your reasoning and evidence.

Check your explanation

SELF-CHECK ☐ I explained the **mechanism** ☐ I used **evidence** ☐ I tested a fresh case ☐ I named a limitation ☐ I can answer 'why?'

STUDENT LESSON · 13 OF 18

Study a complete case

Revisit the complete Predictive vs Generative case for supported practice. Repeated examples do not become fresh assessments.

Week 27 Worked case

Use the supplied details to practise the weekly concept before attempting the independent question. This case extends the illustrated lesson.

The situation

A labels genre; B writes a new blurb; C computes 24/6.

The question

Distinguish operations.

Worked explanation

A predicts a category, B generates text, C calculates 4. Products may combine them.

Explain it in your own words

> Which detail supports the answer, and why does it matter?

Write or draw your reasoning and evidence.

Trace the supplied case visually

Three operations in one book helper

Evidence or stage	Value or result
Classify	Select a genre label
Generate	Write a new blurb
Calculate	24 divided by 6 equals 4

A labels genre; B writes a new blurb; C computes 24/6.

Distinguish operations.

A predicts a category, B generates text, C calculates 4. Products may combine them.

STUDENT LESSON · 14 OF 18

Try a new case independently

> Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Analyse a new corpus independently

For prefix The signal is, counts are high 2, low 5, unknown 3. Compute all probabilities and the most frequent continuation. A current measurement reports high.

State what the most frequent continuation does and does not establish.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Week 27 Independent application

Close the worked explanation. Apply the idea to this different question without copying.

> One model labels a review positive or negative; another writes a new review. Which classifies and which generates? Must generated text be true?

My answer, with a trace, calculation or supporting **evidence**

Write or draw your reasoning and evidence.

Create and test

Change one relevant detail. Predict the result before testing. Include a boundary or missing-information case when it helps reveal a limit.

My changed **input** and expected result

Write or draw your reasoning and evidence.

Connect to your project

Keep scoring **predictive** and explanations templated or carefully generated and verified.

The **evidence** I will keep

Write or draw your reasoning and evidence.

Your teacher has the independent answer and scoring criteria. Complete the matching workbook week to keep your practice **evidence** together.

Transfer practice from the original programme

A tool retrieves a book description, predicts a genre, then writes a new blurb. Identify each operation and give one distinct failure to check at each stage.

Explain the mechanism, evidence and one limit.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

STUDENT LESSON · 15 OF 18

Your lesson route

> Use this map to navigate Predictive vs Generative, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: A fictional toy generator predicts the next word after “The box is”.

By the end, I can	How I will show it
Distinguish discriminative prediction from generation by inspecting the requested output	Explain the deciding step, show a trace or test, and state one limit.
Calculate an empirical next-token distribution from counted continuations	Explain the deciding step, show a trace or test, and state one limit.
Separate next-token fit from factual support and downstream usefulness	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

STUDENT LESSON · 16 OF 18

Finish and return

> Explain Predictive vs Generative without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: Distinguish discriminative **prediction** from generation by inspecting the requested **output**

> **My deciding step, evidence and one remaining question**

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

STUDENT LESSON · 17 OF 18

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A fictional toy generator predicts the next word after “The box is”.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Current **observation** says empty; frequent wording is not a present inventory reading.

1. Probabilities

2. Count table

3. Greedy continuation

4. Check reality

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Check reality Current **observation** says empty; frequent wording is not a present inventory reading.

The table predicts a continuation in a text exercise, not the contents of the current box. Generating the most frequent token is a model-defined decision. A factual inventory statement needs current **evidence**.

The numerical table is intentionally small; real **generative** systems condition on richer context and do not simply consult these three counts.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Change the **training** table to full 2, empty 7, unknown 1. Which conclusion is supported by the supplied facts?

1. Greedy **output** becomes empty with probability 0.7.

2. This one example guarantees correct results for every future **input**.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Greedy **output** becomes empty with probability 0.7. The continuation distribution changed; the independently observed box has not changed.

Repair a missing building block

Review Image and Voice Pipelines (ai-2/26). Goal: Explain the **mechanism** and terminology of speech pipelines and multimodal **evidence**.

Short practice: Which stage first fails, and why should the faulty transcript not be silently overwritten?. Return to this week and explain what you changed.

Review Feedback Loops (ai-2/24). Goal: Implement a deterministic recommender. Short practice: What extra field would reveal why comparing raw clicks is misleading?. Return to this week and explain what you changed.

Review Similarity by Selected Traits (ai-2/21). Goal: Represent items with numeric features. Short practice: Explain why B ceases to be a closest option without any candidate data changing..

Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.


Drafts stay in this browser when storage is available; clear drafts on a shared device.

STUDENT LESSON · 18 OF 18

Visual concept journey

> Explain each Predictive vs Generative graphic using its labels, deciding evidence and relevant limitation.

01. Predictive vs Generative: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

A fictional toy generator predicts the next word after “The box is”. Supplied facts: Observed **training** continuations: full 6, empty 3, unknown 1. Use counts divided by total 10.

The current physical box is separately checked and found empty.

> Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Count table: Continuation counts are 6,3,1; total 10. → Probabilities: full=0.6; empty=0.3; unknown=0.1. → Greedy continuation: Largest probability chooses full for this toy prefix. → Check reality: Current **observation** says empty; frequent wording is not a present inventory reading.

Point to each numbered stage and explain which recorded **input** it uses.

03. Toy next-word distribution




Follow the labelled picture with the matching explanation. Open the vector diagram

Toy next-word distribution. Units: probability. full: 0.6. empty: 0.3. unknown: 0.1.

Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Current **observation** says empty; frequent wording is not a present inventory reading. Changed condition: Change the **training** table to full 2, empty 7, unknown 1.

Expected result: Greedy **output** becomes empty with probability 0.7. Reason: The continuation distribution changed; the independently observed box has not changed.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram


The table predicts a continuation in a text exercise, not the contents of the current box. Generating the most frequent token is a model-defined decision. A factual inventory statement needs current **evidence**.

The numerical table is intentionally small; real **generative** systems condition on richer context and do not simply consult these three counts.

Limit: A one-step toy distribution does not describe every **predictive** or **generative** model or validate factual accuracy.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

Use approved book facts for recommender explanations; generated fluency is not a replacement for catalogue **evidence**. Draw your **input**, deciding step, result and limit.

Supported question: Does matching the physical box in the changed table prove the generator measures boxes?

> Draw your project trace and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.