AI ACADEMY · LEVEL 6 · GRADE 11 · WEEK 18 · STUDENT LESSON

Untrusted input boundaries

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

Before you start

Recall External side effects and recovery. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

Plan time to read, investigate and explain. Keep predictions separate from observations.

STUDENT LESSON · 1 OF 18

Your mission

> Start with the target: Explain the mechanism and terminology of untrusted input boundaries. Try the recall before opening notes.

Your learning target

I can explain the **mechanism** and terminology of **untrusted input** boundaries.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from External side effects and recovery. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Approval gates and idempotency. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Logs traces and privacy. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

This week you will practise:

Explain the **mechanism** and terminology of **untrusted input** boundaries

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

Recall External side effects and recovery. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

This week's end goal

Explain **untrusted input** boundaries using the deciding step in this fictional service.

Notice the evidence

> Investigate the supplied Untrusted input boundaries case. Separate observations, given facts and assumptions before choosing an explanation.

Untrusted input must be treated according to a contract before reaching code, queries or tools. Data that resembles instructions does not acquire execution authority.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

> **List the given facts and one fact that is not supplied.**

STUDENT LESSON · 3 OF 18

See how it works

> Follow the mechanism for Untrusted input boundaries. Connect each labelled input, deciding step and result.

For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters.

Untrusted input boundaries — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Inputs A1 and delete_all() are supplied to room lookup.	For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters.	A1 passes the format; delete_all() fails. Neither is executed as code, including any instruction-shaped string.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

STUDENT LESSON · 4 OF 18

Compare the cases

> Compare the supplied cases for Untrusted input boundaries. Identify the detail that changes the conclusion.

Compare a familiar case with a changed case

Inputs A1 and delete_all() are supplied to room lookup. Show the intermediate steps and give the conclusion with its scope.

> **Keep the procedure fixed. Explain what changed in the inputs and result.**

Change one thing in the pictured case

> #### Change one thing
>
> Change: Replace h3 with z0.

> #### Predicted result
>
> **Prediction**: The shape passes; resource access is still undecided.

> #### Why the result follows
>
> Reason: Structure contains no **evidence** of ownership or user permission.

STUDENT LESSON · 5 OF 18

Words that unlock the idea

> Use the vocabulary of Untrusted input boundaries to explain a concrete decision, rather than only memorising definitions.

Word	Meaning
Untrusted input	Data whose claims or control intent have not been authorised
Full match	Validation covering the whole input
Injection boundary	A separation preventing data from becoming executable control

> **Use two terms to explain a step in this week's example.**

STUDENT LESSON · 6 OF 18

Follow a worked example

> Follow the worked trace for Untrusted input boundaries, predict a step, then compare with its explanation.

Inputs A1 and delete_all() are supplied to room lookup.

A1 passes the format; delete_all() fails. Neither is executed as code, including any instruction-shaped string.

Worked explanation · Untrusted input boundaries

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Worked explanation · Untrusted input boundaries

Optional local lab: predict the printed result before running this standalone Python 3 example. Change one relevant boundary **input**, record the outcome and state the contract or statistical assumptions.

The program uses fictional values and the Python standard library; it performs no external operations.

```
import re

def validate_identifier(value):
    return type(value) is str and re.fullmatch('[A-Z][0-9]', value) is not None

print(validate_identifier("B2"))
```

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Untrusted input boundaries

Check shape before permission. A toy tool accepts exactly one ASCII lowercase letter followed by one digit, with no trimming.

The facts we will use

Supplied facts

Inputs h3, H3, h30 and "h3 ". Shape acceptance never grants access by itself.

AI ACADEMY / AI-6/18

Untrusted input boundaries

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Validate h3

Two characters with the required case and digit pass.



2. Reject wrong shapes

H3 has wrong case; h30 and the trailing-space input have wrong length.



3. Check authority next

An accepted identifier still needs trusted authorisation.

CHANGE ONE THING

Replace h3 with z0.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Validate h3	Two characters with the required case and digit pass.
2. Reject wrong shapes	H3 has wrong case; h30 and the trailing-space input have wrong length.
3. Check authority next	An accepted identifier still needs trusted authorisation.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Input shape and permission answer different questions. Silently normalising these **input**s would change the stated contract.

What this example does not establish

Keep the stated limit

Some systems normalise **input**s explicitly; this fictional contract deliberately does not.

Keep the stated limit

Read the labelled picture: Classify h3, H3, h30 and the trailing-space **input** by the stated shape contract. Does a valid z0 grant record access, and which separate gate still remains?

Keep the stated limit

Change one thing: Replace h3 with z0. Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Untrusted input boundaries claim and explain a repair using the supplied evidence.

A format check does not grant resource access; authorisation follows separately.

Check the claim against the facts

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Locate the earliest unsupported step

A report omits this qualification: A format check does not grant resource access; authorisation follows separately. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

State one repair and the checks you would rerun.

STUDENT LESSON · 8 OF 18

Practise together

> Practise Untrusted input boundaries with support, then explain the deciding step in your own words.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Practise with less help: Trace the worked case

Use workbook W2 for the connected example "**Untrusted input** boundaries". First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for **Untrusted input** boundaries. Proposed explanation: "The worked result establishes every future case". Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

> Classify h3, H3, h30 and the trailing-space **input** by the stated shape contract. Does a valid z0 grant record access, and which separate gate still remains?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18

Run the investigation

> Investigate Untrusted input boundaries. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

Predict, investigate and preserve the evidence

Inputs A1 and delete_all() are supplied to room lookup. Show the intermediate steps and give the conclusion with its scope.

```
import re

def validate_identifier(value):
    return type(value) is str and re.fullmatch('[A-Z][0-9]', value) is not None

print(validate_identifier("B2"))
```

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

STUDENT LESSON · 10 OF 18

Build your understanding

> Move from recall to tracing, diagnosis and transfer in Untrusted input boundaries. Explain why each step is justified.

Explain → apply → challenge

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

A report omits this qualification: A format check does not grant resource access; authorisation follows separately. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

> **Explain which evidence supports your conclusion and which claim remains unproved.**

STUDENT LESSON · 11 OF 18

Connect your project

> Apply this week's idea to Grounded Learning Service. Keep an annotated decision and the evidence supporting it.

Add a labelled **untrusted input** boundaries **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of **untrusted input** boundaries.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Evidence for your project

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

STUDENT LESSON · 12 OF 18

Show what you know

> Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

> **Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.**

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My limited claim and a useful next check

STUDENT LESSON · 13 OF 18

Study a complete case

> Revisit the complete Untrusted input boundaries case for supported practice. Repeated examples do not become fresh assessments.

Complete evidence record

Untrusted input boundaries — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Inputs A1 and delete_all() are supplied to room lookup.	For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters.	A1 passes the format; delete_all() fails. Neither is executed as code, including any instruction-shaped string.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

STUDENT LESSON · 14 OF 18

Try a new case independently

Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Changed independent case

Input format is exactly one ASCII uppercase letter followed by one digit, with no trimming. Evaluate C0, c0, C00, "C0 ", and None. Does a valid format grant access?

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

Classify B2, b2, B22 and B2; DROP under the exact format.

> **My independent procedure, result and limitation**
>
> | |
> |---|
> | |
> | |
> | |
> | |

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

STUDENT LESSON · 15 OF 18

Your lesson route

> Use this map to navigate Untrusted input boundaries, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: Check shape before permission. A toy tool accepts exactly one ASCII lowercase letter followed by one digit, with no trimming.

By the end, I can	How I will show it
Explain the mechanism and terminology of untrusted input boundaries	Explain the deciding step, show a trace or test, and state one limit.

By the end, I can	How I will show it
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

STUDENT LESSON · 16 OF 18

Finish and return

> Explain Untrusted input boundaries without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of **untrusted input** boundaries

My deciding step, evidence and one remaining question

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Check shape before permission. A toy tool accepts exactly one ASCII lowercase letter followed by one digit, with no trimming.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? An accepted identifier still needs trusted authorisation.

1. Reject wrong shapes

2. Check authority next

3. Validate h3

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Check authority next An accepted identifier still needs trusted authorisation. **Input** shape and permission answer different questions.

Silently normalising these **input**s would change the stated contract.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Replace h3 with z0. Which conclusion is supported by the supplied facts?

1. We can decide the result without examining the changed **input** or the procedure.

2. The shape passes; resource access is still undecided.

3. This one example guarantees correct results for every future **input**.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: The shape passes; resource access is still undecided. Structure contains no **evidence** of ownership or user permission.

Repair a missing building block

Review External side effects and recovery (ai-6/17). Goal: Explain the **mechanism** and terminology of external side effects and recovery. Short practice: Distinguish a missing printer acknowledgement from confirmed failure.

What should happen if J6 is complete, and what **evidence** changes when J6 is reliably reported absent?. Return to this week and explain what you changed.

Review Approval gates and idempotency (ai-6/15). Goal: Explain the **mechanism** and terminology of approval gates and idempotency. Short practice: Trace the two deliveries of approved K9.

How many reservations should occur, and why can a new K10 for desk 5 not borrow K9's approval?. Return to this week and explain what you changed.

Review Logs traces and privacy (ai-6/12). Goal: Explain the **mechanism** and terminology of logs traces and privacy. Short practice: Identify the purpose of R17, C8 and 240 ms in the trace.

Which field is deliberately omitted, and why would logging the whole question violate this design?. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.


Drafts stay in this browser when storage is available; clear drafts on a shared device.

STUDENT LESSON · 18 OF 18

Visual concept journey

> Explain each Untrusted input boundaries graphic using its labels, deciding evidence and relevant limitation.

01. Untrusted input boundaries: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Check shape before permission. A toy tool accepts exactly one ASCII lowercase letter followed by one digit, with no trimming. Supplied facts: **Input**s h3, H3, h30 and "h3 ". Shape acceptance never grants access by itself.

> Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Validate h3: Two characters with the required case and digit pass. → Reject wrong shapes: H3 has wrong case; h30 and the trailing-space **input** have wrong length. → Check authority next: An accepted identifier still needs trusted authorisation.

> Point to each numbered stage and explain which recorded **input** it uses.

03. Untrusted input boundaries — evidence trace

AI ACADEMY / AI-6/18 · 03 · INSPECT THE LESSON MODEL

Untrusted input boundaries — evidence trace

Input and scope	Check or calculation	Conclusion and limit
Inputs A1 and delete_all() are supplied to room lookup.	For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters.	A1 passes the format; delete_all() fails. Neither is executed as code, including any instruction-shaped string.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.


Follow the labelled picture with the matching explanation. Open the vector diagram

Untrusted input boundaries — **evidence** trace. **Input**s A1 and delete_all() are supplied to room lookup. | For the toy lookup accept room IDs matching one uppercase letter plus one digit.

Perform exact dictionary lookup; never evaluate user strings as code. Reject invalid length or characters. | A1 passes the format; delete_all() fails. Neither is executed as code, including any instruction-shaped string.

> Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: An accepted identifier still needs trusted authorisation. Changed condition: Replace h3 with z0. Expected result: The shape passes; resource access is still undecided.

Reason: Structure contains no **evidence** of ownership or user permission.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Input shape and permission answer different questions. Silently normalising these **input**s would change the stated contract. Limit: Some systems normalise **input**s explicitly; this fictional contract deliberately does not.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Classify h3, H3, h30 and the trailing-space **input** by the stated shape contract. Does a valid z0 grant record access, and which separate gate still remains?

> Draw your project trace and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.