AI ACADEMY · LEVEL 7 · GRADE 12 · WEEK 21 · STUDENT LESSON

Predefining an analysis plan

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Reproducible AI Research Study

Before you start

Recall Privacy and data governance. Explain why a recorded result needs its input conditions and evidence source before it can support a claim.

Plan time to read, investigate and explain. Keep predictions separate from observations.

STUDENT LESSON · 1 OF 18

Your mission

> Start with the target: Explain the mechanism and terminology of predefining an analysis plan. Try the recall before opening notes.

Your learning target

I can explain the **mechanism** and terminology of predefining an **analysis plan**.

I can apply the stated procedure to a new case with a traceable result.

I can identify an assumption or limitation and design a revealing follow-up.

Remember before reading

Close your notes first. A rough first answer helps us choose the right starting point; it is not a score for your ability.

Without opening the old lesson, explain one key idea from Privacy and data governance. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Dataset and benchmark limitations. Give an example and a mistake that the idea helps you avoid.

Without opening the old lesson, explain one key idea from Multiple comparisons. Give an example and a mistake that the idea helps you avoid.

After trying, check the relevant lesson or ask your teacher. Change the part of your explanation that the **evidence** shows was wrong.

This week you will practise:

Explain the **mechanism** and terminology of predefining an **analysis plan**

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

Retrieve what you already know

Recall Privacy and data governance. Explain why a recorded result needs its **input** conditions and **evidence** source before it can support a claim.

> **My starting explanation**

This week's end goal

Explain predefining an **analysis plan** using the records and boundaries of this fictional investigation.

Notice the evidence

> Investigate the supplied Predefining an analysis plan case. Separate observations, given facts and assumptions before choosing an explanation.

An **analysis plan** records outcomes, units, exclusions, comparisons and uncertainty methods before primary results are inspected. **Deviation**s remain visible.

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

> **List the given facts and one fact that is not supplied.**

See how it works

> Follow the mechanism for Predefining an analysis plan. Connect each labelled input, deciding step and result.

Declare primary metric, eligible cases, missing handling, baseline, test assumptions and reporting. Timestamp/version the plan; label later choices exploratory.

Predefining an analysis plan — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Plan includes all20 cases. After results, the team removes four failed cases because they make the graph look worse.	Declare primary metric, eligible cases, missing handling, baseline, test assumptions and reporting. Timestamp/version the plan; label later choices exploratory.	The exclusion is outcome-informed and violates the plan. Report original16/20 if16 passed, and label any revised analysis with reasons rather than hiding failures.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Connect the picture and the explanation

Point to the **input**, the deciding step and the result in this week's visual. Explain the same step in ordinary words. A picture helps when you can say what each part represents.

STUDENT LESSON · 4 OF 18

Compare the cases

> Compare the supplied cases for Predefining an analysis plan. Identify the detail that changes the conclusion.

Compare a familiar case with a changed case

Plan includes all20 cases. After results, the team removes four failed cases because they make the graph look worse. Show the intermediate steps and give the conclusion with its scope.

Keep the procedure fixed. Explain what changed in the inputs and result.

Change one thing in the pictured case

Change one thing

Change: Exclude two readable cases because the new model fails them.

Predicted result

Prediction: That outcome-driven exclusion violates the recorded rule.

Why the result follows

Reason: Model failure is not the predeclared unreadable-file criterion.

STUDENT LESSON · 5 OF 18

Words that unlock the idea

Use the vocabulary of Predefining an analysis plan to explain a concrete decision, rather than only memorising definitions.

Word	Meaning
Analysis plan	Declared procedures before inspecting primary results
Exclusion rule	A stated criterion for removing an ineligible case
Deviation	A recorded departure from the original plan

Use two terms to explain a step in this week's example.

STUDENT LESSON · 6 OF 18

Follow a worked example

> Follow the worked trace for Predefining an analysis plan, predict a step, then compare with its explanation.

Plan includes all20 cases. After results, the team removes four failed cases because they make the graph look worse.

The exclusion is outcome-informed and violates the plan. Report original16/20 if16 passed, and label any revised analysis with reasons rather than hiding failures.

Worked explanation · Predefining an analysis plan

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

> The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Learn from the worked case

Cover the result before checking it. Say what is given, choose the procedure, and follow one step at a time. Then uncover the result and explain your first mismatch. Ask why a step is allowed, not only what number it produces.

A pictorial worked case: Predefining an analysis plan

Freeze decisions before the result. A team records its outcome, exclusions and analysis before evaluating a reserved set.

The facts we will use

> **Supplied facts**
>
> Plan: compare correct counts on 12 cases; exclude only unreadable files identified before scoring; report all version results.

AI ACADEMY / AI-7/21

Predefining an analysis plan

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Write the rule first

Record the outcome and justified unreadable-file exclusion.



2. Protect the reserved set

Do not choose exclusions from which cases each model fails.



3. Report deviations

If the plan changes, mark the change and give its reason.

CHANGE ONE THING

Exclude two readable cases because the new model fails them.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Write the rule first	Record the outcome and justified unreadable-file exclusion.
2. Protect the reserved set	Do not choose exclusions from which cases each model fails.
3. Report deviations	If the plan changes, mark the change and give its reason.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

An **analysis plan** limits flexibility after outcomes are known. Necessary changes can be transparent, but they should not be silently presented as the original plan.

What this example does not establish

Keep the stated limit

A plan cannot correct poor sampling or guarantee valid assumptions; it makes decisions auditable.

Keep the stated limit

Read the labelled picture: Apply the recorded **exclusion rule**. Can two readable model failures be removed, and how must a necessary later plan change be disclosed?

Keep the stated limit

Change one thing: Exclude two readable cases because the new model fails them. Predict the result before checking the explanation. What remains the same?

STUDENT LESSON · 7 OF 18

Find and repair a mistake

> Find the unsupported step in the Predefining an analysis plan claim and explain a repair using the supplied evidence.

A prespecified plan can still be flawed; transparency prevents hidden changes, not invalid assumptions.

Check the claim against the facts

A useful check asks what would make the reasoning fail. Distinguish a failure to execute the declared procedure from a weakness in the procedure itself.

The first may require a correction; the second requires an explicitly revised method and new **evidence**. Preserve unsuccessful cases so an improved result cannot hide the original problem.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Locate the earliest unsupported step

A report omits this qualification: A prespecified plan can still be flawed; transparency prevents hidden changes, not invalid assumptions.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

State one repair and the checks you would rerun.

STUDENT LESSON · 8 OF 18

Practise together

Practise Predefining an analysis plan with support, then explain the deciding step in your own words.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Guided: restate the worked result, then name the assumption or limitation that prevents a broader conclusion.

Explain your prediction to a partner before comparing results.

Practise with less help: Trace the worked case

Use workbook W2 for the connected example “Predefining an **analysis plan**”. First fill the **input** and rule boxes. Try the middle steps before asking for a hint. After a hint, try the next step yourself.

Plan	Do	Check
What is given? Which rule or procedure applies?	Record each intermediate step.	Does the result follow? What remains unknown?

Explain your trace to a partner. Your partner points to one step to check. Swap roles on the next case. Each person writes their own explanation.

Check your reasoning

Use the worked case for Predefining an **analysis plan**. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Answer on your own before discussion. If you are unsure, say which step you need help with.

Explain the picture

> Apply the recorded **exclusion rule**. Can two readable model failures be removed, and how must a necessary later plan change be disclosed?

My explanation using a pictured step and the given facts

This is supported practice. Keep the separately named independent case for an attempt before feedback.

STUDENT LESSON · 9 OF 18

Run the investigation

> Investigate Predefining an analysis plan. Record the prediction, actual observation or labelled paper trace, explanation and next test separately.

Predict, investigate and preserve the evidence

Plan includes all20 cases. After results, the team removes four failed cases because they make the graph look worse. Show the intermediate steps and give the conclusion with its scope.

Record	Your evidence
Given input and fixed rule	
Prediction before checking	
Actual result, or “not run”	

Record	Your evidence
First mismatch and one explanation	
Boundary or missing input and expected response	

On paper, trace the supplied procedure. If code is provided, predict before running it in a local practice file. Never write an expected answer as though it were an observed run.

Plan → try → check

Before trying: what do I expect, and why? While trying: which step could first go wrong? Afterwards: what did I actually observe, and what should change? Keep “not run” if you only traced the procedure.

STUDENT LESSON · 10 OF 18

Build your understanding

> Move from recall to tracing, diagnosis and transfer in Predefining an analysis plan. Explain why each step is justified.

Explain → apply → challenge

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

A report omits this qualification: A prespecified plan can still be flawed; transparency prevents hidden changes, not invalid assumptions.

Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

Explain which evidence supports your conclusion and which claim remains unproved.

STUDENT LESSON · 11 OF 18

Connect your project

> Apply this week's idea to Reproducible AI Research Study. Keep an annotated decision and the evidence supporting it.

Add a labelled predefining an **analysis plan evidence** sheet to Reproducible AI Research Study. Show how you can explain the **mechanism** and terminology of predefining an **analysis plan**.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Project evidence	Record
Component and version	
Inputs permitted at prediction time	
Trace and comparison with earlier work	
Failure, limit and human review	

Evidence for your project

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

STUDENT LESSON · 12 OF 18

Show what you know

> Use a genuinely new case for independent evidence. Previously discussed examples remain practice; use the separately named independent case before feedback.

Complete the supported workbook tasks before attempting W4 independently. Record any hints or help used. After feedback, use the teacher's fresh retry rather than copying the earlier answer.

For a project, select a relevant new case, predict the outcome from the declared rule and preserve the result alongside any revision.

> **Exit: propose one revealing change to the worked scenario. State the expected outcome and the evidence that would make you revise your explanation.**

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My limited claim and a useful next check

STUDENT LESSON · 13 OF 18

Study a complete case

Revisit the complete Predefining an analysis plan case for supported practice. Repeated examples do not become fresh assessments.

Complete evidence record

Predefining an analysis plan — evidence trace

INPUT AND SCOPE	CHECK OR CALCULATION	CONCLUSION AND LIMIT
Plan includes all20 cases. After results, the team removes four failed cases because they make the graph look worse.	Declare primary metric, eligible cases, missing handling, baseline, test assumptions and reporting. Timestamp/version the plan; label later choices exploratory.	The exclusion is outcome-informed and violates the plan. Report original16/20 if16 passed, and label any revised analysis with reasons rather than hiding failures.

The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

Follow the **input** through the stated procedure to its result. Cover the result first, predict it, then explain every intermediate step. The text/table accompanies the figure so the example can be read without colour.

My complete trace of the worked case

STUDENT LESSON · 14 OF 18

Try a new case independently

> Attempt the reserved new case before feedback. Record support; the earlier examples below remain additional practice.

Independent case: Apply a new case independently

Plan excludes malformed **input**s by a rule fixed beforehand. Three of15 are malformed; 9 of12 eligible pass. Report.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

Attempt this without hints

Plan excludes malformed **input**s by a rule fixed beforehand. Three of15 are malformed; 9 of12 eligible pass. Report.

My independent procedure, result and limitation

Record support used: none, hint or teacher explanation. After feedback, a different case is needed to demonstrate independence.

Use feedback to improve

Attempt the independent case before hints. Record whether you worked alone, used a hint or followed a model. After feedback, fix the first unsupported step and explain why it changed.

A later check uses a changed case, not a copied answer.

STUDENT LESSON · 15 OF 18

Your lesson route

> Use this map to navigate Predefining an analysis plan, connect the goals to tasks and keep one evidence record for each attempt.

Start with this question: Freeze decisions before the result. A team records its outcome, exclusions and analysis before evaluating a reserved set.

By the end, I can	How I will show it
Explain the mechanism and terminology of predefining an analysis plan	Explain the deciding step, show a trace or test, and state one limit.
Apply the stated procedure to a new case with a traceable result	Explain the deciding step, show a trace or test, and state one limit.
Identify an assumption or limitation and design a revealing follow-up	Explain the deciding step, show a trace or test, and state one limit.

Remember → watch and explain → try with help → investigate → try independently → keep project **evidence**. Your teacher may spread this lesson across several classes.

Keep your first **prediction**. Compare it with what the **evidence** shows and explain any change.

STUDENT LESSON · 16 OF 18

Finish and return

> Explain Predefining an analysis plan without notes, identify a remaining question and plan a later check with a changed case.

Close your notes. Explain this goal in your own words: Explain the **mechanism** and terminology of predefining an **analysis plan**

> **My deciding step, evidence and one remaining question**

If you are unsure, return to the worked picture and explain one arrow. If you are ready, change an **input** or assumption and justify your **prediction**.

Save your workbook **evidence**. At the next review, try a different case before opening your old answer.

STUDENT LESSON · 17 OF 18

Supported practice, repair and portfolio

> Attempt supported questions before using hints or feedback. Review a missing building

> block, then keep the completed work.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Freeze decisions before the result. A team records its outcome, exclusions and analysis before evaluating a reserved set.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? If the plan changes, mark the change and give its reason.

1. Protect the reserved set

2. Write the rule first

3. Report **deviation**s

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Report **deviation**s If the plan changes, mark the change and give its reason. An **analysis plan** limits flexibility after outcomes are known.

Necessary changes can be transparent, but they should not be silently presented as the original plan.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Exclude two readable cases because the new model fails them. Which conclusion is supported by the supplied facts?

1. That outcome-driven exclusion violates the recorded rule.

2. This one example guarantees correct results for every future **input**.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: That outcome-driven exclusion violates the recorded rule. Model failure is not the predeclared unreadable-file criterion.

Repair a missing building block

Review Privacy and data governance (ai-7/20). Goal: Explain the **mechanism** and terminology of privacy and data governance. Short practice: Point to the analysis table and the restricted identity key.

Why are the codes pseudonymous rather than guaranteed anonymous, and what changes if the key is published?. Return to this week and explain what you changed.

Review Dataset and benchmark limitations (ai-7/18). Goal: Explain the **mechanism** and terminology of dataset and benchmark limitations. Short practice: Report the indoor benchmark with its denominator and missing condition.

After two correct outdoor cases out of four are added, what slice rate is supported and what remains uncertain?. Return to this week and explain what you changed.

Review Multiple comparisons (ai-7/15). Goal: Explain the **mechanism** and terminology of multiple comparisons. Short practice: Calculate the six-test cutoff and identify which supplied p-values reject.

Why must the team count every planned comparison rather than report only its smallest p-value?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.


Drafts stay in this browser when storage is available; clear drafts on a shared device.

STUDENT LESSON · 18 OF 18

Visual concept journey

> Explain each Predefining an analysis plan graphic using its labels, deciding evidence and relevant limitation.

01. Predefining an analysis plan: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

Freeze decisions before the result. A team records its outcome, exclusions and analysis before evaluating a reserved set.

Supplied facts: Plan: compare correct counts on 12 cases; exclude only unreadable files identified before scoring; report all version results.

Point to the given fact that matters most. Explain why it matters.

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Write the rule first: Record the outcome and justified unreadable-file exclusion. → Protect the reserved set: Do not choose exclusions from which cases each model fails. → Report **deviation**s: If the plan changes, mark the change and give its reason.

Point to each numbered stage and explain which recorded **input** it uses.

03. Predefining an analysis plan — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram


Predefining an **analysis plan** — **evidence** trace. Plan includes all20 cases.

After results, the team removes four failed cases because they make the graph look worse. | Declare primary metric, eligible cases, missing handling, baseline, test assumptions and reporting.

Timestamp/version the plan; label later choices exploratory. | The exclusion is outcome-informed and violates the plan. Report original16/20 if16 passed, and label any revised analysis with reasons rather than hiding failures.

> Read the labels and values. Explain the relationship the model shows.

04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: If the plan changes, mark the change and give its reason. Changed condition: Exclude two readable cases because the new model fails them.

Expected result: That outcome-driven exclusion violates the recorded rule. Reason: Model failure is not the predeclared unreadable-file criterion.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

An **analysis plan** limits flexibility after outcomes are known. Necessary changes can be transparent, but they should not be silently presented as the original plan.

Limit: A plan cannot correct poor sampling or guarantee valid assumptions; it makes decisions auditable.

> Explain the case, then point to a limit on the claim.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Draw your **input**, deciding step, result and limit. Supported question: Apply the recorded **exclusion rule**. Can two readable model failures be removed, and how must a necessary later plan change be disclosed?

> Draw your project trace and justify the deciding step using **evidence**.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.