Types of Classification Error

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Transparent Book Recommender

TEACHER GUIDE · 1 OF 9

Types of Classification Error

> Prepare Types of Classification Error: check the target, prerequisites, resources and adaptable teaching schedule.

Teach the learning cycle

Primary target: Build a labelled **confusion matrix** from matched reference and **prediction** pairs

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Case exposure check: this source example appears in ai-2/13, ai-4/15. Reuse a familiar case for recall or modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Accuracy as a Fraction

Without opening the old lesson, explain one key idea from Accuracy as a Fraction. Give an example and a mistake that the idea helps you avoid.

Look for: Explain why overall accuracy can hide failure on a less common class

Reference example, not the only acceptable wording: The **training**-majority rule always predicts clear. Matrix [[16,0],[4,0]] gives 16/20=80 percent, FP=0,FN=4.

It misses all four blocked cases, so the overall score hides complete failure on that evaluated class.

Human Classifier Simulation

Without opening the old lesson, explain one key idea from Human Classifier Simulation. Give an example and a mistake that the idea helps you avoid.

Look for: Construct a classifier with a stated **input** format, selected rule and recorded **output**

Reference example, not the only acceptable wording: Require a present height, unit cm, a whole number and range 1 through 10 inclusive.

For example, 7 cm is accepted; blank is missing, 60 mm has the wrong unit and 11 cm is outside the range. Fractional values such as 4.5 cm also fail.

The contract defines accepted **input**s; it does not list only the **fitting** records or establish **prediction** correctness.

Rows Columns and Data Types

Without opening the old lesson, explain one key idea from Rows Columns and Data Types. Give an example and a mistake that the idea helps you avoid.

Look for: Specify a table schema

Reference example, not the only acceptable wording: activity: nonempty text; minutes: integer from 0 to 60 inclusive.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Positive means 'should recommend'. A book that should be recommended is rejected; a book that should not be recommended is accepted. Name both errors and explain who experiences each consequence.

Concept to explain

Week 13: Types of Classification Error

Term	Meaning
true positive	An actually positive case correctly predicted positive.
true negative	An actually negative case correctly predicted negative.
false positive	An actually negative case predicted positive, under a stated definition of positive.
false negative	An actually positive case predicted negative, under a stated definition of positive.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Alternative compact allocation

> This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach two 45-minute sessions. Start with ID cards and a physical two-by-two table so students count matched pairs before learning abbreviations. Use blocked as positive consistently.

Keep raw counts visible and postpone precision and recall formulas to later weeks.

Readiness answer

IDs preserve which reference belongs to each **prediction** and which examples were wrong. The same accuracy can come from different **prediction**s and error patterns.

Printed lesson and workbook

Eight ID cards carrying the worked reference and **prediction** pairs

Two-by-two sorting mat labelled reference rows and **prediction** columns

Optional Python 3 editor with no packages required

End goal for the pictorial case

By the end, I can construct a **confusion matrix** with declared axes and name both error types.

This added worked case illustrates the week’s main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

Explain the mechanism

> Model Types of Classification Error using the supplied case, labelled mechanism and reasoning. Make the scope of each conclusion explicit.

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.

1. **Evidence** record: TP=4, TN=5, FP=2, FN=1.

2. Correct = TP + TN = 9; all = 12; accuracy = 9/12 = 75%.

3. False alarms = 2; misses = 1.

4. Which error matters more depends on the decision's consequence.

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

The teaching case

Positive means should recommend. Actual/predicted pairs are yes/yes, no/yes, yes/no, no/no.

The teaching case

Name the four outcomes.

Exact explanation to model

Why the result follows

True positive, **false positive**, **false negative**, **true negative**. Define positive before naming errors.

Explain the added worked example

Explain the added worked example · 1

A **confusion matrix** shows which labels a classifier mixes up. It counts examples after **prediction**s are made; it does not fit or repair the classifier.

Week 12 had reference/**prediction** pairs clear/clear, blocked/blocked, clear/blocked. A labelled table can preserve the type of that error as well as the total score.

Explain the added worked example · 2

This week uses eight new fictional evaluation records from a frozen classifier. They are not extra **prediction**s from the Week 12 code. Each ID appears once with a reviewed reference and one **prediction**.

The grouped table below lists every ID. Keep reference and **prediction** paired by ID before counting.

Explain the added worked example · 3

Use reference labels for rows and predicted labels for columns. On both axes the order is clear, then blocked. Declare blocked as the **positive class** and clear as negative.

Positive means the condition of interest, not good or safe. A missed blocked case and a false alarm are different errors.

Explain the added worked example · 4

index maps clear to 0 and blocked to 1. Each paired record adds one to its reference row and **prediction** column. The script prints [[2, 1], [2, 3]] then 5 8. It assumes unique IDs and only these two labels.

Check IDs and missing or unresolved references before counting; the code does not validate all those conditions.

The diagonal cells count correct **prediction**s: 2+3=5. Off-diagonal cells count mistakes: 1+2=3. Every record must contribute exactly once. This is a count matrix, not percentages or probabilities.

Keep the axis labels even when copying the numbers.

Key terms

Term	Meaning
Confusion matrix	A table counting reference and prediction combinations
Positive class	The class chosen as the condition of interest
False positive	A positive prediction when the reference is negative
False negative	A negative prediction when the reference is positive

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Blocked is the positive class

REFERENCE AND PREDICTION	CELL NAME	IDS AND COUNT
clear then clear	True negative TN	V1 V2 count 2
clear then blocked	False positive FP	V3 count 1
blocked then clear	False negative FN	V4 V5 count 2
blocked then blocked	True positive TP	V6 V7 V8 count 3

Read reference first and prediction second. Here a false positive is a false blocked alarm; a false negative is a missed blocked case.

Place V3 and V4 in the matrix. Explain which is a false positive and which is a false negative when blocked is positive.

True means **prediction** agrees with the reference. It does not prove that the reference annotation is infallible. Resolve disputed labels with the documented review policy rather than silently changing them to match **prediction**s.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?

Thinking move	Teacher prompt
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Types of Classification Error

A fictional book-condition checker predicts repair or sound.

The facts we will use

Supplied facts

Use reference rows and **prediction** columns in order sound,repair. Repair is positive.

Supplied facts

Six reference/**prediction** pairs: sound/sound twice; sound/repair once; repair/sound once; repair/repair twice.

AI ACADEMY / AI-2/13

Reference rows, prediction columns

	Predicted sound	Predicted repair
Reference sound	2	1
Reference repair	1	2

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-2/13

Types of Classification Error

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.

1. Declare axes

Rows: reference sound,repair. Columns: predicted sound,repair.

2. Fill sound row

Two true negatives and one false positive: [2,1].

3. Fill repair row

One false negative and two true positives: [1,2].

4. Read result

Matrix [[2,1],[1,2]]: agreement 4/6, repair recall 2/3.

CHANGE ONE THING

Change one repair/sound prediction to repair/repair after a real model revision.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Declare axes	Rows: reference sound,repair. Columns: predicted sound,repair.
2. Fill sound row	Two true negatives and one false positive: [2,1].
3. Fill repair row	One false negative and two true positives: [1,2].
4. Read result	Matrix [[2,1],[1,2]]: agreement 4/6, repair recall 2/3.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Each case enters one cell according to its reference and predicted label. The off-diagonal cells represent different mistakes: a false alarm on a sound book versus a missed repair.

Trace the cell definitions before naming rates; swapping axes changes the table's interpretation even if its diagonal sum remains unchanged.

What this example does not establish

Keep the stated limit

Reference labels can themselves be disputed; a true-positive name does not guarantee the annotation is infallible.

Change one thing in the pictured case

Change one thing

Change: Change one repair/sound **prediction** to repair/repair after a real model revision.

Predicted result

Prediction: Repair row becomes [0,3]; agreement becomes 5/6.

Why the result follows

Reason: One **false negative** moves to **true positive**; the sound row stays [2,1].

Ask while showing the picture

Ask while showing the picture · 5

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

Demonstrate and guide practice

> Demonstrate Types of Classification Error, reduce support deliberately and check individual reasoning before discussing answers.

Board sequence

1. Put the facts on the board

Write the given facts: Positive means should recommend. Actual/predicted pairs are yes/yes, no/yes, yes/no, no/no.

2. State the decision to explain

Write the question to explain: Name the four outcomes.

3. Reveal the worked reasoning

Reveal after **prediction**s: **True positive**, **false positive**, **false negative**, **true negative**. Define positive before naming errors.

Hold back the independent task

Keep for an independent attempt: Positive means sports. A sports book predicted other and a non-sports book predicted sports occur. Name each error and its consequence for the sports shelf.

Classroom dialogue

Ask the class

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Language to model

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided: V3 belongs at reference clear/predicted blocked, FP. V4 belongs at reference blocked/predicted clear, FN. Exit: both have five diagonal matches, but distribute three mistakes differently: FP=1,FN=2 versus FP=0,FN=3.

Report identical evaluation records, axes, label order, **positive class**, totals and task consequences before comparing.

Case-specific teaching sequence

Stage	Teacher action
Session 1 start to 7 minutes	Retrieve the three Week 12 reference/prediction pairs and explain why accuracy loses error detail.
7 to 18 minutes	Sort all eight new ID cards into labelled cells. Complete W1 before showing code output.
18 to 32 minutes	Trace the counting code. Connect each increment to a cell and check the diagonal.

Stage	Teacher action
32 to 45 minutes	Declare blocked positive, read the visual and complete W2 and the guided question.
Session 2 start to 8 minutes	Retrieve row versus column meaning and the positive class without relying on cell position alone.
8 to 20 minutes	Check totals and compare equal-accuracy matrices in W3. Explain the different error tradeoffs.
20 to 35 minutes	Collect W4 independently before support. Require labelled axes, totals and ID-level error explanations.
35 to 45 minutes	Use W5 and the exit question to limit claims. Offer the fresh retry after feedback and record support.

Reduce help deliberately

Completion practice

Completion task: Declare blocked positive. Give TP,TN,FP,FN counts and explain V3 and V4 in plain language. Does positive mean a desirable outcome?

Reasoning to listen for

Teacher check: TP=3, TN=2, FP=1, FN=2. V3 predicts blocked for a reference-clear case, a false alarm or FP. V4 predicts clear for a reference-blocked case, a missed blocked case or FN.

Positive names the chosen class; it does not mean desirable.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Confusion matrices. Proposed explanation: “Positive means good”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

> **Expected repair**
>
> Expected correction: Positive is the chosen condition of interest; blocked is positive in this exercise.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

> Which error causes a sound book to be sent for unnecessary repair review?

Reasoned teacher answer

The sound/repair cell is a **false positive**; there is one in the original matrix.

Changed-case reasoning: Repair row becomes [0,3]; agreement becomes 5/6. One **false negative** moves to **true positive**; the sound row stays [2,1].

Collect each learner’s explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Run the weekly evidence lab

> Run the Types of Classification Error investigation and use the first unsupported step to choose a teaching response.

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Place 12 actual/predicted pairs into a 2×2 grid, total each cell, check the total equals 12, and explain one error cost.

> What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing.

Keep the expected result separate from an observed mistake.

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

Positive means good: Positive is the chosen condition of interest; blocked is positive in this exercise.

A matrix has one universal visual orientation: Check whether rows are references or **prediction**s and inspect class order. Our convention uses reference rows and **prediction** columns.

Zero errors in a cell means no future risk: It is an observed count on one evaluation set. Coverage, sample size and future conditions still matter.

Match the support to the first error

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

Assess and explain the answers

> Use the Types of Classification Error questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

Worked case answer

Teacher key · Worked case answer

True positive, **false positive**, **false negative**, **true negative**. Define positive before naming errors.

Independent question

Independent question · withhold the key

Positive means sports. A sports book predicted other and a non-sports book predicted sports occur. Name each error and its consequence for the sports shelf.

Expected independent answer

Teacher key · Expected independent answer

The first is a **false negative**, a missed sports book. The second is a **false positive**, an incorrect book added to the sports shelf.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “**False positive** and **false negative** describe the same mistake.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

> #### Teacher key · Original transfer answer
>
> The first is a **false negative**: a suitable option is missed. The second is a **false positive**: an unsuitable option is shown. Error costs depend on the task; they cannot be ranked solely from the names.
>
> Keep 'positive' defined throughout the analysis.

Explanations for the additional workbook examples

W1 Build the count matrix

Workbook question · W1

Use all eight worked IDs. Draw a matrix with reference rows and **prediction** columns, both ordered clear then blocked. Place the IDs in cells before writing the counts.

Teacher reasoning · W1

Reference clear/predicted clear contains V1,V2: 2. Clear/blocked contains V3: 1. Blocked/clear contains V4,V5: 2. Blocked/blocked contains V6,V7,V8: 3. Matrix [[2,1],[2,3]].

W2 Explain the two error types

Workbook question · W2

Declare blocked positive. Give TP,TN,FP,FN counts and explain V3 and V4 in plain language. Does positive mean a desirable outcome?

Teacher reasoning · W2

TP=3, TN=2, FP=1, FN=2. V3 predicts blocked for a reference-clear case, a false alarm or FP. V4 predicts clear for a reference-blocked case, a missed blocked case or FN.

Positive names the chosen class; it does not mean desirable.

W3 Audit totals and equal accuracy

Workbook question · W3

Give the worked row totals, column totals, total count and accuracy. Compare its errors with

[[3,0],[3,2]] using the same axes and eight reference records.

Teacher reasoning · W3

Rows total 3,5; columns total 4,4; total 8; accuracy (2+3)/8=5/8=62.5 percent. The comparison matrix also scores 5/8, but has FP=0 and FN=3 rather than FP=1 and FN=2. Same accuracy can hide different error types.

W4 Count a fresh evaluation independently

Workbook question · W4

Each pair below is reference then **prediction**: R1 clear/clear, R2 clear/blocked, R3 clear/blocked, R4 blocked/blocked, R5 blocked/clear, R6 blocked/blocked. Use clear then blocked on both axes and reference rows.

Build the matrix, give row and column totals, name TP,TN,FP,FN with blocked positive, and calculate accuracy.

Teacher reasoning · W4

Matrix [[1,2],[1,2]]. Row totals 3,3; column totals 2,4; total 6. TP=2,TN=1,FP=2,FN=1. Accuracy (1+2)/6=3/6=50 percent. False alarms are R2,R3; the missed blocked case is R5.

W5 Interpret a zero count carefully

Workbook question · W5

A report gives zero **false positive**s but omits the evaluated sample size, axes and class definitions. What information is missing, and why does zero not prove that future false alarms are impossible?

Teacher reasoning · W5

Request split and sample size, labelled reference/**prediction** axes, class order and positive-class definition, plus the remaining counts.

Zero describes only the observed evaluation cases; limited coverage or few negative cases may hide future errors. It is not a guarantee.

Assess independent transfer

Independent question · withhold the key

Selected case: Each pair below is reference then **prediction**: R1 clear/clear, R2 clear/blocked, R3 clear/blocked, R4 blocked/blocked, R5 blocked/clear, R6 blocked/blocked. Use clear then blocked on both axes and reference rows.

Build the matrix, give row and column totals, name TP,TN,FP,FN with blocked positive, and calculate accuracy.

Selected case answer

Teacher key · Selected case answer

Matrix [[1,2],[1,2]]. Row totals 3,3; column totals 2,4; total 6. TP=2,TN=1,FP=2,FN=1. Accuracy (1+2)/6=3/6=50 percent. False alarms are R2,R3; the missed blocked case is R5.

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

Connect and extend learning

> Connect Types of Classification Error to Transparent Book Recommender, adapt support and plan a later changed-case check.

Transparent Book Recommender

Separate recommending an unsuitable book from failing to surface a suitable one.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 14: Decision Trees. Retrieve today's **evidence** and identify what carries forward and what is new.

Support and fresh reassessment

Give a blank labelled matrix and move one ID card at a time. Ask for reference first, **prediction** second before naming a cell. Extension: declare clear positive without changing the worked records.

Then TP=2,TN=3,FP=2,FN=1; explain why the original matrix counts and accuracy remain unchanged if axis order stays clear then blocked.

Require W4 [[1,2],[1,2]], row totals 3,3, column totals 2,4, TP=2,TN=1,FP=2,FN=1 and accuracy 3/6. Fresh retry: S1 blocked/blocked, S2 blocked/clear, S3 clear/clear, S4 clear/clear, S5 clear/blocked, always reference first.

Matrix [[2,1],[1,1]], rows 3,2, columns 3,2, TP=1,TN=2,FP=1,FN=1, accuracy 3/5. Require labelled axes and blocked positive before accepting abbreviations.

Week 14 covers accuracy and class imbalance. Carry forward row totals, class definitions and the full **confusion matrix**.

Teacher reference: https://scikit-learn.org/stable/modules/generated/sklearn.metrics.confusion_matrix.html (reference rows, **prediction** columns and label order; reviewed 2026-09-28).

Plan the delayed return

Suggested return points in this level: ai-2/14, ai-2/16, ai-2/19. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Use a confusion table when evaluating recommender category **prediction**s and attach concrete consequences to each error.

Prepare, teach and assess

> Use this preparation summary alongside the detailed Types of Classification Error lesson; it is a checklist rather than a replacement for the full sequence.

Teaching target

Teaching target: Build a labelled **confusion matrix** from matched reference and **prediction** pairs

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Declare blocked positive. Give TP,TN,FP,FN counts and explain V3 and V4 in plain language. Does positive mean a desirable outcome?

Supported practice answer

Reasoned practice answer: TP=3, TN=2, FP=1, FN=2. V3 predicts blocked for a reference-clear case, a false alarm or FP. V4 predicts clear for a reference-blocked case, a missed blocked case or FN.

Positive names the chosen class; it does not mean desirable.

Check every learner before discussion: Use the worked case for Confusion matrices. Proposed explanation: “Positive means good”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Repair the misconception

Misconception repair: Positive is the chosen condition of interest; blocked is positive in this exercise.

Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extend the reasoning

Extension: Change one repair/sound **prediction** to repair/repair after a real model revision. Require a **prediction** and a reason before comparing. Expected result: Repair row becomes [0,3]; agreement becomes 5/6.

Reason: One **false negative** moves to **true positive**; the sound row stays [2,1].

Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint

Project checkpoint: Test changed cases. Keep normal, boundary and failure cases; compare expected and observed results.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

TEACHER GUIDE · 8 OF 9

Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.


Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

Visual concept journey

> Show one Types of Classification Error graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Types of Classification Error: the case



Follow the labelled picture with the matching explanation. Open the vector diagram

A fictional book-condition checker predicts repair or sound. Supplied facts: Use reference rows and **prediction** columns in order sound,repair. Repair is positive.


Six reference/**prediction** pairs: sound/sound twice; sound/repair once; repair/sound once; repair/repair twice.

Point to the given fact that matters most. Explain why it matters.

Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Declare axes: Rows: reference sound,repair.


Columns: predicted sound,repair. → Fill sound row: Two **true negative**s and one **false positive**: [2,1]. → Fill repair row: One **false negative** and two **true positive**s: [1,2]. → Read result: Matrix [[2,1],[1,2]]: agreement 4/6, repair recall 2/3.

> Point to each numbered stage and explain which recorded **input** it uses.

Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Reference rows, prediction columns



Follow the labelled picture with the matching explanation. Open the vector diagram

Reference rows, **prediction** columns. Reference sound: Predicted sound = 2, Predicted repair = 1. Reference repair: Predicted sound = 1, Predicted repair = 2.


Read the labels and values. Explain the relationship the model shows.

Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Check row/column meanings, units and denominators before discussing a difference. Supplied toy values are not real class or model results.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Matrix [[2,1],[1,2]]: agreement 4/6, repair recall 2/3. Changed condition: Change one repair/sound **prediction** to repair/repair after a real model revision.

Expected result: Repair row becomes [0,3]; agreement becomes 5/6. Reason: One **false negative** moves to **true positive**; the sound row stays [2,1].


Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: One **false negative** moves to **true positive**; the sound row stays [2,1].

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Each case enters one cell according to its reference and predicted label. The off-diagonal cells represent different mistakes: a false alarm on a sound book versus a missed repair.

Trace the cell definitions before naming rates; swapping axes changes the table’s interpretation even if its diagonal sum remains unchanged.

Limit: Reference labels can themselves be disputed; a true-positive name does not guarantee the annotation is infallible.


Explain the case, then point to a limit on the claim.

Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: Reference labels can themselves be disputed; a true-positive name does not guarantee the annotation is infallible.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

Use a confusion table when evaluating recommender category **prediction**s and attach concrete consequences to each error. Draw your **input**, deciding step, result and limit.

Supported question: Which error causes a sound book to be sent for unnecessary repair review?

> Draw your project trace and justify the deciding step using **evidence**.

Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

> Supported practice key: The sound/repair cell is a **false positive**; there is one in the original matrix.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.