Overfitting Intuition

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Transparent Book Recommender

TEACHER GUIDE · 1 OF 9

Overfitting Intuition

> Prepare Overfitting Intuition: check the target, prerequisites, resources and adaptable teaching schedule.

Teach the learning cycle

Primary target: Compare **training** and validation **evidence** for model **capacity**

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Case exposure check: this source example appears in ai-2/16, ai-4/27, ai-4/30. Reuse a familiar case for recall or modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Choose Informative Questions

Without opening the old lesson, explain one key idea from Choose Informative Questions. Give an example and a mistake that the idea helps you avoid.

Look for: Fit a root question and leaf **prediction**s from **training** examples

Reference example, not the only acceptable wording: The root asks near, with branches 0 and 1. Leaves predict clear for 0 and blocked for 1. Depth is one.

Training labels determined both leaf majorities and the error comparison that selected near rather than tall.

Types of Classification Error

Without opening the old lesson, explain one key idea from Types of Classification Error. Give an example and a mistake that the idea helps you avoid.

Look for: Build a labelled confusion matrix from matched reference and **prediction** pairs

Reference example, not the only acceptable wording: Reference clear/predicted clear contains V1,V2: 2. Clear/blocked contains V3: 1. Blocked/clear contains V4,V5: 2. Blocked/blocked contains V6,V7,V8: 3. Matrix [[2,1],[2,3]].

Human Classifier Simulation

Without opening the old lesson, explain one key idea from Human Classifier Simulation. Give an example and a mistake that the idea helps you avoid.

Look for: Construct a classifier with a stated **input** format, selected rule and recorded **output**

Reference example, not the only acceptable wording: Require a present height, unit cm, a whole number and range 1 through 10 inclusive.

For example, 7 cm is accepted; blank is missing, 60 mm has the wrong unit and 11 cm is outside the range. Fractional values such as 4.5 cm also fail.

The contract defines accepted **input**s; it does not list only the **fitting** records or establish **prediction** correctness.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

> Rule A memorises eight **training** IDs and gets 8/8 **training**, 2/8 validation. Rule B uses genre and gets 6/8 **training**, 6/8 validation. Which is preferable on this **evidence**, and what test remains?

Concept to explain

A rule that memorizes examples may fail on new cases.

Term	Meaning
overfitting	Adapting too closely to development examples so performance does not transfer well to new relevant cases.
generalize	Perform usefully on new relevant cases beyond those used to develop a system.
complexity	The amount of structure, work or resources a method requires, measured in a stated way.
exception	A condition that requires handling outside the usual path.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Alternative compact allocation

> This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach two 45-minute sessions. This week focuses on **overfitting** and model **capacity**. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer.

Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Readiness answer

No; it may fit peculiarities of the **training** sample.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank **evidence** table

Saved classroom project records for critique; no personal student dataset required

End goal for the pictorial case

By the end, I can use development performance rather than **training** fit alone to choose model **complexity**.

This added worked case illustrates the week’s main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

TEACHER GUIDE · 2 OF 9

Explain the mechanism

> Model Overfitting Intuition using the supplied case, labelled mechanism and reasoning. Make the scope of each conclusion explicit.

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.

1. Simple rule: difficulty ≤ reader level + 1.

2. Memorized rule: seven title-specific **exception**s.

3. Both fit the seen books; only new books reveal **generalization**.

4. Prefer the simplest rule that performs well on fair validation cases.

Recalculate, retrace, or restate the reasoning in your own representation:

> CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

> ### The teaching case
>
> Rule A memorises six **training** book names. It scores 6/6 familiar and 2/6 new. Rule B uses relevant traits but is untested.

> What does the **evidence** support?

Exact explanation to model

> ### Why the result follows
>
> A shows weak transfer. B might generalise better but requires testing; simplicity is not proof.

Explain the added worked example

Explain the added worked example · 1

A more flexible model can represent complicated relationships and accidental details. **Capacity** can help when there is enough relevant **evidence**, but perfect **training** performance is not the goal.

Compare **training** and validation using the same metric while checking leakage and representativeness.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason.

Earlier weeks supplied the model-building **process**; this week examines **overfitting** and model **capacity**.

Explain the added worked example · 2

On the same regression split, a constant has **training** MAE 5 and validation 6, a line has **training** 2 and validation 3, and a highly flexible curve has **training** 0 and validation 8. Under smallest validation MAE, choose the line.

The curve has the lowest **training** loss but the worst validation result.

Before continuing, underline the decision rule and circle the **evidence** that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim.

Keep the distinction between an observed result and a proposed next step.

Key terms

Term	Meaning
Capacity	Flexibility of a model to represent patterns
Overfitting	Learning details that fail to generalize well
Underfitting	Failing to capture useful structure
Generalization	Performance on relevant unseen examples

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Overfitting and model capacity at a glance

PART	EVIDENCE OR ACTION	INTERPRETATION
Constant	Training 5	Validation 6
Line	Training 2	Validation 3
Flexible curve	Training 0	Validation 8

The curve result is consistent with overfitting, but a gap alone does not prove its cause. A changed population, bad labels or a split error could also produce a gap. Inspect the procedure before claiming a diagnosis. The constant may miss useful structure, but these numbers alone do not identify the true relationship.

Does a training-validation gap alone prove overfitting? Explain the steps or evidence behind your response.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Overfitting Intuition

A fictional project compares three book-length **prediction** models on the same development sets.

The facts we will use

> **Supplied facts**
>
> Mean absolute errors in pages: Simple **training** 5, validation 6; Medium **training** 2, validation 3; Complex **training** 0, validation 7.

> **Supplied facts**
>
> Select lowest validation error; untouched final tests are not used for selection.

AI ACADEMY / AI-2/16

Training and validation errors

	Training MAE pages	Validation MAE pages
Simple	5	6
Medium	2	3
Complex	0	7

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-2/16

Overfitting Intuition

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Training comparison

Complex fits training perfectly with zero error.



2. Validation comparison

Medium has error 3, versus Simple 6 and Complex 7.



3. Choose for development

Select Medium under the declared lowest-validation-error rule.



4. Final evaluation

Freeze the selection, then evaluate new reserved cases.

CHANGE ONE THING

Complex's validation error becomes 2 on a newly documented, fair development comparison.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Training comparison	Complex fits training perfectly with zero error.
2. Validation comparison	Medium has error 3, versus Simple 6 and Complex 7.
3. Choose for development	Select Medium under the declared lowest-validation-error rule.
4. Final evaluation	Freeze the selection, then evaluate new reserved cases.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

A flexible model can fit quirks of its **training** set without predicting new examples well. Here Complex's **training** success occur togethers with the worst validation error.

The numbers are invented comparisons, not a claim that **complexity** always hurts. Choosing Medium uses development **evidence**; its validation score must not be advertised as an untouched final-test result.

What this example does not establish

Keep the stated limit

A single small validation set may be noisy; selection **evidence** does not prove future population performance.

Change one thing in the pictured case

Change one thing

Change: Complex's validation error becomes 2 on a newly documented, fair development comparison.

Predicted result

Prediction: The stated rule now selects Complex.

Why the result follows

Reason: The rule compares validation errors; it does not ban complex models.

Ask while showing the picture

Ask while showing the picture · 3

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

Demonstrate and guide practice

> Demonstrate Overfitting Intuition, reduce support deliberately and check individual reasoning before discussing answers.

Board sequence

1. Put the facts on the board

Write the given facts: Rule A memorises six **training** book names. It scores 6/6 familiar and 2/6 new. Rule B uses relevant traits but is untested.

2. State the decision to explain

Write the question to explain: What does the **evidence** support?

3. Reveal the worked reasoning

Reveal after **prediction**s: A shows weak transfer. B might generalise better but requires testing; simplicity is not proof.

Hold back the independent task

Keep for an independent attempt: Rule A memorises six **training** book IDs. Rule B uses a relevant topic feature. Why might A fail on a new ID? What test is needed?

Classroom dialogue

Ask the class

Ask: Which facts are given, and which would we have to assume? Learners mark relevant

details before discussing answers.

Language to model

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided response: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

Exit response: Check data provenance, split grouping, label quality and repeated development results; inspect representative residuals without using final test feedback to tune.

Case-specific teaching sequence

Stage · Teacher action

Stage: Session 1 start to 7 minutes

Teacher action: Use the prerequisite question: Can a zero training error guarantee good validation performance? Check the explanation before proceeding.

Stage: 7 to 18 minutes

Teacher action: Read the opening and model the worked evidence. Ask students to identify capacity in context.

Stage: 18 to 32 minutes

Teacher action: Complete W 1 and W 2 with support: select from evidence; interpret a gap. Require the evidence, not only the final response.

Stage: 32 to 45 minutes

Teacher action: Read the visual row by row. Collect the guided explanation and compare reasoning in pairs. Connect each conclusion to the stated evidence.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the distinction between capacity and overfitting. Invite a counterexample to an overconfident claim.

Stage: 8 to 20 minutes

Teacher action: Discuss the application and complete W 3: Describe one fair next development comparison.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently before giving hints. Assess these outcomes: Compare training and validation evidence for model capacity; Explain overfitting without assuming every gap proves it. Record any support used.

Stage: 35 to 45 minutes

Teacher action: Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Reduce help deliberately

Completion practice

Completion task: Does a **training**-validation gap alone prove **overfitting**?

Reasoning to listen for

Teacher check: Teacher explanation: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for **Overfitting** and model **capacity**. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Expected repair

Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Does zero **training** error justify choosing Complex in the original record?

Reasoned teacher answer

No. The declared criterion is validation error; Medium's 3 is lowest, while Complex's validation error is 7.

Changed-case reasoning: The stated rule now selects Complex. The rule compares validation errors; it does not ban complex models.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

TEACHER GUIDE · 4 OF 9

Run the weekly evidence lab

> Run the Overfitting Intuition investigation and use the first unsupported step to choose a teaching response.

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Compare simple and **exception**-heavy rules on **training** cards, then on sealed new cards. Count where performance changes and explain why.

> What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing.

Keep the expected result separate from an observed mistake.

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

A stronger claim makes a stronger project: Check data provenance, split grouping, label quality and repeated development results; inspect representative residuals without using final test feedback to tune.

The new case can be copied from the example: The independent task changes the **evidence**. Require a fresh explanation: B wins the validation tie by the declared simplicity rule.

C is not selected merely for its zero **training** error.

Match the support to the first error

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

Assess and explain the answers

> Use the Overfitting Intuition questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

Worked case answer

Teacher key · Worked case answer

A shows weak transfer. B might generalise better but requires testing; simplicity is not proof.

Independent question

Independent question · withhold the key

Rule A memorises six **training** book IDs. Rule B uses a relevant topic feature. Why might A fail on a new ID? What test is needed?

Expected independent answer

Teacher key · Expected independent answer

A has no learned relationship for the new ID beyond memorised records. Test both on unseen books with correct labels; B's relevance is promising but does not guarantee success.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “Perfect **training** results guarantee unseen performance.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Teacher key · Original transfer answer

B has better validation performance and is the stronger candidate here. A's large gap suggests poor transfer.

Evaluate the selected rule on fresh final cases; neither simplicity nor one small validation set proves universal superiority.

Explanations for the additional workbook examples

W1 Select from evidence

Workbook question · W1

Choose among the three worked candidates and explain the **training** trap.

Teacher reasoning · W1

Teacher explanation: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

W2 Interpret a gap

Workbook question · W2

Does a **training**-validation gap alone prove **overfitting**?

Teacher reasoning · W2

Teacher explanation: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

W3 Propose a controlled change

Workbook question · W3

Describe one fair next development comparison.

Teacher reasoning · W3

Teacher explanation: Compare a simpler curve against the current curve on the same validation rows, retaining the same metric and **training**-only **fitting**; log the change.

W4 Apply independently

Workbook question · W4

Models A **training** 4 validation 5, B **training** 1 validation 2, C **training** 0 validation 2. Lowest validation MAE then simpler; B is simpler than C. Choose and justify.

Teacher reasoning · W4

Teacher explanation: B wins the validation tie by the declared simplicity rule. C is not selected merely for its zero **training** error.

W5 Limit a diagnosis

Workbook question · W5

What extra **evidence** would you inspect before concluding a model memorized noise?

Teacher reasoning · W5

Teacher explanation: Check data provenance, split grouping, label quality and repeated development results; inspect representative residuals without using final test feedback to tune.

Assess independent transfer

Independent question · withhold the key

Selected case: Models A **training** 4 validation 5, B **training** 1 validation 2, C **training** 0 validation 2. Lowest validation MAE then simpler; B is simpler than C. Choose and justify.

Selected case answer

Teacher key · Selected case answer

Teacher explanation: B wins the validation tie by the declared simplicity rule. C is not selected merely for its zero **training** error.

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

Connect and extend learning

> Connect Overfitting Intuition to Transparent Book Recommender, adapt support and plan a later changed-case check.

Transparent Book Recommender

Avoid title-by-title patches; improve features or thresholds that transfer.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Support and stretch

Trace one record or condition at a time with counters and labelled columns. Stretch: introduce a tie, boundary or missing field and declare its handling policy before rerunning.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 17: Noise and Outliers. Retrieve today's **evidence** and identify what carries forward and what is new.

Support and fresh reassessment

Provide a blank **evidence** table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use **capacity** and **overfitting** in full sentences.

Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: B wins the validation tie by the declared simplicity rule. C is not selected merely for its zero **training** error.

Fresh retry **training**/validation D 3/4 E 0/7 F 2/3: choose F under lowest validation loss. Explain why E is not automatically best. Mark each criterion as independent, supported or not yet demonstrated.

Reassess the reasoning after feedback; do not replace the first attempt silently.

Next week: Learning curves and variability. Carry forward the saved **evidence** and the distinction between development choices and justified claims.

Plan the delayed return

Suggested return points in this level: ai-2/17, ai-2/19, ai-2/22. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

Compare recommender revisions on fixed development cases, reserving new cases for the final presentation.

Prepare, teach and assess

> Use this preparation summary alongside the detailed Overfitting Intuition lesson; it is a checklist rather than a replacement for the full sequence.

Teaching target

Teaching target: Compare **training** and validation **evidence** for model **capacity**

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Does a **training**-validation gap alone prove **overfitting**?

Supported practice answer

Reasoned practice answer: Teacher explanation: No. It is consistent with **overfitting** but may also reflect shift, data quality or split problems.

Check every learner before discussion: Use the worked case for **Overfitting** and model **capacity**. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Repair the misconception

Misconception repair: Ask for the relevant counts, units, procedure or saved record. For this week: Choose the line with validation MAE 3. The curve **training** MAE 0 does not compensate for validation MAE 8.

Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extend the reasoning

Extension: Complex's validation error becomes 2 on a newly documented, fair development comparison. Require a **prediction** and a reason before comparing. Expected result: The stated rule now selects Complex.

Reason: The rule compares validation errors; it does not ban complex models.

Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately

Criterion	Not yet	With support	Independent
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint

Project checkpoint: Test changed cases. Keep normal, boundary and failure cases; compare expected and observed results.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

For later coding lessons

> This week has no code block. Use this routine when a later lesson includes an executable lab.

> Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.


Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

Visual concept journey

> Show one Overfitting Intuition graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Overfitting Intuition: the case



Follow the labelled picture with the matching explanation. Open the vector diagram

A fictional project compares three book-length **prediction** models on the same development sets.

Supplied facts: Mean absolute errors in pages: Simple **training** 5, validation 6; Medium **training** 2, validation 3; Complex **training** 0, validation 7.


Select lowest validation error; untouched final tests are not used for selection.

Point to the given fact that matters most. Explain why it matters.

Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram


Training comparison: Complex fits **training** perfectly with zero error. → Validation comparison: Medium has error 3, versus Simple 6 and Complex 7. → Choose for development: Select Medium under the declared lowest-validation-error rule. → Final evaluation: Freeze the selection, then evaluate new reserved cases.

> Point to each numbered stage and explain which recorded **input** it uses.

Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Training and validation errors



Follow the labelled picture with the matching explanation. Open the vector diagram

Training and validation errors. Simple: **Training** MAE pages = 5, Validation MAE pages = 6. Medium: **Training** MAE pages = 2, Validation MAE pages = 3. Complex: **Training** MAE pages = 0, Validation MAE pages = 7.


Read the labels and values. Explain the relationship the model shows.

Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Check row/column meanings, units and denominators before discussing a difference. Supplied toy values are not real class or model results.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Freeze the selection, then evaluate new reserved cases. Changed condition: Complex's validation error becomes 2 on a newly documented, fair development comparison.

Expected result: The stated rule now selects Complex. Reason: The rule compares validation errors; it does not ban complex models.


Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: The rule compares validation errors; it does not ban complex models.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A flexible model can fit quirks of its **training** set without predicting new examples well. Here Complex's **training** success occur togethers with the worst validation error.

The numbers are invented comparisons, not a claim that **complexity** always hurts. Choosing Medium uses development **evidence**; its validation score must not be advertised as an untouched final-test result.

Limit: A single small validation set may be noisy; selection **evidence** does not prove future population performance.


Explain the case, then point to a limit on the claim.

Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: A single small validation set may be noisy; selection **evidence** does not prove future population performance.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

Compare recommender revisions on fixed development cases, reserving new cases for the final presentation. Draw your **input**, deciding step, result and limit.

Supported question: Does zero **training** error justify choosing Complex in the original record?

Draw your project trace and justify the deciding step using **evidence**.

Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: No. The declared criterion is validation error; Medium’s 3 is lowest, while Complex’s validation error is 7.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.