Prototype a Grounded Assistant

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Verified Study Buddy

Prototype a Grounded Assistant

> Prepare Prototype a Grounded Assistant: check the target, prerequisites, resources and adaptable teaching schedule.

Teach the learning cycle

Primary target: Explain the **mechanism** and terminology of capstone grounded assistant

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Case exposure check: this source example appears in ai-3/24, ai-3/34. Reuse a familiar case for recall or modelling; verify that the case used to assess transfer has not already received feedback.

Retrieval answer guidance

Block to Python Bridge

Without opening the old lesson, explain one key idea from Block to Python Bridge. Give an example and a mistake that the idea helps you avoid.

Look for: Translate a short paper calculation into a Python script

Reference example, not the only acceptable wording: packs = 4; per_pack = 6; total = packs * per_pack; print(total), each on its own line. The first two bind quantities, the third computes 24 and the fourth displays 24.

Assignment alone produces no displayed **output** in this script.

Tools and APIs

Without opening the old lesson, explain one key idea from Tools and APIs. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of tools and api contracts

Reference example, not the only acceptable wording: Teacher explanation: Tools expose structured operations with **input** and **output** contracts.

Generating a tool call is a proposal; validation and authorisation decide whether it executes. For lookup_room accept exactly room_id as a nonempty string; return found plus capacity or a not-found result. It is read-only.

Reject unknown arguments and do not replace missing values with invented facts.

Retrieval Augmented Generation

Without opening the old lesson, explain one key idea from Retrieval Augmented Generation. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of building a grounded answer

Reference example, not the only acceptable wording: Teacher explanation: A grounded answer connects each factual claim to **evidence** actually retrieved for the task.

Retrieval success does not automatically make generation faithful. Build a claim-**evidence** table before final wording.

Preserve source versions and qualifiers, omit unsupported claims or explicitly state the gap, then validate the answer against the table.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Build a paper assistant from notes A='Roots take up water' and B='Leaves use light'. Answer 'Which part takes up water?' and 'How tall is this plant?' with references or **fallback**.

Concept to explain

Week 24: **Prototype** a Grounded Assistant

Term	Meaning
prototype	An early working or simulated version used to test assumptions about a design.
end-to-end	Covering the entire process from original input to final output.
grounding	Connecting an answer or action to specified evidence or observations.

Term	Meaning
fallback	A predefined alternative action used when the usual path cannot be completed reliably.

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Alternative compact allocation

> This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Two 45-minute sessions. Build the assistant as a sequence of testable stages: validate request, retrieve authorised **evidence**, decide answerability, draft, validate and return. Avoid merging all errors into one model score.

Use the supplied constructed scenarios to make the **mechanism** inspectable. Collect W4 before sharing solutions.

Students should name intermediate **evidence** and limitations; classroom pacing and learning effectiveness remain unvalidated.

Readiness answer

A result depends on the **input**s, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from **prediction**s or unmeasured conditions.

If the prior concept cannot be explained, use a short retrieval activity before this chapter.

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

End goal for the pictorial case

By the end, I can explain **prototype** a grounded assistant using a traced example and a stated limitation.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

Explain the mechanism

> Model Prototype a Grounded Assistant using the supplied case, labelled mechanism and reasoning. Make the scope of each conclusion explicit.

Input → Process → Output

Trace the information. At each stage, ask what changed and how you could test it.

Which stage could fail even when the other two are correct? Explain:

Predict first. Then check each step. A correct answer without visible reasoning is incomplete **evidence**.

1. **Input**: learner question plus selected course notes.

2. Retrieve and choose a relevant passage.

3. Generate structured answer and citation; validate fields and support.

4. Missing **evidence** triggers ask-more or ‘not found in sources.’

Recalculate, retrace, or restate the reasoning in your own representation:

CHECK Did the **evidence** answer the exact question? Did the total, path, or source record stay consistent?

Concrete teaching case

The teaching case

Approved notes say plants need light and roots take up water. Ask how roots help.

The teaching case

Specify the minimum grounded path.

Exact explanation to model

Why the result follows

Retrieve the roots note, answer that roots take up water and reference it. Validate support and avoid unrelated claims.

Explain the added worked example

Build the assistant as a sequence of testable stages: validate request, retrieve authorised **evidence**, decide answerability, draft, validate and return. Avoid merging all errors into one model score.

Explain the added worked example · 1

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

A supported response requires current matching approval and register records. Any retrieval or validation failure gives needs_review with null claims. The classroom implementation performs no booking or external action.

Explain the added worked example · 2

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

Key terms

Term	Meaning
Pipeline stage	One operation with defined inputs and failure handling
Answerability gate	A check for sufficient evidence before answering
Semantic validator	A check that claims match task evidence

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Request room B; retrieved approval names B but register names C. Draft gives capacity 10 from C.

Same-room support fails before or during semantic validation. Return needs_review with null claims; the draft capacity is unsupported for B.

Model the reasoning aloud · 3

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Prototype a Grounded Assistant

Build a minimal grounded study answer with checks between retrieval and display.

The facts we will use

> Source PL2: seedlings need water. Source PL3: this activity checks soil daily. Question: what does this activity check daily?

Supplied facts

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-3/24

Prototype a Grounded Assistant

Start with the supplied facts
Follow each arrow. Ask which fact allows the next step.

1. Retrieve evidence

PL3 directly supports the daily soil-check claim; PL2 supplies a different fact.

2. Match question

Choose the activity's soil check, not a general watering recommendation.

3. Validate draft

Display "This activity checks soil daily [PL3]"; reject an invented twice-daily watering schedule.

CHANGE ONE THING
PL3 is absent while PL2 remains.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Retrieve evidence	PL3 directly supports the daily soil-check claim; PL2 supplies a different fact.
2. Match question	Choose the activity's soil check, not a general watering recommendation.
3. Validate draft	Display "This activity checks soil daily [PL3]"; reject an invented twice-daily watering schedule.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Read the picture in order. Display "This activity checks soil daily [PL3]"; reject an invented twice-daily watering schedule. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Keep the stated limit

A grounded **prototype** still needs an evaluation set and permission checks before anyone relies on it.

Change one thing in the pictured case

Change one thing

Change: PL3 is absent while PL2 remains.

Predicted result

Prediction: Explain that the daily check is not specified in the available source.

Why the result follows

Reason: The remaining general water fact does not establish this activity's schedule.

Ask while showing the picture

Ask while showing the picture · 4

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

Demonstrate and guide practice

> Demonstrate Prototype a Grounded Assistant, reduce support deliberately and check individual reasoning before discussing answers.

Board sequence

1. Put the facts on the board

Write the given facts: Approved notes say plants need light and roots take up water. Ask how roots help.

2. State the decision to explain

Write the question to explain: Specify the minimum grounded path.

3. Reveal the worked reasoning

Reveal after **prediction**s: Retrieve the roots note, answer that roots take up water and reference it. Validate support and avoid unrelated claims.

Hold back the independent task

Keep for an independent attempt: A study assistant has a supplied passage about roots. A user asks a question about planets. What should the **prototype** do within a passage-only boundary?

Classroom dialogue

Ask the class

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Language to model

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided: Same-room support fails before or during semantic validation. Return needs_review with null claims; the draft capacity is unsupported for B.

Qualification: A correct happy path does not establish **fallback**, access control or side-effect safety.

Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the **mechanism**; reject a claim resting on unmeasured **evidence**.

Case-specific teaching sequence

Stage	Teacher action
Session 1: 0–7 minutes	Retrieve the prerequisite; identify the input, procedure and evidence source.
7–18 minutes	Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation.

Stage	Teacher action
18–32 minutes	Trace the declared procedure and worked case. Complete W2, recording intermediate steps.
32–45 minutes	Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations.
Session 2: 0–8 minutes	Retrieve the worked reasoning and collect the guided response before discussing it.
8–20 minutes	Compare a proposed boundary variant with the original case; identify what remains fixed.
20–35 minutes	Collect W4 independently. Require the procedure trace and the bounded conclusion.
35–45 minutes	Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts.

Reduce help deliberately

Completion practice

Completion task: Request room B; retrieved approval names B but register names C. Draft gives capacity 10 from C. Show the intermediate steps and give the conclusion with its scope.

Reasoning to listen for

Teacher check: Teacher explanation: Same-room support fails before or during semantic validation. Return needs_review with null claims; the draft capacity is unsupported for B.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Capstone grounded assistant. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

> #### Expected repair
>
> Expected correction: A correct happy path does not establish **fallback**, access control or side-effect safety.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Can PL2 alone support “check the soil daily”? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Reasoned teacher answer

No. PL2 says seedlings need water and does not give the checking schedule; the assistant should report the gap. Changed-case check: Explain that the daily check is not specified in the available source.

The remaining general water fact does not establish this activity’s schedule.

Changed-case reasoning: Explain that the daily check is not specified in the available source. The remaining general water fact does not establish this activity’s schedule.

Collect each learner’s explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Run the weekly evidence lab

> Run the Prototype a Grounded Assistant investigation and use the first unsupported step to choose a teaching response.

Words You Can Use to Reason

A definition matters when you can recognize the idea, use it, and contrast it with a near-miss.

Predict → Test → Record → Explain

Keep expected and actual results separate. Surprises are useful data when recorded honestly.

Build one full path, then test normal, ambiguous, missing-source, and malformed-**output** cases; record stage failures.

> What did the hardest test teach you that the normal test did not?

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing.

Keep the expected result separate from an observed mistake.

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome

Record	What to capture
Next test	One justified change and a new prediction

Diagnose and reteach

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

The worked result establishes every future case: A correct happy path does not establish **fallback**, access control or side-effect safety.

A missing **input** may be replaced without recording the change: A replacement changes the **evidence** or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent **evidence**: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Match the support to the first error

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

Assess and explain the answers

> Use the Prototype a Grounded Assistant questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

Worked case answer

Teacher key · Worked case answer

Retrieve the roots note, answer that roots take up water and reference it. Validate support and avoid unrelated claims.

Independent question

Independent question · withhold the key

A study assistant has a supplied passage about roots. A user asks a question about planets. What should the **prototype** do within a passage-only boundary?

Expected independent answer

Teacher key · Expected independent answer

Say the supplied material does not answer the question and ask for an appropriate passage.

It should not present an unsupported answer as grounded.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “A grounded assistant must answer every question whether sources cover it or not.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Teacher key · Original transfer answer

The first answer is roots, citing A. The second is not established by either note, so state insufficient **evidence**.

Log retrieved IDs separately from the final answer so an incorrect response can be traced to retrieval or generation.

Explanations for the additional workbook examples

W1 Explain the mechanism

Workbook question · W1

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

Teacher reasoning · W1

Teacher explanation: Build the assistant as a sequence of testable stages: validate request, retrieve authorised **evidence**, decide answerability, draft, validate and return. Avoid merging all errors into one model score.

A supported response requires current matching approval and register records. Any retrieval or validation failure gives needs_review with null claims. The classroom implementation performs no booking or external action.

W2 Trace the worked case

Workbook question · W2

Request room B; retrieved approval names B but register names C. Draft gives capacity 10 from C. Show the intermediate steps and give the conclusion with its scope.

Teacher reasoning · W2

Teacher explanation: Same-room support fails before or during semantic validation. Return needs_review with null claims; the draft capacity is unsupported for B.

W3 Audit the limit

Workbook question · W3

A report omits this qualification: A correct happy path does not establish **fallback**, access control or side-effect safety. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

Teacher reasoning · W3

Teacher explanation: A correct happy path does not establish **fallback**, access control or side-effect safety.

State the observed result separately from the unverified or out-of-scope claim; preserve the original **evidence** rather than inventing a missing fact.

W4 Apply a new case independently

Workbook question · W4

Request room J; approval and register both J capacity 0. Draft is well-formed with J/0 and correct sources. Trace stages and distinguish zero from missing.

Teacher reasoning · W4

Teacher explanation: Request valid, **evidence** matches, answerability true, schema and semantic checks pass; supported J capacity 0. Do not convert legitimate zero to missing.

W5 Design a revealing follow-up

Workbook question · W5

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

Teacher reasoning · W5

Teacher explanation: Accept a concrete variant of the worked **input** or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure.

Require preserved settings, original **output**s and data roles. A correct happy path does not establish **fallback**, access control or side-effect safety.

The new case should test this particular **mechanism** rather than merely restate the original result.

Assess independent transfer

Independent question · withhold the key

Selected case: Request room J; approval and register both J capacity 0. Draft is well-formed with J/0 and correct sources. Trace stages and distinguish zero from missing.

Selected case answer

Teacher key · Selected case answer

Teacher explanation: Request valid, **evidence** matches, answerability true, schema and semantic checks pass; supported J capacity 0. Do not convert legitimate zero to missing.

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

Connect and extend learning

> Connect Prototype a Grounded Assistant to Verified Study Buddy, adapt support and plan a later changed-case check.

Verified Study Buddy

Connect user interface, source store, retrieval, prompt, schema validation, and **evidence** display.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Support and stretch

Provide one short approved passage; separate instruction, **input**, **output** and **evidence**. Stretch: introduce an unsupported claim or conflicting source and validate claim by claim with a **fallback**.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 25: Quality Rubrics. Retrieve today's **evidence** and identify what carries forward and what is new.

Support and fresh reassessment

Provide an **input**/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace.

Extension: compare two concrete variants of this **mechanism** while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

W4: Request valid, **evidence** matches, answerability true, schema and semantic checks pass; supported J capacity 0. Do not convert legitimate zero to missing. Require intermediate reasoning and the stated scope.

Fresh retry: Request K; approval K, no register. Draft invents 8. Expected reasoning: Answerability fails; reject invented capacity and return review with null claims.

If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

Next connection: Capstone evaluation and revision. Preserve the current case record and retrieve its **evidence** boundary before moving on.

Plan the delayed return

Suggested return points in this level: ai-3/25, ai-3/27, ai-3/30. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Verified Study Buddy, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Prepare, teach and assess

> Use this preparation summary alongside the detailed Prototype a Grounded Assistant lesson; it is a checklist rather than a replacement for the full sequence.

Teaching target

Teaching target: Explain the **mechanism** and terminology of capstone grounded assistant

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. No paid AI account is required for the paper reasoning activities.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Request room B; retrieved approval names B but register names C. Draft gives capacity 10 from C. Show the intermediate steps and give the conclusion with its scope.

Supported practice answer

Reasoned practice answer: Teacher explanation: Same-room support fails before or during semantic validation. Return needs_review with null claims; the draft capacity is unsupported for B.

Check every learner before discussion: Use the worked case for Capstone grounded assistant. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Repair the misconception

Misconception repair: A correct happy path does not establish **fallback**, access control or side-effect safety.

Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extend the reasoning

Extension: PL3 is absent while PL2 remains. Require a **prediction** and a reason before comparing. Expected result: Explain that the daily check is not specified in the available source.

Reason: The remaining general water fact does not establish this activity’s schedule.

Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint

Project checkpoint: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

For later coding lessons

> This week has no code block. Use this routine when a later lesson includes an executable lab.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.


Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

Visual concept journey

> Show one Prototype a Grounded Assistant graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Prototype a Grounded Assistant: the case



Follow the labelled picture with the matching explanation. Open the vector diagram

Build a minimal grounded study answer with checks between retrieval and display. Supplied facts: Source PL2: seedlings need water. Source PL3: this activity checks soil daily. Question: what does this activity check daily?

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.


> Point to the given fact that matters most. Explain why it matters.

Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the

image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram


Retrieve **evidence**: PL3 directly supports the daily soil-check claim; PL2 supplies a different fact. → Match question: Choose the activity's soil check, not a general watering recommendation. → Validate draft: Display "This activity checks soil daily [PL3]"; reject an invented twice-daily watering schedule.

Point to each numbered stage and explain which recorded **input** it uses.

Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Capstone grounded assistant — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram

Capstone grounded assistant — **evidence** trace. Request room B; retrieved approval names B but register names C. Draft gives capacity 10 from C. | A supported response requires current matching approval and register records.

Any retrieval or validation failure gives needs_review with null claims. The classroom implementation performs no booking or external action. | Same-room support fails before or during semantic validation.


Return needs_review with null claims; the draft capacity is unsupported for B.

Read the labels and values. Explain the relationship the model shows.

Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Display “This activity checks soil daily [PL3]”; reject an invented twice-daily watering schedule. Changed condition: PL3 is absent while PL2 remains.

Expected result: Explain that the daily check is not specified in the available source. Reason: The remaining general water fact does not establish this activity’s schedule.


Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: The remaining general water fact does not establish this activity's schedule.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture in order. Display "This activity checks soil daily [PL3]"; reject an invented twice-daily watering schedule. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Limit: A grounded **prototype** still needs an evaluation set and permission checks before anyone relies on it.


Explain the case, then point to a limit on the claim.

Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: A grounded **prototype** still needs an evaluation set and permission checks before anyone relies on it.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Verified Study Buddy, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Can PL2 alone support “check the soil daily”? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

> Draw your project trace and justify the deciding step using **evidence**.

Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: No. PL2 says seedlings need water and does not give the checking schedule; the assistant should report the gap. Changed-case check: Explain that the daily check is not specified in the available source.

The remaining general water fact does not establish this activity’s schedule.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.