Train a Regression Model

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Responsible Plant Classifier

Train a Regression Model

> Prepare Train a Regression Model: check the target, prerequisites, resources and adaptable teaching schedule.

Teach the learning cycle

Primary target: Fit a line from a declared **training candidate set**

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Retrieval answer guidance

Absolute Error and MAE

Without opening the old lesson, explain one key idea from Absolute Error and MAE. Give an example and a mistake that the idea helps you avoid.

Look for: Calculate MAE MSE and RMSE

Reference example, not the only acceptable wording: Teacher explanation: (1+2+3)/3=2 cm.

Regression and Residuals

Without opening the old lesson, explain one key idea from Regression and Residuals. Give an example and a mistake that the idea helps you avoid.

Look for: Distinguish numeric **prediction** from classification

Reference example, not the only acceptable wording: Teacher explanation: Residuals -1, 1, 0 cm; the first record is overpredicted.

Accuracy and Imbalance

Without opening the old lesson, explain one key idea from Accuracy and Imbalance. Give an example and a mistake that the idea helps you avoid.

Look for: Explain why overall accuracy can hide failure on a less common class

Reference example, not the only acceptable wording: The **training**-majority rule always predicts clear. Matrix [[16,0],[4,0]] gives 16/20=80 percent, FP=0,FN=4.

It misses all four blocked cases, so the overall score hides complete failure on that evaluated class.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

Training points (x,y)=(1,3),(2,5),(3,7). Compare y=x+1 and y=2x+1 by **training** MAE; select one, then predict held-out x=4, actual=10. Explain what was fitted.

Concept to explain

A fitted relationship should be interpreted, tested on unseen values, and compared with a simple baseline.

Term	Meaning
coefficient	learned relationship weight
intercept	prediction when inputs are zero
slope	predicted change per input unit
generalization	performance on unseen cases

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Alternative compact allocation

> This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

> Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach two 45-minute sessions. This week focuses on **fitting** a line. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer.

Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Readiness answer

Square each residual, sum, then divide by the number of evaluated examples.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank **evidence** table

Optional Python 3 editor; no external packages or AI accounts required

End goal for the pictorial case

By the end, I can explain train a regression model using a traced example and a stated limitation.

This added worked case illustrates the week’s main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

Explain the mechanism

> Model Train a Regression Model using the supplied case, labelled mechanism and reasoning. Make the scope of each conclusion explicit.

Trace the information, fitted behavior, and evaluation proof separately.

Question to explain

QUESTION Run a starter regression and explain **slope**, **prediction**, residual, and MAE.

MODEL IDEA A fitted relationship should be interpreted, tested on unseen values, and compared with a simple baseline.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

How the mechanism works

UNDER THE HOOD Model predicts height = 4 + 2 × weeks. **Slope** 2 means two predicted centimeters per additional week in this data range.

Draw a fresh data → model → **prediction** → evaluation trace:

Predict first. Then check each step. A correct answer without visible **evidence** cannot be audited.

Step 1

STEP 1 Model predicts height = 4 + 2 × weeks.

Step 2

STEP 2 **Slope** 2 means two predicted centimeters per additional week in this data range.

Step 3

STEP 3 At week 5, **prediction** is 14 cm; if actual is 16, residual is +2 cm.

Step 4

STEP 4 Evaluate unseen plants and compare test MAE with the median baseline.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the **evidence** independently:

Concrete teaching case

The teaching case

Supplied fitted rule: height=2 times age+1. Held-out **observation**s are (3,8),(4,9).

The teaching case

Predict and evaluate; distinguish inference.

Exact explanation to model

Why the result follows

Predictions 7,9; errors 1,0; MAE=.5 cm. Applying a supplied equation does not show how it was fitted.

Explain the added worked example

A line predicts y as m*x+b. In this classroom search we compare a small declared set of **slope**s and **intercept**s; this is not a full least-squares solver over all possible lines.

Use **training** error to choose a candidate, then freeze it before validation.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason. Earlier weeks supplied the model-building **process**; this week examines **fitting** a line.

Training pairs are (0, 1),(1, 3),(2, 5). Candidate A has m 1 b 1, B m 2 b 0, C m 2 b 1. **Prediction**s are A [1, 2, 3], B [0, 2, 4], C [1, 3, 5]. **Training** squared-error sums are 5, 3, 0 respectively, so choose C.

Ties would use the earlier listed candidate.

Trace the calculation on paper before running this optional Python check. Use the stated fictional **input**s and compare intermediate values. The code checks this example; your independent workbook case uses different **evidence**.

Key terms

Term	Meaning
Slope	Change in predicted target per unit change in x
Intercept	Predicted target when x is zero
Candidate set	The declared model choices searched
Fitting	Selecting model values using training evidence

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Fitting a line at a glance

PART	EVIDENCE OR ACTION	INTERPRETATION
Line A	Slope 1 intercept 1	Training SSE 5
Line B	Slope 2 intercept 0	Training SSE 3
Line C	Slope 2 intercept 1	Training SSE 0

For separate validation pairs (3, 6),(4, 10), C predicts [7, 9], giving residuals [-1, 1], MAE 1 and MSE 1. The training-mean constant baseline is 3 and gives residuals [3, 7], MAE 5 and MSE 29. The fitted line wins on this small evaluation, without proving performance elsewhere.

Predict at x 3 and x 4 and calculate MAE/MSE. Explain the steps or evidence behind your response.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Train a Regression Model

Fit a toy growth line from **training** pairs, then leave evaluation labels out of **fitting**.

The facts we will use

Supplied facts

Training(day, height):(0, 1),(1, 3),(2, 5). Candidates y=2x+1 and y=x+1. Evaluation pair:(3, 6).

Supplied facts

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-4/22

Train a Regression Model

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.

1. Calculate training fit

2x+1 predicts 1, 3, 5 with SSE0; x+1 predicts 1, 2, 3 with SSE5.

2. Select line

Choose2x+1 under minimum training SSE.

3. Evaluate once

At day3 predict7 versus observed6: absolute error1 cm.

CHANGE ONE THING

Evaluation observation becomes8 instead of6.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Calculate training fit	2x+1 predicts 1, 3, 5 with SSE0; x+1 predicts 1, 2, 3 with SSE5.
2. Select line	Choose2x+1 under minimum training SSE.
3. Evaluate once	At day3 predict7 versus observed6: absolute error1 cm.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Read the picture in order. At day3 predict7 versus observed6: absolute error1 cm. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Keep the stated limit

An exact fit to three toy pairs does not establish a biological growth law or justify long-range extrapolation.

Change one thing in the pictured case

Change one thing

Change: Evaluation **observation** becomes8 instead of6.

Predicted result

Prediction: Absolute evaluation error stays1 cm, but residual changes from-1 to+1.

Why the result follows

Reason: **Prediction**7 remains frozen; changed **observation**8 reverses the error direction.

Ask while showing the picture

Ask while showing the picture · 1

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

Demonstrate and guide practice

> Demonstrate Train a Regression Model, reduce support deliberately and check individual reasoning before discussing answers.

Board sequence

1. Put the facts on the board

Write the given facts: Supplied fitted rule: height=2 times age+1. Held-out **observation**s are (3,8),(4,9).

2. State the decision to explain

Write the question to explain: Predict and evaluate; distinguish inference.

3. Reveal the worked reasoning

Reveal after **prediction**s: **Prediction**s 7,9; errors 1,0; MAE=.5 cm. Applying a supplied equation does not show how it was fitted.

Hold back the independent task

Keep for an independent attempt: A regression model has validation MAE 2.4 cm; a **training**-mean baseline has validation MAE 2.0 cm on the same examples. Which performs better on this metric?

Classroom dialogue

Ask the class

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Language to model

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided response: **Prediction**s 7, 9; residuals -1, 1; MAE 1 MSE 1. Exit response: **Training** covers a limited range; the relationship and conditions may change outside it.

Case-specific teaching sequence

Stage · Teacher action

> **Stage:** Session 1 start to 7 minutes
>
> **Teacher action:** Use the prerequisite question: How is MSE calculated? Check the explanation before proceeding.

> **Stage:** 7 to 18 minutes
>
> **Teacher action:** Read the opening and model the worked evidence. Ask students to identify slope in context.

> **Stage:** 18 to 32 minutes
>
> **Teacher action:** Complete W 1 and W 2 with support: trace candidates; score validation. Require the evidence, not only the final response.

> **Stage:** 32 to 45 minutes

Teacher action: Read the visual row by row. Collect the guided explanation and compare reasoning in pairs. Trace the Python check after the paper calculation.

Stage: Session 2 start to 8 minutes

Teacher action: Retrieve the distinction between slope and intercept. Invite a counterexample to an overconfident claim.

Stage: 8 to 20 minutes

Teacher action: Discuss the application and complete W 3: Fit the training constant and score it on validation.

Stage: 20 to 35 minutes

Teacher action: Collect W4 independently before giving hints. Assess these outcomes: Fit a line from a declared training candidate set; Separate training loss from validation comparison. Record any support used.

Stage: 35 to 45 minutes

Teacher action: Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Reduce help deliberately

Completion practice

Completion task: Predict at x 3 and x 4 and calculate MAE/MSE.

Reasoning to listen for

Teacher check: Teacher explanation: **Prediction**s 7, 9; residuals -1, 1; MAE 1 MSE 1.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for **Fitting** a line. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

> **Expected repair**
>
> Expected correction: Ask for the relevant counts, units, procedure or saved record. For this week: A 5 B 3 C 0; choose m 2 b 1.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

May day3’s evaluation label choose the candidate line? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Reasoned teacher answer

No under this **fitting** plan. Keep evaluation **evidence** separate and report the frozen line’s1 cm error. Changed-case check: Absolute evaluation error stays1 cm, but residual changes from-1 to+1.

Prediction7 remains frozen; changed **observation**8 reverses the error direction.

Changed-case reasoning: Absolute evaluation error stays1 cm, but residual changes from-1 to+1. **Prediction**7 remains frozen; changed **observation**8 reverses the error direction.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

TEACHER GUIDE · 4 OF 10

Run the weekly evidence lab

> Run the Train a Regression Model investigation and use the first unsupported step to choose a teaching response.

Keep the test conditions fixed, record every result, and change only one planned factor.

1. Write the hypothesis and expected **evidence** before running.

2. Regression Run: trace code, interpret **coefficient**s with units, predict unseen values, and compare MAE with baseline.

3. Run one normal, one boundary, one missing, and one shifted case.

4. Calculate the metric from raw counts or row-level errors.

5. Interpret what changed, what did not, and what remains unsafe or unknown.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing.

Keep the expected result separate from an observed mistake.

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Diagnose and reteach

MISCONCEPTION TO REPAIR A positive **slope** proves one variable causes the other.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record. For this week: A 5 B 3 C 0; choose m 2 b 1.

A stronger claim makes a stronger project: **Training** covers a limited range; the relationship and conditions may change outside it.

The new case can be copied from the example: The independent task changes the **evidence**. Require a fresh explanation: SSE 5, 3, 0 selects m 3 b 2. **Prediction**s 11, 14; residuals -1, 1; MAE 1.

Match the support to the first error

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

Assess and explain the answers

> Use the Train a Regression Model questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

Worked case answer

Teacher key · Worked case answer

Predictions 7,9; errors 1,0; MAE=.5 cm. Applying a supplied equation does not show how it was fitted.

Independent question

Independent question · withhold the key

A regression model has validation MAE 2.4 cm; a **training**-mean baseline has validation MAE 2.0 cm on the same examples. Which performs better on this metric?

Expected independent answer

Teacher key · Expected independent answer

The baseline is better because lower MAE is preferable: 2.0 < 2.4 cm. Investigate the model before claiming improvement.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “A trained model necessarily outperforms a simple baseline.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

Teacher key · Original transfer answer

First model errors are 1,2,3, MAE=2; second errors are 0,0,0, MAE=0. Select 2x+1. Test **prediction**=9 and absolute error=1.

This selects among two supplied candidates; it is not a derivation of unrestricted linear-regression **fitting**.

Explanations for the additional workbook examples

W1 Trace candidates

Workbook question · W1

Give the three **training** SSE values and selected line.

Teacher reasoning · W1

Teacher explanation: A 5 B 3 C 0; choose m 2 b 1.

W2 Score validation

Workbook question · W2

Predict at x 3 and x 4 and calculate MAE/MSE.

Teacher reasoning · W2

Teacher explanation: **Prediction**s 7, 9; residuals -1, 1; MAE 1 MSE 1.

W3 Compare the baseline

Workbook question · W3

Fit the **training** constant and score it on validation.

Teacher reasoning · W3

Teacher explanation: **Training** mean 3; residuals 3, 7; MAE 5 MSE 29.

W4 Apply independently

Workbook question · W4

Training (0, 2),(1, 5),(2, 8). Candidates m 2 b 2, m 3 b 1, m 3 b 2. Select by SSE, then score (3, 10),(4, 15) with MAE.

Teacher reasoning · W4

Teacher explanation: SSE 5, 3, 0 selects m 3 b 2. **Prediction**s 11, 14; residuals -1, 1; MAE 1.

W5 Limit extrapolation

Workbook question · W5

Why is an exact **training** line not proof of correct **prediction**s at x 100?

Teacher reasoning · W5

Teacher explanation: **Training** covers a limited range; the relationship and conditions may change outside it.

Assess independent transfer

Independent question · withhold the key

Selected case: **Training** (0, 2),(1, 5),(2, 8). Candidates m 2 b 2, m 3 b 1, m 3 b 2. Select by SSE, then score (3, 10),(4, 15) with MAE.

Selected case answer

Teacher key · Selected case answer

Teacher explanation: SSE 5, 3, 0 selects m 3 b 2. **Prediction**s 11, 14; residuals -1, 1; MAE 1.

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

Connect and extend learning

> Connect Train a Regression Model to Responsible Plant Classifier, adapt support and plan a later changed-case check.

Responsible Plant Classifier

Add the regression experiment to the project appendix only as a separate, clearly limited model.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Support and stretch

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 23: Hold Out Test Data. Retrieve today's **evidence** and identify what carries forward and what is new.

Support and fresh reassessment

Provide a blank **evidence** table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use **slope** and **intercept** in full sentences.

Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: SSE 5, 3, 0 selects m 3 b 2. **Prediction**s 11, 14; residuals -1, 1; MAE 1. Fresh retry **training** (0, 0),(1, 2),(2, 4), candidates m 1 b 0 and m 2 b 0: SSE 5 and 0.

At validation (3, 7), chosen **prediction** 6 gives residual 1. Mark each criterion as independent, supported or not yet demonstrated. Reassess the reasoning after feedback; do not replace the first attempt silently.

Next week: Validation and model selection. Carry forward the saved **evidence** and the distinction between development choices and justified claims.

Plan the delayed return

Suggested return points in this level: ai-4/23, ai-4/25, ai-4/28. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	

Record	Teacher evidence
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Fit and test a straight-line regression model

> Use the supplied Train a Regression Model task to record your reasoning, evidence and next step.

Estimate **slope** and **intercept** from **training** pairs using least squares. Ages are weeks and heights are cm. Test targets are excluded from **fitting**; **training** ages must include distinct values.

```
"""Fit a line to training pairs and evaluate a separate example."""
train = [(1, 3), (2, 5), (3, 7)]
if not train:
    raise ValueError("Training examples are required")
n = len(train)
```

```
x_mean = sum(x for x, y in train) / n
y_mean = sum(y for x, y in train) / n
num = sum((x - x_mean) * (y - y_mean) for x, y in train)
den = sum((x - x_mean) ** 2 for x, y in train)
if den == 0:
    raise ValueError("Distinct training ages are required")
slope = num / den
intercept = y_mean - slope * x_mean
test = [(4, 10)]
if not test:
    raise ValueError("Test examples are required for MAE")
preds = [slope * x + intercept for x, y in test]
mae = sum(abs(y - pred) for pred, (x, y) in zip(preds, test)) / len(test)
print(slope, intercept, preds, mae)
```

Expected **output**: 2.0 1.0 [9.0] 1.0

The fitted line is height = 2 times age + 1. At four weeks it predicts 9 cm; the observed height of 10 cm gives an absolute error and one-case MAE of 1 cm. **Fitting** a line and applying a supplied line are different activities.

One held-out case is very limited **evidence**.

Independent code change

Change the held-out height from 10 to 8 without changing the **training** data. Predict the fit, **prediction** and MAE.

Teacher answer: **Slope** 2, **intercept** 1, **prediction** 9 cm and MAE 1 cm are unchanged. The residual sign changes under the actual-minus-predicted convention.

Prepare, teach and assess

> Use this preparation summary alongside the detailed Train a Regression Model lesson; it is a checklist rather than a replacement for the full sequence.

Teaching target

Teaching target: Fit a line from a declared **training candidate set**

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: Predict at x 3 and x 4 and calculate MAE/MSE.

Supported practice answer

Reasoned practice answer: Teacher explanation: **Prediction**s 7, 9; residuals -1, 1; MAE 1 MSE 1.

Check every learner before discussion: Use the worked case for **Fitting** a line. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Repair the misconception

Misconception repair: Ask for the relevant counts, units, procedure or saved record. For this week: A 5 B 3 C 0; choose m 2 b 1.

Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extend the reasoning

Extension: Evaluation **observation** becomes8 instead of6. Require a **prediction** and a reason before comparing. Expected result: Absolute evaluation error stays1 cm, but residual changes from-1 to+1.

Reason: **Prediction**7 remains frozen; changed **observation**8 reverses the error direction.

Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the

new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint

Project checkpoint: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.


Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

Visual concept journey

> Show one Train a Regression Model graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Train a Regression Model: the case



Follow the labelled picture with the matching explanation. Open the vector diagram

Fit a toy growth line from **training** pairs, then leave evaluation labels out of **fitting**. Supplied facts: **Training**(day, height):(0, 1),(1, 3),(2, 5). Candidates y=2x+1 and y=x+1. Evaluation pair:(3, 6).


All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Calculate **training** fit: 2x+1 predicts 1, 3, 5 with SSE0; x+1 predicts 1, 2, 3 with SSE5. → Select line: Choose2x+1 under minimum **training** SSE. → Evaluate once: At day3 predict7 versus observed6: absolute error1 cm.

Point to each numbered stage and explain which recorded **input** it uses.

Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Fitting a line at a glance

AI ACADEMY / AI-4/22 · 03 · INSPECT THE LESSON MODEL

Fitting a line at a glance

Part	Evidence or action	Interpretation
Line A	Slope 1 intercept 1	Training SSE 5
Line B	Slope 2 intercept 0	Training SSE 3
Line C	Slope 2 intercept 1	Training SSE 0

For separate validation pairs (3, 6),(4, 10), C predicts [7, 9], giving residuals [-1, 1], MAE 1 and MSE 1. The training-mean constant baseline is 3 and gives residuals [3, 7], MAE 5 and MSE 29. The fitted line wins on this small evaluation, without proving performance elsewhere.

Follow the labelled picture with the matching explanation. Open the vector diagram


Fitting a line at a glance. Line A | **Slope** 1 **intercept** 1 | **Training** SSE 5. Line B | **Slope** 2 **intercept** 0 | **Training** SSE 3. Line C | **Slope** 2 **intercept** 1 | **Training** SSE 0

Read the labels and values. Explain the relationship the model shows.

Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: At day3 predict7 versus observed6: absolute error1 cm. Changed condition: Evaluation **observation** becomes8 instead of6. Expected result: Absolute evaluation error stays1 cm, but residual changes from-1 to+1.

Reason: **Prediction**7 remains frozen; changed **observation**8 reverses the error direction.


Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: **Prediction**7 remains frozen; changed **observation**8 reverses the error direction.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture in order. At day3 predict7 versus observed6: absolute error1 cm. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Limit: An exact fit to three toy pairs does not establish a biological growth law or justify long-range extrapolation.


Explain the case, then point to a limit on the claim.

Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: An exact fit to three toy pairs does not establish a biological growth law or justify long-range extrapolation.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: May day3’s evaluation label choose the candidate line? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: No under this **fitting** plan. Keep evaluation **evidence** separate and report the frozen line’s1 cm error. Changed-case check: Absolute evaluation error stays1 cm, but residual changes from-1 to+1.

Prediction7 remains frozen; changed **observation**8 reverses the error direction.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.