Capstone Train, Analyze, Improve

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Responsible Plant Classifier

Capstone Train, Analyze, Improve

> Prepare Capstone Train, Analyze, Improve: check the target, prerequisites, resources and adaptable teaching schedule.

Teach the learning cycle

Primary target: Run a frozen **final evaluation** with complete accounting

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

Retrieval answer guidance

Capstone Dataset and Baseline

Without opening the old lesson, explain one key idea from Capstone Dataset and Baseline. Give an example and a mistake that the idea helps you avoid.

Look for: Define a feasible capstone question and acceptance criteria

Reference example, not the only acceptable wording: Teacher explanation: Compare a simple classifier with a **training**-majority baseline on the fictional parcel evaluation; no real handling or student decisions are supported.

Proxy Features and Fairness

Without opening the old lesson, explain one key idea from Proxy Features and Fairness. Give an example and a mistake that the idea helps you avoid.

Look for: Identify possible proxy features

Reference example, not the only acceptable wording: Teacher explanation: X occurs 8/10 north and 2/10 south in this sample. This supports an association, not a deterministic identity rule or a causal explanation.

Feature Engineering

Without opening the old lesson, explain one key idea from Feature Engineering. Give an example and a mistake that the idea helps you avoid.

Look for: Create features available at **prediction** time

Reference example, not the only acceptable wording: Teacher explanation: Areas 6, 8, 6 square cm; **training** mean 20/3 square cm.

Use the student module and workbook section with this exact week title. The worked case, independent question and answers below form one aligned lesson sequence.

What the learner must demonstrate

A new model reduces validation errors from 8 to 5 but the team also removed three hard cases. Can improvement be attributed to the model? Propose a repair to the experiment.

Concept to explain

One **evidence**-based improvement follows a reproducible **training** run, metric audit, error clusters, and subgroup analysis.

Term	Meaning
baseline run	first reproducible model result
error audit	systematic review of mistakes
before/after	same evaluation around one change
regression	previously passing case now fails

Prepare the class

Use the supplied scenario, student illustrations and blank paper. For numeric work, offer counters or a calculator after learners show the setup. Fictional records are supplied; personal data and paid accounts are unnecessary.

Alternative compact allocation

> This compact option is not the full-week schedule. Use the main teaching cycle and allow extra sessions for the investigation, independent work and project.

> Allow 80 minutes: recall 8; explanation 12; worked demonstration 15; guided practice 20; independent assessment 15; project and reflection 10. Extend the lab into a second session when needed.

Preparation for the connected explanation

Teach two 45-minute sessions. This week focuses on capstone evaluation and revision. Model the worked example first, collect the new W 4 case independently before feedback, and use the fresh retry to check transfer.

Award credit for traceable reasoning and bounded claims, including justified uncertainty.

Readiness answer

The inspected set becomes development **evidence** for the revised version.

Printed student lesson and workbook

Paper, pencils and a calculator for fractions

The fictional examples and a blank **evidence** table

Saved classroom project records for critique; no personal student dataset required

End goal for the pictorial case

By the end, I can explain capstone train, analyze, improve using a traced example and a stated limitation.

This added worked case illustrates the week’s main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

TEACHER GUIDE · 2 OF 9

Explain the mechanism

> Model Capstone Train, Analyze, Improve using the supplied case, labelled mechanism and

> reasoning. Make the scope of each conclusion explicit.

Trace the information, fitted behavior, and evaluation proof separately.

Question to explain

QUESTION Train, audit, change one factor, and compare against the same validation set.

MODEL IDEA One **evidence**-based improvement follows a reproducible **training** run, metric audit, error clusters, and subgroup analysis.

PROOF NEEDED Use an unseen case, visible calculation, error analysis, and a stated limitation.

How the mechanism works

UNDER THE HOOD Model v1 passes 14/20 validation cases; evening accuracy is 40%. The six failed cases are low-light cases.

One of those same six also has a disputed reference label; that is an overlapping review flag, not a seventh failed case.

Draw a fresh data → model → **prediction** → evaluation trace:

Predict first. Then check each step. A correct answer without visible **evidence** cannot be audited.

Step 1

STEP 1 Model v1 passes 14/20 validation cases; evening accuracy is 40%.

Step 2

STEP 2 The six failed cases are low-light cases. One of those same six also has a disputed reference label; that is an overlapping review flag, not a seventh failed case.

Step 3

STEP 3 Add reviewed low-light **training** examples while freezing features and model settings.

Step 4

STEP 4 Model v2 passes 17/20; evening rises to **70%**; inspect every old pass and record remaining limits.

CHECK Verify the denominator, unit, split, class definition, and data version before interpreting a score.

Recalculate, retrace, or restate the **evidence** independently:

Concrete teaching case

The teaching case

Baseline validation accuracy**70%**; model**80%**; most remaining errors are dim images.

The teaching case

Plan improvement **evidence**.

Exact explanation to model

Why the result follows

Keep partitions fixed, inspect dim-image errors, change one factor and compare the same validation criteria/slices. Reserve final test.

Explain the added worked example

Explain the added worked example · 1

The teacher releases final-test labels only after checking the freeze record. Score baseline and candidate on the same planned rows. Save every **prediction**, denominator and failure.

Do not edit a model while reading labels and then present only the edited version as the original test.

Use fictional classroom data throughout this investigation. Keep the task, units, reference labels and data split visible as you reason.

Earlier weeks supplied the model-building **process**; this week examines capstone evaluation and revision.

Explain the added worked example · 2

Illustrative frozen test has 12 rows: candidate[[7, 1],[2, 2]], baseline[[8, 0],[4, 0]], blocked positive. Candidate accuracy 9/12=75 percent, precision 2/3 and recall 2/4; baseline accuracy 8/12 about 66.7 percent.

The candidate adds one false alarm and misses two rather than four blocked cases.

Before continuing, underline the decision rule and circle the **evidence** that supports the conclusion. Explain the example to a partner without replacing the counts or conditions with a stronger claim.

Keep the distinction between an observed result and a proposed next step.

Key terms

Term	Meaning
Final evaluation	Assessment of the frozen procedure on held-out evidence
Error audit	A documented inspection of mistakes and missing predictions
Revision log	A record of changes, reasons and affected evidence
Evidence status	Whether a result is development, untouched test or post-test reuse

Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

Capstone evaluation and revision at a glance

PART	EVIDENCE OR ACTION	INTERPRETATION
Frozen version	Saved before labels	Candidate v 1
First test	9 correct of 12	Report full error table
Proposed revision	Uses observed errors	Needs fresh evaluation

Compare the result with validation without claiming they should be identical. Check error types and coverage. A one-case accuracy difference on twelve rows supports a cautious classroom comparison, not a general reliability guarantee. Keep the original prediction ledger unchanged.

What does the one-correct-case improvement establish? Explain the steps or evidence behind your response.

Thinking move	Teacher prompt
Plan	What is given? What is the question? Which procedure fits these facts?

Thinking move	Teacher prompt
Do	Point to each input and intermediate step in the worked trace. Name the rule that allows the next step.
Check	Does the output answer the question? Which assumption or limitation prevents a larger claim?

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

A pictorial worked case: Capstone Train, Analyze, Improve

Choose the next capstone revision from explicit false alarms and misses.

The facts we will use

Supplied facts

Positive=spotted. CandidateTP4, FN 2, FP 1, TN 9; baselineTP0, FN 6, FP 0, TN 10. Both evaluate the same16 cases.

Supplied facts

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-4/35

Candidate, before revision

	predicted spotted	predicted healthy
actual spotted	4	2
actual healthy	1	9

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-4/35

Capstone Train, Analyze, Improve

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Compare accuracy

Candidate13/16=81.25%; baseline10/16=62.5%.



2. Compare detection

Candidate catches4/6 spotted leaves; baseline catches0/6.



3. Inspect errors

Review candidate's two misses and one false alarm with conditions and label evidence before revising.

CHANGE ONE THING

A revision fixes one miss but creates two extra false alarms.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture one step at a time

STEP	WHAT HAPPENS AND WHY
1. Compare accuracy	Candidate13/16=81.25%; baseline10/16=62.5%.
2. Compare detection	Candidate catches4/6 spotted leaves; baseline catches0/6.
3. Inspect errors	Review candidate’s two misses and one false alarm with conditions and label evidence before revising.

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

Why this result follows

Why the result follows

Read the picture in order. Review candidate’s two misses and one false alarm with conditions and label **evidence** before revising. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

What this example does not establish

Keep the stated limit

Any case-driven revision makes these records development **evidence** for that revision; reserve a fresh final set.

Change one thing in the pictured case

Change one thing

Change: A revision fixes one miss but creates two extra false alarms.

Predicted result

Prediction: TP 5, FN 1, FP 3, TN 7 gives 12/16=75% accuracy and 5/6 recall.

Why the result follows

Reason: Recall rises while accuracy falls; the preferred revision depends on declared error consequences.

Ask while showing the picture

Ask while showing the picture · 3

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

Demonstrate and guide practice

> Demonstrate Capstone Train, Analyze, Improve, reduce support deliberately and check individual reasoning before discussing answers.

Board sequence

1. Put the facts on the board

Write the given facts: Baseline validation accuracy**70%**; model**80%**; most remaining errors are dim images.

2. State the decision to explain

Write the question to explain: Plan improvement **evidence**.

3. Reveal the worked reasoning

Reveal after **prediction**s: Keep partitions fixed, inspect dim-image errors, change one factor and compare the same validation criteria/slices. Reserve final test.

Hold back the independent task

Keep for an independent attempt: A revision raises overall validation accuracy from **80%** to 84% but lowers dim-light accuracy from **60%** to 40%. How should the improvement claim change?

Classroom dialogue

Ask the class

Ask: Which facts are given, and which would we have to assume? Learners mark relevant details before discussing answers.

Language to model

Say: Predict first. Show the rule, information path or calculation that would produce the result. A correct guess is not yet an explanation.

Reveal reasoning one step at a time. Explain why a tempting alternative fails. Write units and denominators for arithmetic, trace conditions for decisions, and identify supporting sources for claims.

In pairs, one learner solves while the other checks **evidence**; exchange roles. Remove the worked answer before independent assessment.

Model these guided questions

Guided response: It establishes a difference on these 12 examples under the saved procedure, not reliable improvement for every future population.

Exit response: Version 1 frozen results, reason for change, reused-**evidence status** and the fact that version 2 has no new independent **final evaluation**.

Case-specific teaching sequence

Stage	Teacher action
Session 1 start to 7 minutes	Use the prerequisite question: What changes after final-test labels inform a revision? Check the explanation before proceeding.
7 to 18 minutes	Verify each team freeze record before releasing final labels. Review the worked example and separate illustrative numbers from actual project evidence.

Stage	Teacher action
18 to 32 minutes	Teams run or trace frozen baseline and candidate predictions on all planned test cases. Save the unchanged prediction ledger and account for failures.
32 to 45 minutes	Teams calculate metrics and inspect error types. Use W1–W3 to check calculations and evidence status before writing claims.
Session 2 start to 8 minutes	Retrieve the distinction between final evaluation and error audit. Invite a counterexample to an overconfident claim.
8 to 20 minutes	Teams write an error audit and propose one follow-up tied to an observed limit. Keep version1 results unchanged.
20 to 35 minutes	Collect W4 independently. Teams then update their model card and clearly mark any revision as untested or supported only by reused development evidence.
35 to 45 minutes	Use W 5 and the exit response to assess limits. Give targeted feedback, then the fresh retry. Save evidence of independent understanding.

Reduce help deliberately

Completion practice

Completion task: What does the one-correct-case improvement establish?

Reasoning to listen for

Teacher check: Teacher explanation: It establishes a difference on these 12 examples under the saved procedure, not reliable improvement for every future population.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

Individual reasoning check

Use the worked case for Capstone evaluation and revision. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

> #### Expected repair
>
> Expected correction: Ask for the relevant counts, units, procedure or saved record.
>
> For this week: Candidate accuracy 9/12=75 percent, precision 2/3, recall 2/4; baseline 8/12 about 66.7 percent, with all four blocked cases missed.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

Pictorial practice question

Why is “the revision is better” incomplete? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Reasoned teacher answer

It catches more spotted leaves but raises false alarms and lowers accuracy. Report both trade-offs and decide using predeclared use costs. Changed-case check: TP 5, FN 1, FP 3, TN 7 gives 12/16=75% accuracy and 5/6 recall.

Recall rises while accuracy falls; the preferred revision depends on declared error consequences.

Changed-case reasoning: TP 5, FN 1, FP 3, TN 7 gives 12/16=75% accuracy and 5/6 recall. Recall rises while accuracy falls; the preferred revision depends on declared error consequences.

Collect each learner’s explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

Run the weekly evidence lab

> Run the Capstone Train, Analyze, Improve investigation and use the first unsupported step to choose a teaching response.

Keep the test conditions fixed, record every result, and change only one planned factor.

1. Write the hypothesis and expected **evidence** before running.

2. Capstone Gate 2: reproduce v1, cluster errors, approve one change, rerun fixed cases, and publish all gains and **regression**s.

3. Run one normal, one boundary, one missing, and one shifted case.

4. Calculate the metric from raw counts or row-level errors.

5. Interpret what changed, what did not, and what remains unsafe or unknown.

Make the lab runnable

Use the concrete case as the shared normal case and the independent question as a second case. Each pair creates a boundary or missing-information case and predicts its result before testing.

Keep the expected result separate from an observed mistake.

Record	What to capture
Input or evidence	Exact data, instruction or claim
Expected result	Answer or safe fallback declared before the run
Observed result	Actual result, including errors
Explanation	Rule, calculation or evidence explaining the outcome
Next test	One justified change and a new prediction

Diagnose and reteach

MISCONCEPTION TO REPAIR A higher overall score proves every important aspect improved.

For guessing, return to given facts and request a trace. For vocabulary without application, use one example and one non-example. For arithmetic errors, check the setup before the calculation.

Finish with a different uncoached case before recording mastery.

Address these additional misconceptions

A final answer is enough: Ask for the relevant counts, units, procedure or saved record.

For this week: Candidate accuracy 9/12=75 percent, precision 2/3, recall 2/4; baseline 8/12 about 66.7 percent, with all four blocked cases missed.

A stronger claim makes a stronger project: Version 1 frozen results, reason for change, reused-**evidence status** and the fact that version 2 has no new independent **final evaluation**.

The new case can be copied from the example: The independent task changes the **evidence**. Require a fresh explanation: Candidate accuracy 9/12=75 percent, precision 3/5=60 percent, recall 3/4=75 percent.

Baseline FP 0 FN 4 versus candidate FP 2 FN 1; baseline accuracy 8/12.

Match the support to the first error

What the response shows	Next teaching action
Missing or misread facts	Read the case aloud, mark supplied versus unknown facts, and let the learner restate it.
Wrong procedure	Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation.
Arithmetic or implementation error	Trace intermediate values or lines; preserve the first mismatch and retry that step.
Correct result without a reason	Ask for a trace and a changed case before marking independent understanding.
An unsupported wider claim	Ask which supplied evidence supports the claim and which further observation would be needed.

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

Assess and explain the answers

> Use the Capstone Train, Analyze, Improve questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

Worked case answer

Teacher key · Worked case answer

Keep partitions fixed, inspect dim-image errors, change one factor and compare the same validation criteria/slices. Reserve final test.

Independent question

Independent question · withhold the key

A revision raises overall validation accuracy from **80%** to 84% but lowers dim-light accuracy from **60%** to 40%. How should the improvement claim change?

Expected independent answer

Teacher key · Expected independent answer

Report both results with counts and evaluate against intended-use criteria. The overall gain does not justify hiding the subgroup **regression**; investigate or limit use.

What counts as evidence

Criterion	0 points	1 point	2 points
Result	Incorrect or absent	Partly correct	Correct with necessary conditions
Reasoning	No supporting trace	Some steps	Clear mechanism, calculation or source support
Limit	Overclaims certainty	Vague limitation	Relevant uncertainty or missing fact
Transfer	Copies without adapting	Adapts with prompts	Solves a changed case independently

Use 6/8 as a classroom checkpoint, with 2 required for both Result and Reasoning. This is a proposed teaching rule, not a validated certification threshold.

Do not count a coached answer as independent mastery; correct unsafe or unsupported claims regardless of total.

Feedback

Ask the learner to find the **evidence** that challenges this claim: “Any increase in overall accuracy counts as improvement for every user and condition.” Keep the first attempt and an uncoached retry separate.

Original transfer answer

> **Teacher key · Original transfer answer**
>
> No. Reevaluate both versions on the same declared validation cases, including the hard cases unless an independently justified exclusion applies to both.
>
> Record exact changes and per-case **prediction**s, then evaluate the selected version on untouched final data.

Explanations for the additional workbook examples

W1 Score the frozen test

> **Workbook question · W1**
>
> Compute the worked candidate metrics and baseline accuracy.

> **Teacher reasoning · W1**
>
> Teacher explanation: Candidate accuracy 9/12=75 percent, precision 2/3, recall 2/4; baseline 8/12 about 66.7 percent, with all four blocked cases missed.

W2 Audit a difference

Workbook question · W2

What does the one-correct-case improvement establish?

Teacher reasoning · W2

Teacher explanation: It establishes a difference on these 12 examples under the saved procedure, not reliable improvement for every future population.

W3 Label a revision

Workbook question · W3

A threshold changes after test errors are read. Label its score on the same rows.

Teacher reasoning · W3

Teacher explanation: Post-test development or reused-test **evidence** for the revised version, not an untouched final test.

W4 Apply independently

Workbook question · W4

Frozen candidate[[6, 2],[1, 3]] and baseline[[8, 0],[4, 0]] on 12 cases. Compute candidate metrics and compare error types.

Teacher reasoning · W4

Teacher explanation: Candidate accuracy 9/12=75 percent, precision 3/5=60 percent, recall 3/4=75 percent. Baseline FP 0 FN 4 versus candidate FP 2 FN 1; baseline accuracy 8/12.

W5 Update the card

Workbook question · W5

What must remain visible when version 2 is proposed without a fresh test?

Teacher reasoning · W5

Teacher explanation: Version 1 frozen results, reason for change, reused-**evidence status** and the fact that version 2 has no new independent **final evaluation**.

Assess independent transfer

Independent question · withhold the key

Selected case: Frozen candidate[[6, 2],[1, 3]] and baseline[[8, 0],[4, 0]] on 12 cases. Compute candidate metrics and compare error types.

Selected case answer

Teacher key · Selected case answer

Teacher explanation: Candidate accuracy 9/12=75 percent, precision 3/5=60 percent, recall 3/4=75 percent. Baseline FP 0 FN 4 versus candidate FP 2 FN 1; baseline accuracy 8/12.

Dimension	Evidence required
Explanation	Names the applicable idea or procedure and ties it to the supplied facts.
Trace and result	Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution.
Limits	States the assumptions, missing evidence or conditions under which the result would change.

Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

Connect and extend learning

> Connect Capstone Train, Analyze, Improve to Responsible Plant Classifier, adapt support and plan a later changed-case check.

Responsible Plant Classifier

Finalize the Plant Classifier experiment record, confusion matrix, subgroup table, model card, and honest remaining-limit statement.

Keep the decision, **input**, result, explanation and remaining limitation in the project **evidence** record. Retrieve this record next week rather than restarting the project.

Support and stretch

Use a tiny labelled dataset, explicit units and a named positive class. Stretch: require a baseline, held-out evaluation and subgroup or shifted-condition analysis with denominators.

Exit reflection

Ask for one decision the learner can now justify and one situation requiring more **evidence** or human review. Confidence ratings are separate from correct independent performance.

Bridge to the next week

Next: Week 36: ML Builder Expo. Retrieve today's **evidence** and identify what carries forward and what is new.

Support and fresh reassessment

Provide a blank **evidence** table and allow a verbal explanation before writing. Highlight the given conditions without supplying the W 4 conclusion. Use **final evaluation** and **error audit** in full sentences.

Extension: alter one condition in the worked example and explain which conclusion changes and which remains supported.

For independent W 4, require: Candidate accuracy 9/12=75 percent, precision 3/5=60 percent, recall 3/4=75 percent. Baseline FP 0 FN 4 versus candidate FP 2 FN 1; baseline accuracy 8/12.

Fresh retry candidate[[5, 1],[2, 2]] on 10 cases: accuracy 7/10, precision 2/3, recall 2/4. Require a test-status statement before any proposed tuning. Mark each criterion as independent, supported or not yet demonstrated.

Reassess the reasoning after feedback; do not replace the first attempt silently.

Next week: Machine learning project defense. Carry forward the saved **evidence** and the distinction between development choices and justified claims.

Plan the delayed return

Suggested return points in this level: ai-4/36. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

Record	Teacher evidence
Learner code and date	
Concept and case used; prior exposure	
Explanation / trace / limits	
Support and first repair	
Changed case and delayed outcome	
Next teaching action	

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

Project evidence from this case

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Prepare, teach and assess

> Use this preparation summary alongside the detailed Capstone Train, Analyze, Improve lesson; it is a checklist rather than a replacement for the full sequence.

Teaching target

Teaching target: Run a frozen **final evaluation** with complete accounting

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.

> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: What does the one-correct-case improvement establish?

Supported practice answer

Reasoned practice answer: Teacher explanation: It establishes a difference on these 12 examples under the saved procedure, not reliable improvement for every future population.

Check every learner before discussion: Use the worked case for Capstone evaluation and revision. Proposed explanation: “A final answer is enough”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

Repair the misconception

Misconception repair: Ask for the relevant counts, units, procedure or saved record.

For this week: Candidate accuracy 9/12=75 percent, precision 2/3, recall 2/4; baseline 8/12 about 66.7 percent, with all four blocked cases missed.

Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

Extend the reasoning

Extension: A revision fixes one miss but creates two extra false alarms. Require a **prediction** and a reason before comparing. Expected result: TP 5, FN 1, FP 3, TN 7 gives 12/16=75% accuracy and 5/6 recall.

Reason: Recall rises while accuracy falls; the preferred revision depends on declared error consequences.

Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

Criterion	Not yet	With support	Independent
Explanation	Names an answer without a deciding fact	Uses a hint to link fact and decision	Explains the deciding fact in own words
Trace or test	Cannot connect input and result	Completes steps with prompts	Traces or tests a changed case accurately
Limits and revision	Claims more than evidence supports	Names a limit after a prompt	States a defensible limit and useful next test

Project checkpoint

Project checkpoint: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with **evidence**.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

For later coding lessons

> This week has no code block. Use this routine when a later lesson includes an executable lab.

Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.


Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

Visual concept journey

> Show one Capstone Train, Analyze, Improve graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

01. Capstone Train, Analyze, Improve: the case



Follow the labelled picture with the matching explanation. Open the vector diagram

Choose the next capstone revision from explicit false alarms and misses. Supplied facts: Positive=spotted. CandidateTP4, FN 2, FP 1, TN 9; baselineTP0, FN 6, FP 0, TN 10. Both evaluate the same16 cases.


All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram


Compare accuracy: Candidate13/16=81.25%; baseline10/16=62.5%. → Compare detection: Candidate catches4/6 spotted leaves; baseline catches0/6. → Inspect errors: Review candidate's two misses and one false alarm with conditions and label **evidence** before revising.

Point to each numbered stage and explain which recorded **input** it uses.

Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

03. Candidate, before revision



Follow the labelled picture with the matching explanation. Open the vector diagram

Candidate, before revision. actual spotted: predicted spotted = 4, predicted healthy = 2. actual healthy: predicted spotted = 1, predicted healthy = 9.


Read the labels and values. Explain the relationship the model shows.

Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Check row/column meanings, units and denominators before discussing a difference. Supplied toy values are not real class or model results.

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Review candidate's two misses and one false alarm with conditions and label **evidence** before revising. Changed condition: A revision fixes one miss but creates two extra false alarms.

Expected result: TP 5, FN 1, FP 3, TN 7 gives 12/16=75% accuracy and 5/6 recall. Reason: Recall rises while accuracy falls; the preferred revision depends on declared error consequences.


Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: Recall rises while accuracy falls; the preferred revision depends on declared error consequences.

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Read the picture in order. Review candidate's two misses and one false alarm with conditions and label **evidence** before revising. The arrows show which recorded **input** or intermediate result each decision uses.

Explain the deciding step aloud before checking the changed case; pointing to the final answer alone does not show how it follows.

Limit: Any case-driven revision makes these records development **evidence** for that revision; reserve a fresh final set.


Explain the case, then point to a limit on the claim.

Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Keep the stated scope: Any case-driven revision makes these records development **evidence** for that revision; reserve a fresh final set.

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Responsible Plant Classifier, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Why is “the revision is better” incomplete? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

> Draw your project trace and justify the deciding step using **evidence**.

Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: It catches more spotted leaves but raises false alarms and lowers accuracy. Report both trade-offs and decide using predeclared use costs.

Changed-case check: TP 5, FN 1, FP 3, TN 7 gives 12/16=75% accuracy and 5/6 recall. Recall rises while accuracy falls; the preferred revision depends on declared error consequences.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.