# Release and rollback

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

---

TEACHER GUIDE · 1 OF 9

## Prepare the purpose, prerequisites and materials

> Prepare Release and rollback: check the target, prerequisites, resources and adaptable teaching schedule.

### Teach the learning cycle

Primary target: Explain the **mechanism** and terminology of release and **rollback**

Session · Sequence and minutes · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Sequence and minutes:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Sequence and minutes:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min

> **Sequence and minutes:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

This is a starting allocation of 135 minutes, not a validated duration. Preserve all named topics. Schedule extra time for connected examples, the full investigation, independent cases and project building.

Repeated copies of a case share one recorded attempt; they are not new **evidence**.

### Retrieval answer guidance

### Deployment environments

Without opening the old lesson, explain one key idea from Deployment environments. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of deployment environments

Reference example, not the only acceptable wording: Teacher explanation: Development, staging and production are distinct environments with explicit data and credential boundaries.

Test configuration must not silently target production. For the classroom mock ENV selects a separate fixture store and secret namespace. Validate allowed environment names.

A staging run cannot use production write credentials.

### Caching and stale information

Without opening the old lesson, explain one key idea from Caching and stale information. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of caching and stale information

Reference example, not the only acceptable wording: Teacher explanation: Caching reuses results but needs freshness and access-aware keys. A cached answer must not cross role or corpus-version boundaries.

Cache key includes query, role, corpus version and procedure version. Entry valid only while age<TTL. At exact TTL it expires. Teacher and student results never share a role-agnostic key.

### Untrusted input boundaries

Without opening the old lesson, explain one key idea from Untrusted **input** boundaries. Give an example and a mistake that the idea helps you avoid.

Look for: Explain the **mechanism** and terminology of untrusted **input** boundaries

Reference example, not the only acceptable wording: Teacher explanation: Untrusted **input** must be treated according to a contract before reaching code, queries or tools.

Data that resembles instructions does not acquire execution authority. For the toy lookup accept room IDs matching one uppercase letter plus one digit. Perform exact dictionary lookup; never evaluate user strings as code.

Reject invalid length or characters.

Two 45-minute sessions. Release records bind code, configuration, data schema and evaluation **evidence**. **Rollback** requires **compatibility** with the current stored data.

Use the supplied constructed scenarios to make the **mechanism** inspectable. Collect W4 before sharing solutions.

Students should name intermediate **evidence** and limitations; classroom pacing and learning effectiveness remain unvalidated.

### Outcomes

Explain the **mechanism** and terminology of release and **rollback**

Apply the stated procedure to a new case with a traceable result

Identify an assumption or limitation and design a revealing follow-up

### Preparation

Lesson and workbook; paper and pencil

Calculator and optional local Python 3 for arithmetic; no live API or private data

Prepare the fresh retry separately and withhold its solution until after collection

### Prerequisite answer

A result depends on the **input**s, procedure and conditions that produced it. Preserve data roles and distinguish observed outcomes from **prediction**s or unmeasured conditions.

If the prior concept cannot be explained, use a short retrieval activity before this chapter.

### End goal for the pictorial case

Explain release and **rollback** using the deciding step in this fictional service.

This added worked case illustrates the week's main idea. Retain all original and connected topics; schedule its practice within the teaching cycle.

---

TEACHER GUIDE · 2 OF 9

## Explain and model the mechanism

> Model Release and rollback using the supplied case, labelled mechanism and reasoning. Make the scope of each conclusion explicit.

Release records bind code, configuration, data schema and evaluation **evidence**. **Rollback** requires **compatibility** with the current stored data.

### Explain Release and rollback · 1

Begin by writing the question the procedure is intended to answer. Identify the information already supplied, the information it will produce and the information still missing.

These are constructed classroom examples; they do not require live accounts, private records or an external service. Do not treat a plausible explanation as a measured outcome.

Version v2 writes schema2. Version v1 reads only schema1. A **rollback** to v1 after v2 writes data cannot safely proceed without migration or a compatible reader.


### Explain Release and rollback · 2

Before applying the procedure, write its units, denominator or decision boundary where relevant. A partner should be able to repeat each step using the same **input**s.

If a required **input** is absent or violates the stated contract, record that condition explicitly instead of quietly replacing it with a convenient value.

| Term | Meaning |
|---|---|
| Release manifest | Versions and artifacts included in a release |
| Compatibility | Whether components can correctly use one another's contracts |
| Rollback | Returning to an earlier compatible operating version |

### Release and rollback — evidence trace




The figure connects this chapter's worked input, declared procedure and result. Read the complete worked reasoning for qualifiers and intermediate steps; the abbreviated labels do not replace that reasoning.

## Explain Release and rollback · 3

Guided: Code-only **rollback** is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

Qualification: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**.

Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the **mechanism**; reject a claim resting on unmeasured **evidence**.

### Model the reasoning aloud

Use the complete worked example below before asking learners to complete W2. Reveal a small part, invite a **prediction**, then explain the deciding step.

These teacher notes contain solutions; do not reveal the independent case answer during modelling.

After deployment v2 creates schema2 records; operator proposes **rollback** code alone to v1.

Code-only **rollback** is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

## Model the reasoning aloud · 4

Compare the intermediate **evidence** with the final statement. Explain why each number or decision follows from the stated **input**s.

The conclusion belongs to this scenario and procedure; changing the **input**s, evaluation population or authority can change what it establishes. Retain the raw record so a later revision can be compared honestly.

| Thinking move | Teacher prompt |
|---|---|
| Plan | What is given? What is the question? Which procedure fits these facts? |
| Do | Point to each input and intermediate step in the worked trace. Name the rule that allows the next step. |
| Check | Does the output answer the question? Which assumption or limitation prevents a larger claim? |

Use the diagram and verbal explanation together. Ask learners to match a sentence to a specific visual step; do not assign learners fixed visual or auditory learning styles.

### A pictorial worked case: Release and rollback

A higher score can still block release. Version B is proposed to replace A; every privacy gate is mandatory.

### The facts we will use

**Supplied facts**

A passes 8/10 correctness cases. B passes 9/10 but fails one mandatory privacy check.

AI ACADEMY / AI-6/24

## Release and rollback

**Start with the supplied facts**
Follow each arrow. Ask which fact allows the next step.



**1. Compute quality**

Correctness rises from 80% to 90% on these cases.



**2. Apply privacy gate**

The mandatory failure blocks B's release.



**3. Keep recovery ready**

Retain the reviewed A version and documented rollback procedure.

**CHANGE ONE THING**

Repair B and pass privacy on a fresh reserved case.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

### Read the picture one step at a time

| STEP | WHAT HAPPENS AND WHY |
| --- | --- |
| 1. Compute quality | Correctness rises from 80% to 90% on these cases. |
| 2. Apply privacy gate | The mandatory failure blocks B’s release. |
| 3. Keep recovery ready | Retain the reviewed A version and documented rollback procedure. |

Match each pictured step to the supplied facts. This is a worked teaching case, not an independent assessment.

### Why this result follows

#### Why the result follows

Release criteria combine benefits and mandatory conditions. **Rollback** requires known versions and compatible data, not an informal promise.

### What this example does not establish

#### Keep the stated limit

Rolling back code may not reverse earlier external effects or incompatible data changes.

**Change one thing in the pictured case**

### Change one thing

Change: Repair B and pass privacy on a fresh reserved case.

### Predicted result

**Prediction**: B may enter the remaining gates; one repair does not approve everything.

### Why the result follows

Reason: All required release conditions still apply.

**Ask while showing the picture**

### Ask while showing the picture · 5

Cover the result. Ask learners to name the **input**s and predict the next step. Uncover one step, connect the icon to the actual procedure, and explain its **evidence**. Then change the supplied condition and compare.

The picture is a representation; it does not document execution of a real AI model.

---



## Demonstrate and guide practice

> Demonstrate Release and rollback, reduce support deliberately and check individual reasoning before discussing answers.

| Time or stage | Teacher action |
|---|---|
| Session 1: 0–7 minutes | Retrieve the prerequisite; identify the input, procedure and evidence source. |
| 7–18 minutes | Explain section 1 and vocabulary. Complete W1 with a mechanism-based explanation. |
| 18–32 minutes | Trace the declared procedure and worked case. Complete W2, recording intermediate steps. |
| 32–45 minutes | Discuss the diagram with the worked input; use W3 to distinguish measured claims and limitations. |
| Session 2: 0–8 minutes | Retrieve the worked reasoning and collect the guided response before discussing it. |
| 8–20 minutes | Compare a proposed boundary variant with the original case; identify what remains fixed. |
| 20–35 minutes | Collect W4 independently. Require the procedure trace and the bounded conclusion. |
| 35–45 minutes | Use W5 and exit responses for feedback. Administer the fresh retry after feedback and preserve both attempts. |

Use the worked example in Sections 3 and 6. Collect a **prediction** before revealing its result; ask the learner to point to each intermediate fact.

Provide an **input**/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace.

Extension: compare two concrete variants of this **mechanism** while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

### Reduce help deliberately

### Completion practice

Completion task: After deployment v2 creates schema2 records; operator proposes **rollback** code alone to v1. Show the intermediate steps and give the conclusion with its scope.

### Reasoning to listen for

Teacher check: Teacher explanation: Code-only **rollback** is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

Start by identifying the given **input**s together. Leave the intermediate steps blank. If needed, model one step, then withdraw that help on the next step. Move to a full trace only when the partial trace is understood.

For partners, alternate explainer and checker; collect a response from every learner before discussion.

#### Individual reasoning check

Use the worked case for Release and **rollback**. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

### Expected repair

Expected correction: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**.

Collect explanations, not only yes/no votes. If a misunderstanding is common, re-model the relevant step for the class.

If it affects a few learners, give a short targeted group explanation while others solve a more demanding variation.

#### Pictorial practice question

Compute A’s and B’s correctness percentages. Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?

**Reasoned teacher answer**

Correctness rises from **80%** to 90% on these cases. The mandatory failure blocks B's release. Retain the reviewed A version and documented **rollback** procedure.

Changed case: B may enter the remaining gates; one repair does not approve everything. All required release conditions still apply.

Changed-case reasoning: B may enter the remaining gates; one repair does not approve everything. All required release conditions still apply.

Collect each learner's explanation before discussion. Use the first missing connection between **input**, deciding step and result to choose support. This question is worked-case practice, not fresh mastery **evidence**.

---



## Run the investigation and diagnose misconceptions

> Run the Release and rollback investigation and use the first unsupported step to choose a teaching response.

The worked result establishes every future case: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**.

A missing **input** may be replaced without recording the change: A replacement changes the **evidence** or contract. Record the change and its justification; do not silently turn unknown into a measured value.

Repeating an assessed case is new independent **evidence**: A replay checks consistency. An example used for feedback or revision cannot later be described as untouched final evaluation.

Use Section 9 for the **evidence** ledger. Add a boundary or missing-**input** case and record the expected response before checking. More successful repeats of one case do not establish wider coverage.

### Match the support to the first error

| What the response shows | Next teaching action |
|---|---|
| Missing or misread facts | Read the case aloud, mark supplied versus unknown facts, and let the learner restate it. |
| Wrong procedure | Return to the deciding step in the worked case. Contrast it with the proposed incorrect explanation. |
| Arithmetic or implementation error | Trace intermediate values or lines; preserve the first mismatch and retry that step. |
| Correct result without a reason | Ask for a trace and a changed case before marking independent understanding. |
| An unsupported wider claim | Ask which supplied evidence supports the claim and which further observation would be needed. |

Offer an oral explanation, drawing, enlarged visual or fewer examples when that removes a reading/writing barrier. Keep the same reasoning goal.

Stretch secure learners by changing a boundary or assumption and asking them to defend the effect, not simply by assigning more of the same questions.

---

TEACHER GUIDE · 5 OF 9

## Assess and explain the answers

> Use the Release and rollback questions, teacher keys and criteria after the relevant attempts. Previously discussed cases are practice; protect the separately selected independent task.

### Guided and exit questions

Guided: Code-only **rollback** is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

Qualification: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**.

Exit: accept a concrete variation with its predicted outcome and a stated condition that would challenge the **mechanism**; reject a claim resting on unmeasured **evidence**.

### W1 Explain the mechanism

#### Workbook question · W1

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

#### Teacher reasoning · W1

Teacher explanation: Release records bind code, configuration, data schema and evaluation **evidence**. **Rollback** requires **compatibility** with the current stored data. Version v2 writes schema2. Version v1 reads only schema1.

A **rollback** to v1 after v2 writes data cannot safely proceed without migration or a compatible reader.

### W2 Trace the worked case

#### Workbook question · W2

After deployment v2 creates schema2 records; operator proposes **rollback** code alone to v1. Show the intermediate steps and give the conclusion with its scope.

#### Teacher reasoning · W2

Teacher explanation: Code-only **rollback** is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

### W3 Audit the limit

#### Workbook question · W3

A report omits this qualification: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

#### Teacher reasoning · W3

Teacher explanation: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**.

State the observed result separately from the unverified or out-of-scope claim; preserve the original **evidence** rather than inventing a missing fact.

### W4 Apply a new case independently

#### Workbook question · W4

New release changes corpus and prompt. Old prompt requires old field names absent from the new corpus. Is reverting prompt alone valid?

#### Teacher reasoning · W4

Teacher explanation: No. **Rollback** must restore a compatible combination or use a tested adapter. Record all version dependencies.

### W5 Design a revealing follow-up

#### Workbook question · W5

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

#### Teacher reasoning · W5

Teacher explanation: Accept a concrete variant of the worked **input** or a missing/conflicting/boundary condition, with an expectation derived from the declared procedure.

Require preserved settings, original **output**s and data roles. A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**.

The new case should test this particular **mechanism** rather than merely restate the original result.

### Independent assessment and fresh retry

#### Teacher key · Independent assessment and fresh retry

W4: No. **Rollback** must restore a compatible combination or use a tested adapter. Record all version dependencies. Require intermediate reasoning and the stated scope.

Fresh retry: v3 config uses renamed key; v2 binary cannot read it. Expected reasoning: Binary **rollback** needs compatible config and validation. Version labels alone do not establish **compatibility**.

If students need support, record it and reassess with another new case rather than awarding independence to a copied answer.

### Assess independent transfer

#### Independent question · withhold the key

Selected case: New release changes corpus and prompt. Old prompt requires old field names absent from the new corpus. Is reverting prompt alone valid?

### Selected case answer

#### Teacher key · Selected case answer

Teacher explanation: No. **Rollback** must restore a compatible combination or use a tested adapter. Record all version dependencies.

| Dimension | Evidence required |
|---|---|
| Explanation | Names the applicable idea or procedure and ties it to the supplied facts. |
| Trace and result | Preserves the given inputs and shows the relevant intermediate steps; distinguishes a prediction from an observed execution. |
| Limits | States the assumptions, missing evidence or conditions under which the result would change. |

#### Teacher key · Selected case answer

Record each dimension as not yet, with support, or independent. Accept a valid alternative procedure with a defensible trace.

Do not penalise an honestly recorded model failure if the learner correctly explains its **evidence** and limits.

### Feedback that the learner uses

Name the earliest unsupported step and give one action to repair it. Have the learner make that repair now and explain why. Then assess the relevant skill on a fresh, fully specified case.

Confirm it was not previously practised with feedback; solve and check the new case before assigning it. A follow-up design prompt is a starting brief, not automatically an equivalent test.

---

TEACHER GUIDE · 6 OF 9

## Connect the project, support and next lesson

> Connect Release and rollback to Grounded Learning Service, adapt support and plan a later changed-case check.

Add a labelled release and **rollback evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of release and **rollback**.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

Provide an **input**/procedure/result/limit frame and a calculator when needed. Ask students to identify the first step before completing the whole trace.

Extension: compare two concrete variants of this **mechanism** while holding unrelated conditions fixed; report both successful and unsuccessful outcomes.

Next connection: Monitoring quality drift. Preserve the current case record and retrieve its **evidence** boundary before moving on.

Retain the project ledger and assess a changed case after support. Check the relevant prerequisite before carrying this component forward.

### Plan the delayed return

Suggested return points in this level: ai-6/25, ai-6/27, ai-6/30. Use actual classroom dates, adjusting for holidays and gaps. One, three and six teaching weeks are scheduling choices, not a claimed optimal spacing.

At a delayed check, ask for the idea from memory and a changed application. Compare with the earlier independent response and record support used.

For a new level, revisit the previous capstone before checking the new prerequisites.

| Record | Teacher evidence |
| --- | --- |
| Learner code and date | |
| Concept and case used; prior exposure | |
| Explanation / trace / limits | |
| Support and first repair | |
| Changed case and delayed outcome | |
| Next teaching action | |

Use the **evidence** to choose reteaching or the next step. A completed page, confidence rating or attractive project does not by itself demonstrate understanding.

### Project evidence from this case

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

---



## Prepare, teach and assess

> Use this preparation summary alongside the detailed Release and rollback lesson; it is a checklist rather than a replacement for the full sequence.

### Teaching target

Teaching target: Explain the **mechanism** and terminology of release and **rollback**

Prepare the labelled worked-case picture, the matching workbook, fictional **input** cards and a place for individual responses. Check a local Python 3 environment before class; have a paper-trace version ready.

Session · Plan · Resources

> **Session:** Session 1 · Understand · 45 min
>
> **Plan:** 0–7: recall and prerequisite; 7–15: inspect the concrete case and predict; 15–30: teacher models the worked trace; 30–40: learners explain a step using the text and visual; 40–45: check the core idea.
>
> **Resources:** Sections 1–6; record the brief recall in the workbook.

> **Session:** Session 2 · Practise · 45 min
>
> **Plan:** 0–5: retrieve the procedure; 5–15: W2 completion practice; 15–23: explain and check with a partner; 23–30: each learner answers the misconception check; 30–40: targeted reteaching or a harder variation; 40–45: prepare the investigation.
>
> **Resources:** Sections 7–10; use the matching workbook W2 and misconception check.

> **Session:** Session 3 · Investigate and transfer · 45 min
>
> **Plan:** 0–5: retrieve the decision rule; 5–20: investigate or trace; 20–30: start the independent case; 30–38: connect the project; 38–43: act on feedback; 43–45: plan the return check.
>
> **Resources:** Sections 9 and 11–14. Give extra time to finish the full task set; use Section 15 when the week includes a coding lab.

Before class, solve the supported practice: After deployment v2 creates schema2 records; operator proposes **rollback** code alone to v1. Show the intermediate steps and give the conclusion with its scope.

### Supported practice answer

Reasoned practice answer: Teacher explanation: Code-only **rollback** is incompatible with stored schema2. Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

Check every learner before discussion: Use the worked case for Release and **rollback**. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

### Repair the misconception

Misconception repair: A **rollback** plan needs testing; an available old binary is not sufficient recovery **evidence**.

### Support without giving away the answer

Support: read the exact case aloud, enlarge the labelled picture, supply **input** cards and model only the first deciding step. Accept a spoken explanation or drawing; retain the reasoning goal.

### Extend the reasoning

Extension: Repair B and pass privacy on a fresh reserved case. Require a **prediction** and a reason before comparing. Expected result: B may enter the remaining gates; one repair does not approve everything.

Reason: All required release conditions still apply.

### Protect the independent attempt

Independent assessment: withhold the reserved answer until the learner has attempted the new case. Record support separately from correctness.

| Criterion | Not yet | With support | Independent |
| --- | --- | --- | --- |
| Explanation | Names an answer without a deciding fact | Uses a hint to link fact and decision | Explains the deciding fact in own words |

| Criterion | Not yet | With support | Independent |
|---|---|---|---|
| Trace or test | Cannot connect input and result | Completes steps with prompts | Traces or tests a changed case accurately |
| Limits and revision | Claims more than evidence supports | Names a limit after a prompt | States a defensible limit and useful next test |

### Project checkpoint

Project checkpoint: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

Use the weekly teacher answer for topic-specific reasoning. A saved progress tick is an activity record; judge mastery from the learner's explanation and **evidence**.

---

TEACHER GUIDE · 8 OF 9

## Use feedback, labs and repair paths

> Use feedback, earlier review and portfolios purposefully. Apply the coding routine only when this lesson has an executable lab.

Use the two formative questions as supported practice, not as independent mastery scores. Discuss the deciding **evidence** rather than accepting a guessed selection.

The feedback comes from the reviewed public worked case. Do not reveal the separately reserved independent teacher answer until the learner has attempted that case.

### For later coding lessons

> This week has no code block. Use this routine when a later lesson includes an executable lab.

> Ask students to predict before running code. Preserve errors and actual **output**s; collect a changed test and an explanation. The branch-boundary and indexing lessons deliberately include failure cases.

Use the earlier worked-explanation links to address a specific missing building block, then return to the current question. Adapt this suggestion after observing the learner; it is not an automatic diagnosis.

Collect the completed-work portfolio as **evidence**. Record support separately from correctness, and assess explanation, trace/test and limitations. Progress ticks and quiz selections alone do not establish mastery.

---




## Visual concept journey

> Show one Release and rollback graphic at a time, request a prediction and discuss its trace before the independent assessment.

Use one picture at a time. Hide a worked result before asking for a **prediction**, then reveal it for feedback. These are supported teaching cases; retain the separate independent assessment for a fresh first attempt.

## 01. Release and rollback: the case




Follow the labelled picture with the matching explanation. Open the vector diagram


A higher score can still block release. Version B is proposed to replace A; every privacy gate is mandatory. Supplied facts: A passes 8/10 correctness cases. B passes 9/10 but fails one mandatory privacy check.

Point to the given fact that matters most. Explain why it matters.

### Discuss while showing the picture

Teacher prompt: Point to the given fact that matters most. Explain why it matters. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

## 02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram


Compute quality: Correctness rises from **80%** to 90% on these cases. → Apply privacy gate: The mandatory failure blocks B's release. → Keep recovery ready: Retain the reviewed A version and documented **rollback** procedure.

Point to each numbered stage and explain which recorded **input** it uses.

### Discuss while showing the picture

Teacher prompt: Point to each numbered stage and explain which recorded **input** it uses. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

### 03. Release and rollback — evidence trace




Follow the labelled picture with the matching explanation. Open the vector diagram

Release and **rollback** — **evidence** trace. After deployment v2 creates schema2 records; operator proposes **rollback** code alone to v1. | Version v2 writes schema2. Version v1 reads only schema1.

A **rollback** to v1 after v2 writes data cannot safely proceed without migration or a compatible reader. | Code-only **rollback** is incompatible with stored schema2.


Use the tested recovery plan or compatible migration; preserve data and failure **evidence**.

Read the labels and values. Explain the relationship the model shows.

#### Discuss while showing the picture

Teacher prompt: Read the labels and values. Explain the relationship the model shows. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

## 04. Change one thing. Trace what follows.




Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Retain the reviewed A version and documented **rollback** procedure. Changed condition: Repair B and pass privacy on a fresh reserved case.

Expected result: B may enter the remaining gates; one repair does not approve everything. Reason: All required release conditions still apply.


> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

### Discuss while showing the picture

Teacher prompt: Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude. Ask learners to describe one label or arrow in ordinary words.

Use the adjacent transcript if the image is difficult to see. Changed-case reasoning: All required release conditions still apply.

### 05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

Release criteria combine benefits and mandatory conditions. **Rollback** requires known versions and compatible data, not an informal promise.

Limit: Rolling back code may not reverse earlier external effects or incompatible data changes.


Explain the case, then point to a limit on the claim.

#### Discuss while showing the picture

Teacher prompt: Explain the case, then point to a limit on the claim. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

> Keep the stated scope: Rolling back code may not reverse earlier external effects or incompatible data changes.

### 06. Make the idea visible in your project




Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Compute A's and B's correctness percentages. Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?

> Draw your project trace and justify the deciding step using **evidence**.

### Discuss while showing the picture

Teacher prompt: Draw your project trace and justify the deciding step using **evidence**. Ask learners to describe one label or arrow in ordinary words. Use the adjacent transcript if the image is difficult to see.

Supported practice key: Correctness rises from **80%** to 90% on these cases. The mandatory failure blocks B′s release. Retain the reviewed A version and documented **rollback** procedure.

Changed case: B may enter the remaining gates; one repair does not approve everything. All required release conditions still apply.

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.