# Activation functions

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

---

WORKBOOK · 1 OF 15

## Recall and choose your starting point

> Record your starting explanation for Activation functions before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

### Bias terms and decision boundaries

Without opening the old lesson, explain one key idea from Bias terms and decision boundaries. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

### Representing inputs as vectors

Without opening the old lesson, explain one key idea from Representing **input**s as vectors. Give an example and a mistake that the idea helps you avoid.

**My remembered idea, example and correction**

WORKBOOK · 2 OF 15

## Practise with fading help

> Complete the supported Activation functions trace and record the first step you can explain without help.

Use W2: Apply a declared class rule for **Activation function**s. Record the answer once; the lesson and workbook refer to the same attempt.

| Given inputs | Procedure I chose | Middle steps | Result and check |
|---|---|---|---|
| | | | |

**The step I completed without help, and the hint I needed**

WORKBOOK · 3 OF 15

## Individual reasoning check

> Check the proposed Activation functions explanation against the supplied facts before

> discussing it.

Use the worked case for **Activation function**s. Proposed explanation: “**ReLU** returns a class label”. Decide whether this explanation is supported. Point to the step or supplied fact that decides; explain your repair if needed.

**My explanation before partner discussion**

---

WORKBOOK · 4 OF 15

## Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

**Independent case: Trace a new chain independently**

Let z = x - 2, a = **ReLU**(z), y = 2a + 1. For x = 0, 2, 5, record every z, a and y. Then replace **ReLU** with identity and give all three y values. Which **input**s have the same **ReLU output**, and why?

**My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

---

WORKBOOK · 5 OF 15

## W1 Trace three activations

> Trace three activations. Apply the supplied Activation functions facts and keep your reasoning.

For scores -2, 0, 2, list identity and **ReLU output**s. Explain why **ReLU**(2) is not 1.

**My reasoning and evidence**

---

WORKBOOK · 6 OF 15

## W2 Apply a declared class rule

> Apply a declared class rule. Apply the supplied Activation functions facts and keep your reasoning.

Use the lesson **sigmoid** values for -2, 0, 2. Predict classes under a >= 0.5, then explain the zero-score case.

**My reasoning and evidence**

---

WORKBOOK · 7 OF 15

## W3 Check the midpoint

> Check the midpoint. Apply the supplied Activation functions facts and keep your reasoning.

Compare **ReLU** at **input**s -2, 0, 2. Give the average of the two endpoint **output**s and the **output** at the midpoint; explain what this shows.

**My reasoning and evidence**

---

WORKBOOK · 8 OF 15

## W4 Trace a new chain independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Trace a new chain independently. Apply the supplied Activation functions facts and keep your reasoning.

Let z = x - 2, a = **ReLU**(z), y = 2a + 1. For x = 0, 2, 5, record every z, a and y. Then replace **ReLU** with identity and give all three y values. Which **input**s have the same **ReLU output**, and why?

**My reasoning and evidence**

WORKBOOK · 9 OF 15

## W5 Limit a probability claim

Limit a probability claim. Apply the supplied Activation functions facts and keep your reasoning.

A model returns a **sigmoid** value 0.9 on one case. Does the numerical range alone establish a calibrated 90 percent probability? Explain what needs checking.

**My reasoning and evidence**

WORKBOOK · 10 OF 15

## Project checkpoint and reflection

> Connect Activation functions to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled **activation function**s **evidence** sheet to Image-pattern Network Investigation. Show how you can trace identity **relu** and **sigmoid** on a numerical score.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

> **My project change, supporting evidence and remaining limit**

---



## Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

| Evidence | My record |
|---|---|
| Worked alone / hint / model | |
| First step I repaired and why | |
| New case checked later; date and result | |
| What I can now explain without notes | |
| One remaining question | |

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

---

WORKBOOK · 12 OF 15


## Pictorial case practice: Activation functions

> See what ReLU removes before the next weighted step. Explain the labelled step before checking the changed condition.

See what **ReLU** removes before the next weighted step.

Toy network z=x-3; h=max(0, z); y=3h+2. **Input**s x=1, 3, 4.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.




Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-5/4

# Activation functions

**Start with the supplied facts**

Follow each arrow. Ask which fact allows the next step.



**1. Compute preactivation**

z values are-2, 0, 1.



**2. Apply ReLU**

h values are 0, 0, 1; the negative value is replaced by0.



**3. Compute output**

y values are2, 2, 5; x = 1 and x = 3 collapse to the same output.

**CHANGE ONE THING**

Replace ReLU with identity.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Which original **input**s cannot be distinguished by this network's final **output**? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

**My picture-based explanation and changed-case prediction**

### Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

---



## Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Frame the need. Name the user, the problem, allowed **input**s and a safe simple starting method.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

| Evidence to keep | My record |
|---|---|
| This week's input and deciding step | |
| Prediction and actual result (or labelled paper trace) | |
| One change since the previous checkpoint and why | |

| Evidence to keep | My record |
| --- | --- |
| One error or limit and the next test | |

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

---

WORKBOOK · 14 OF 15

## Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

See what **ReLU** removes before the next weighted step.

### Practice 1: explain the deciding evidence

Which labelled step matches this detail? y values are2, 2, 5; x = 1 and x = 3 collapse to the same **output**.

1. Apply **ReLU**

2. Compute **output**

3. Compute preactivation

**My selected conclusion, deciding fact and explanation**

### Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

### Feedback · compare after trying

After your attempt, compare with the supported explanation: Compute **output** y values are2, 2, 5; x = 1 and x = 3 collapse to the same **output**. **ReLU** means keep a positive value and replace a negative one with zero.

The **output** layer receives that transformed value, not the original **input**. **Input**s one and three therefore both deliver zero to the final layer and produce two.

Replacing **ReLU** with identity changes the procedure: negative intermediate values now remain available to the next layer.

**Practice 2: explain the deciding evidence**

### Changed case · predict first

Changed-case practice: Replace **ReLU** with identity. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. h becomes-2, 0, 1 and **output**s become-4, 2, 5.

3. We can decide the result without examining the changed **input** or the procedure.

**My selected conclusion, deciding fact and explanation**

### Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

### Feedback · compare after trying

After your attempt, compare with the supported explanation: h becomes-2, 0, 1 and **output**s

become-4, 2, 5. Identity retains the negative intermediate value instead of clipping it.

### Repair a missing building block

Review Bias terms and decision boundaries (ai-5/3). Goal: Calculate a weighted score with a bias term. Short practice: Is B positive under the original or changed model?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Representing **input**s as vectors (ai-5/1). Goal: Encode a record using a fixed feature order and units. Short practice: Why does equal total brightness not make A and B identical **input**s?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

### Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

### Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.


Drafts stay in this browser when storage is available; clear drafts on a shared device.

**What I repaired, the evidence I kept and the next test**

## Visual concept journey

> Explain each Activation functions picture from its labels, then record a relevant limit.

### 01. Activation functions: the case




Follow the labelled picture with the matching explanation. Open the vector diagram

See what **ReLU** removes before the next weighted step. Supplied facts: Toy network z=x-3; h=max(0, z); y=3h+2. **Input**s x=1, 3, 4.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

## 02. Follow the deciding steps





Follow the labelled picture with the matching explanation. Open the vector diagram

Compute preactivation: z values are-2, 0, 1. → Apply **ReLU**: h values are 0, 0, 1; the negative value is replaced by0. → Compute **output**: y values are2, 2, 5; x = 1 and x = 3 collapse to the same **output**.

Point to each numbered stage and explain which recorded **input** it uses.

**My picture explanation, deciding evidence and one limit**

### 03. ReLU hidden computation at x=1




Follow the labelled picture with the matching explanation. Open the vector diagram

**ReLU** hidden computation at x=1. **Input**s: [1]; weights: [1]; bias: -3; activation: **relu**; **output**: 0.

Read the labels and values. Explain the relationship the model shows.

**My picture explanation, deciding evidence and one limit**

## 04. Change one thing. Trace what follows.

AI ACADEMY / AI-5/4 · 04 · COMPARE THE CASES

### Change one thing. Trace what follows.

**Original case**

y values are2, 2, 5; x = 1 and x = 3 collapse to the same output.

**Changed condition**

Replace ReLU with identity.

**Worked changed-case result**

h becomes-2, 0, 1 and outputs become-4, 2, 5.
Why: Identity retains the negative intermediate value instead of clipping it.

Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: y values are2, 2, 5; x = 1 and x = 3 collapse to the same **output**. Changed condition: Replace **ReLU** with identity. Expected result: h becomes-2, 0, 1 and **output**s become-4, 2, 5.

Reason: Identity retains the negative intermediate value instead of clipping it.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

**My picture explanation, deciding evidence and one limit**

## 05. Connect the explanation to its limit




Follow the labelled picture with the matching explanation. Open the vector diagram

**ReLU** means keep a positive value and replace a negative one with zero. The **output** layer receives that transformed value, not the original **input**.


**Input**s one and three therefore both deliver zero to the final layer and produce two. Replacing **ReLU** with identity changes the procedure: negative intermediate values now remain available to the next layer.

Limit: **ReLU** is one activation choice. Clipping negatives does not itself train the network or prove useful representation.

Explain the case, then point to a limit on the claim.

**My picture explanation, deciding evidence and one limit**

## 06. Make the idea visible in your project




Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Which original **input**s cannot be distinguished by this network's final **output**? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

### My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.