Forward passes by hand

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Forward passes by hand before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Composing layers

Without opening the old lesson, explain one key idea from Composing layers. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Bias terms and decision boundaries

Without opening the old lesson, explain one key idea from Bias terms and decision boundaries. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Forward passes by hand trace and record the first step you can explain without help.

Use W2: Locate a bias omission for Forward passes by hand. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Forward passes by hand explanation against the supplied facts before

> discussing it.

Use the worked case for Forward passes by hand. Proposed explanation: “ReLU means the **output** cannot be negative”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

> **My explanation before partner discussion**

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Audit a different network independently

Use $z1 = x + 1$, $z2 = 2 - 2x$, $h = \mathrm{ReLU}(z)$ component by component, and $y = 2h1 + h2 - 3$. **Trace** $x = 0$ and $x = 2$. A submitted $x = 2$ **trace** uses $h = [3, -2]$ and $y = 1$. Find its first error and correct all later values.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Complete a fresh row

> Complete a fresh row. Apply the supplied Forward passes by hand facts and keep your reasoning.

Trace x = -1 through the lesson network. Record z, h and y.

My reasoning and evidence

WORKBOOK · 6 OF 15

W2 Locate a bias omission

> Locate a bias omission. Apply the supplied Forward passes by hand facts and keep your reasoning.

At x = 3 a **trace** gives z = [5, -1], h = [5, 0] and y = 5. Identify the first incorrect stage and repair it.

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Check both boundaries

Check both boundaries. Apply the supplied Forward passes by hand facts and keep your reasoning.

Trace x = 0.5 and x = 2. Which hidden score is zero in each case?

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Audit a different network independently

Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Audit a different network independently. Apply the supplied Forward passes by hand facts and keep your reasoning.

Use z1 = x + 1, z2 = 2 - 2x, h = ReLU(z) component by component, and y = 2h1 + h2 - 3. **Trace** x = 0 and x = 2. A submitted x = 2 **trace** uses h = [3, -2] and y = 1. Find its first error and correct all later values.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Limit a passing test

Limit a passing test. Apply the supplied Forward passes by hand facts and keep your reasoning.

Explain why testing only x = 1 in the lesson model may miss a hidden-order swap.

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

Connect Forward passes by hand to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled forward passes by hand **evidence** sheet to Image-pattern Network Investigation. Show how you can record scores and activations in **dependency** order.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a **trace** is insufficient.

> **My project change, supporting evidence and remaining limit**
>
> _____
>
> _____
>
> _____
>
> _____

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

Pictorial case practice: Forward passes by hand

> Audit a forward pass by writing every value at its correct stage. Explain the labelled step before checking the changed condition.

Audit a forward pass by writing every value at its correct stage.

Toy scalar network z=2x-1, h=ReLU(z), y=-h+4. **Trace** x=0 and x=2.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/6

Forward passes by hand

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Preactivation

At x=0, z=-1; at x=2, z=3.



2. Activation

At x=0, h=0; at x=2, h=3.



3. Output

Outputs are4 and 1 respectively.

CHANGE ONE THING

A submitted x = 0 trace uses h=-1 and y = 5.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Why should feedback identify h before correcting only y? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Frame the need. Name the user, the problem, allowed **input**s and a safe simple starting method.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Audit a forward pass by writing every value at its correct stage.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? **Output**s are4 and 1 respectively.

1. **Preactivation**

2. **Output**

3. Activation

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: **Output Output**s are4 and 1 respectively. A forward pass applies a fixed network to an **input**; it does not update weights.

Keep the **preactivation** z, activated value h and final **output** y in separate **trace** columns. For zero, ReLU changes minus one to zero.

Using the earlier minus one in the **output** layer is the first error, even if later arithmetic follows that mistaken value correctly.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: A submitted x = 0 **trace** uses h=-1 and y = 5. Which conclusion is supported by the supplied facts?

1. Its first error is retaining the negative value after ReLU; correct h = 0 gives y = 4.

2. This one example guarantees correct results for every future **input**.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial **trace**. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Its first error is retaining the negative value after ReLU; correct h = 0 gives y = 4. ReLU(-1)=0, so the **output** must use0, not the earlier **preactivation**.

Repair a missing building block

Review Composing layers (ai-5/5). Goal: **Trace** how one layer supplies the next layer **input**s. Short practice: What intermediate value explains the changed **output**?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Bias terms and decision boundaries (ai-5/3). Goal: Calculate a weighted score with a bias term. Short practice: Is B positive under the original or changed model?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a **trace** rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


> **What I repaired, the evidence I kept and the next test**

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Forward passes by hand picture from its labels, then record a relevant limit.

01. Forward passes by hand: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Audit a forward pass by writing every value at its correct stage. Supplied facts: Toy scalar network z=2x-1, h=ReLU(z), y=-h+4. **Trace** x=0 and x=2.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Preactivation: At x=0, z=-1; at x=2, z=3. → Activation: At x=0, h=0; at x=2, h=3. → **Output**: **Output**s are4 and 1 respectively.

> Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Correct a trace from the earliest error

AI ACADEMY / AI-5/6 · 03 · INSPECT THE LESSON MODEL

Correct a trace from the earliest error

Trace stage at x is 0	Expected value	Submitted value
Scores	[-1, 2]	[-1, 2]
ReLU activations	[0, 2]	[-1, 2]
Output	-3	-4

The columns compare expected and submitted traces. The first disagreement is the activation of -1, not the final addition. Recompute all dependent values after repairing it.

Follow the labelled picture with the matching explanation. Open the vector diagram

Correct a **trace** from the earliest error. Scores | [-1, 2] | [-1, 2]. ReLU activations | [0, 2] | [-1, 2]. **Output** | -3 | -4

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.

AI ACADEMY / AI-5/6 · 04 · COMPARE THE CASES

Change one thing. Trace what follows.

Original case

Outputs are4 and 1 respectively.

Changed condition

A submitted x = 0 trace uses h=-1 and y = 5.

Worked changed-case result

Its first error is retaining the negative value after ReLU; correct h = 0 gives y = 4.
Why: ReLU(-1)=0, so the output must use0, not the earlier preactivation.

Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: **Output**s are4 and 1 respectively. Changed condition: A submitted x = 0 **trace** uses h=-1 and y = 5. Expected result: Its first error is retaining the negative value after ReLU; correct h = 0 gives y = 4.

Reason: ReLU(-1)=0, so the **output** must use0, not the earlier **preactivation**.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A forward pass applies a fixed network to an **input**; it does not update weights. Keep the **preactivation** z, activated value h and final **output** y in separate **trace** columns. For zero, ReLU changes minus one to zero.


Using the earlier minus one in the **output** layer is the first error, even if later arithmetic follows that mistaken value correctly.

Limit: A correct forward **trace** verifies this declared computation; it does not show that the parameter choices solve a useful task.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Why should feedback identify h before correcting only y? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project **trace** and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.