Batching and epochs

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Batching and epochs before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Training a small network

Without opening the old lesson, explain one key idea from **Training** a small network. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Gradients with a numerical check

Without opening the old lesson, explain one key idea from Gradients with a numerical check. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Parameters and architecture

Without opening the old lesson, explain one key idea from Parameters and architecture. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Batching and epochs trace and record the first step you can explain without help.

Use W2: Repair a stale gradient for **Batch**ing and **epoch**s. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Batching and epochs explanation against the supplied facts before discussing it.

Use the worked case for **Batch**ing and **epoch**s. Proposed explanation: “One **epoch** always means one **update**”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Test order on a new case independently

Use A = (1, 1), B = (2, 0), h = ReLU(x), y = vh, v = 0 and rate 0.1. Train with size 1 for one **epoch** in A then B order, then restart at 0 and reverse the order. Show gradients and parameter values. Compare the final values.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Count a partial batch

> Count a partial batch. Apply the supplied Batching and epochs facts and keep your reasoning.

For 10 rows, **batch size** 4 and three **epoch**s, retaining the final **batch**, list **batch** lengths and count total **update**s and example visits.

> **My reasoning and evidence**

WORKBOOK · 6 OF 15

W2 Repair a stale gradient

> Repair a stale gradient. Apply the supplied Batching and epochs facts and keep your reasoning.

For A then B separately in the lesson, a learner computes both gradients at v = 0, then applies them to get v = 2. Explain the error and give the correct final value.

My reasoning and evidence

W3 Combine unequal batches

> Combine unequal batches. Apply the supplied Batching and epochs facts and keep your reasoning.

At one frozen model, **batch**es of sizes 3 and 1 have mean squared errors 2 and 10. Find the full MSE and explain why the average of 2 and 10 is wrong.

My reasoning and evidence

W4 Test order on a new case independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Test order on a new case independently. Apply the supplied Batching and epochs facts and keep your reasoning.

Use A = (1, 1), B = (2, 0), h = ReLU(x), y = vh, v = 0 and rate 0.1. Train with size 1 for one **epoch** in A then B order, then restart at 0 and reverse the order. Show gradients and parameter values. Compare the final values.

My reasoning and evidence

W5 Audit an epoch claim

> Audit an epoch claim. Apply the supplied Batching and epochs facts and keep your reasoning.

A program **process**es 11 rows using size 4 and drops the last incomplete **batch**. How many examples did it visit and how many **update**s occurred? What must its report disclose?

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Batching and epochs to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled **batch**ing and **epoch**s **evidence** sheet to Image-pattern Network Investigation. Show how you can distinguish an example a **batch** an **update** and an **epoch**.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15

Pictorial case practice: Batching and epochs

> Show why an epoch's example order can matter for single-example updates. Explain the labelled step before checking the changed condition.

Show why an **epoch**'s example order can matter for single-example **update**s.

Toy y=wx, rate 0.1, squared loss, start w = 0. **Training** A=(x = 1, target 2), B=(x = 2, target 0).

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/13

Batching and epochs

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.

1. A then B

A gradient -4 gives w = 0.4; B gradient 3.2 then gives w = 0.08.

2. Restart and reverse

B at w=0 has gradient 0; A then gives w = 0.4.

3. Compare full batch

At w = 0 mean gradient=(-4+0)/2=-2; one full-batch update gives w = 0.2.

CHANGE ONE THING

Use only one full-batch update after reversing record order.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Why do the single-example orders finish at different weights? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Test changed cases. Keep normal, boundary and failure cases; compare expected and observed results.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Show why an **epoch**'s example order can matter for single-example **update**s.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? At w = 0 mean gradient=(-4+0)/2=-2; one full-**batch update** gives w = 0.2.

1. Restart and reverse

2. A then B

3. Compare full **batch**

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Compare full **batch** At w = 0 mean gradient=(-4+0)/2=-2; one full-**batch update** gives w = 0.2.

A single-example **update** changes the weight before the next example's gradient is calculated. Reversing the example order can therefore change the path.

A full-**batch update** computes both gradients at the same starting weight and averages them before changing that weight. The distinction is when the **update** occurs, not whether the examples have different labels.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Use only one full-**batch update** after reversing record order. Which conclusion is supported by the supplied facts?

1. The **update**d weight remains 0.2.

2. We can decide the result without examining the changed **input** or the procedure.

3. This one example guarantees correct results for every future **input**.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: The **update**d weight remains

> 0.2. The same mean of the two starting gradients is unchanged by their order.

Repair a missing building block

Review **Training** a small network (ai-5/12). Goal: Trace repeated forward loss gradient and **update** steps. Short practice: Which parameter changed, and which part was not trained?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Gradients with a numerical check (ai-5/10). Goal: Estimate one partial derivative while other parameters stay fixed. Short practice: Why should the numerical checks perturb one coordinate at a time?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Parameters and architecture (ai-5/7). Goal: Distinguish architectural choices from parameter values. Short practice: How many new parameters did that one hidden unit add?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Batching and epochs picture from its labels, then record a relevant limit.

01. Batching and epochs: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Show why an **epoch**'s example order can matter for single-example **update**s. Supplied facts: Toy y=wx, rate 0.1, squared loss, start w = 0. **Training** A=(x = 1, target 2), B=(x = 2, target 0).

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

A then B: A gradient -4 gives w = 0.4; B gradient 3.2 then gives w = 0.08. → Restart and reverse: B at w=0 has gradient 0; A then gives w = 0.4. → Compare full **batch**: At w = 0 mean gradient= (-4+0)/2=-2; one full-**batch update** gives w = 0.2.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. One pass can contain different numbers of updates

AI ACADEMY / AI-5/13 · 03 · INSPECT THE LESSON MODEL

One pass can contain different numbers of updates

Batch rule	Parameter after each batch	Updates
A then B separately	0 to 0.4 to 1.68	2
A and B together	0 to 1	1
B then A separately	0 to 1.6 to 1.68	2

All three passes visit two examples. The reversed order happens to end at the same value for these proportional targets; that coincidence is not a general order-invariance rule.


Follow the labelled picture with the matching explanation. Open the vector diagram

One pass can contain different numbers of **update**s. A then B separately | 0 to 0.4 to 1.68 | 2. A and B together | 0 to 1 | 1. B then A separately | 0 to 1.6 to 1.68 | 2

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: At w = 0 mean gradient=(-4+0)/2=-2; one full-**batch update** gives w = 0.2. Changed condition: Use only one full-**batch update** after reversing record order. Expected result: The **update**d weight remains 0.2.

Reason: The same mean of the two starting gradients is unchanged by their order.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A single-example **update** changes the weight before the next example's gradient is calculated. Reversing the example order can therefore change the path.


A full-**batch update** computes both gradients at the same starting weight and averages them before changing that weight. The distinction is when the **update** occurs, not whether the examples have different labels.

Limit: Different order effects do not mean a universally better **batch**ing strategy; compare declared schedules and budgets fairly.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Why do the single-example orders finish at different weights? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.