Learning rate experiments

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

Recall and choose your starting point

> Record your starting explanation for Learning rate experiments before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Batching and epochs

Without opening the old lesson, explain one key idea from Batching and epochs. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Updating parameters

Without opening the old lesson, explain one key idea from Updating parameters. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Loss functions

Without opening the old lesson, explain one key idea from Loss functions. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Learning rate experiments trace and record the first step you can explain without help.

Use W2: Explain a crossing for **Learning rate** experiments. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Learning rate experiments explanation against the supplied facts before discussing it.

Use the worked case for **Learning rate** experiments. Proposed explanation: “Crossing the minimum means **divergence**”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Compare a new objective independently

Use J(a) = (a - 1) squared with gradient 2(a - 1), start a = 0 and two updates. Restart for each rate 0.25, 0.5 and 1. Compute the two new a values and losses for each run. Identify the result supported after two updates.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Trace slow progress

> Trace slow progress. Apply the supplied Learning rate experiments facts and keep your reasoning.

For rate 0.05, start v = 0 and compute two updates and their **training** MSE values using the lesson objective.

> **My reasoning and evidence**

WORKBOOK · 6 OF 15

W2 Explain a crossing

> Explain a crossing. Apply the supplied Learning rate experiments facts and keep your reasoning.

At rate 0.3 the first update gives v = 3, past the minimum at 2. Calculate the next v and loss. Has the first crossing proved **divergence**?

My reasoning and evidence

W3 Preserve an update after rescaling loss

> Preserve an update after rescaling loss. Apply the supplied Learning rate experiments facts and keep your reasoning.

Replace MSE by the sum of squared errors on the two **training** pairs. Which rate reproduces the MSE run at rate 0.3? Explain using gradients.

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Compare a new objective independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Compare a new objective independently. Apply the supplied Learning rate experiments facts and keep your reasoning.

Use J(a) = (a - 1) squared with gradient 2(a - 1), start a = 0 and two updates. Restart for each rate 0.25, 0.5 and 1. Compute the two new a values and losses for each run. Identify the result supported after two updates.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Find an unfair comparison

> Find an unfair comparison. Apply the supplied Learning rate experiments facts and keep your reasoning.

Run A starts v = 0 with full-data batches for four updates. Run B starts at the final A value, changes both rate and batch size, then compares final **training** losses. Can the difference be attributed only to rate?

Propose a repair.

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Learning rate experiments to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled **learning rate** experiments **evidence** sheet to Image-pattern Network Investigation. Show how you can run a **controlled comparison** of **learning rate**s.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15

Pictorial case practice: Learning rate experiments

> Compare learning rates with identical starting loss and update counts. Explain the labelled step before checking the changed condition.

Compare **learning rate**s with identical starting loss and update counts.

Loss J(a)=(a-4)²; gradient 2(a-4); start a = = 0. Compare two updates at rates0.25 and 0.75.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/14

Learning rate experiments

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Rate0.25

First a = 2, loss 4; second a = 3, loss 1.





2. Rate0.75

First a = 6, loss 4; second a = 3, loss 1.





3. Inspect paths

Both end at 3 and loss 1; larger rate crosses the optimum while smaller rate stays below it.

CHANGE ONE THING

Add a rate 1 run from a = 0.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

What should a fair rate comparison hold fixed? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Test changed cases. Keep normal, boundary and failure cases; compare expected and observed results.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Compare **learning rate**s with identical starting loss and update counts.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Both end at 3 and loss 1; larger rate crosses the optimum while smaller rate stays below it.

1. Inspect paths

2. Rate0.25

3. Rate0.75

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Inspect paths Both end at 3 and loss 1; larger rate crosses the optimum while smaller rate stays below it.

Keep the starting parameter and update budget identical to compare rates fairly. Rate one-quarter approaches the optimum from below; rate three-quarters crosses it and comes back.

Their final losses happen to match after two updates, despite different paths. Rate one repeatedly overshoots by the same distance, so using the correct gradient alone does not ensure improvement.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Add a rate 1 run from a = 0. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. We can decide the result without examining the changed **input** or the procedure.

3. Its path is 8 then 0, with loss 16 at both steps.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Its path is 8 then 0, with loss 16

> at both steps. The update alternates across4 without reducing the initial loss.

Repair a missing building block

Review Batching and epochs (ai-5/13). Goal: Distinguish an example a batch an update and an epoch. Short practice: Why do the single-example orders finish at different weights?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Updating parameters (ai-5/11). Goal: Apply a **learning rate** to an ordered gradient. Short practice: Why must new loss be recomputed rather than assumed smaller?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Loss functions (ai-5/8). Goal: Calculate per-example squared error and mean squared error. Short practice: Why must the report name the chosen loss?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Learning rate experiments picture from its labels, then record a relevant limit.

01. Learning rate experiments: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Compare **learning rate**s with identical starting loss and update counts. Supplied facts: Loss J(a)= (a-4)²; gradient 2(a-4); start a = = 0. Compare two updates at rates0.25 and 0.75.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Rate0.25: First a = 2, loss 4; second a = 3, loss 1. → Rate0.75: First a = 6, loss 4; second a = 3, loss 1. → Inspect paths: Both end at 3 and loss 1; larger rate crosses the optimum while smaller rate stays below it.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. The update factor explains three behaviours




Follow the labelled picture with the matching explanation. Open the vector diagram

The update factor explains three behaviours. 0.05 gives 0.75 | Same side and shrinking | Multiplied by 0.5625. 0.3 gives -0.5 | Alternating and shrinking | Multiplied by 0.25. 0.5 gives -1.5 | Alternating and growing | Multiplied by 2.25

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Both end at 3 and loss 1; larger rate crosses the optimum while smaller rate stays below it. Changed condition: Add a rate 1 run from a = 0. Expected result: Its path is 8 then 0, with loss 16 at both steps.

Reason: The update alternates across4 without reducing the initial loss.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Keep the starting parameter and update budget identical to compare rates fairly. Rate one-quarter approaches the optimum from below; rate three-quarters crosses it and comes back.


Their final losses happen to match after two updates, despite different paths. Rate one repeatedly overshoots by the same distance, so using the correct gradient alone does not ensure improvement.

Limit: These quadratic paths explain step size. Real nonconvex networks can have more complicated rate behaviour.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: What should a fair rate comparison hold fixed? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

> Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.