Initialisation and reproducibility

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Initialisation and reproducibility before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Regularisation and early stopping

Without opening the old lesson, explain one key idea from Regularisation and early stopping. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Learning rate experiments

Without opening the old lesson, explain one key idea from Learning rate experiments. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Updating parameters

Without opening the old lesson, explain one key idea from Updating parameters. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Initialisation and reproducibility trace and record the first step you can explain without help.

Use W2: Distinguish equality of loss and parameters for **Initialisation** and reproducibility. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Initialisation and reproducibility explanation against the supplied facts before discussing it.

Use the worked case for **Initialisation** and reproducibility. Proposed explanation: “The same **seed** specifies the entire experiment”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Transfer the starting-value experiment independently

Use J(a) = (a - 3) squared, gradient 2(a - 3), rate 0.25 and two updates. Restart from a = 1, then restart from a = 5. Calculate both traces and final losses. Explain what can be concluded about these two runs.

My independent explanation, trace and limits

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Trace a fresh starting value

> Trace a fresh starting value. Apply the supplied Initialisation and reproducibility facts and keep your reasoning.

For the scalar lesson model, start v = -2 and apply two updates at rate 0.1. Give all three v values and the final **training** MSE.

My reasoning and evidence

WORKBOOK · 6 OF 15

W2 Distinguish equality of loss and parameters

> Distinguish equality of loss and parameters. Apply the supplied Initialisation and reproducibility facts and keep your reasoning.

The lesson runs starting at 1 and 3 finish with the same **training** MSE. Give their final v values and explain the equality without calling the models identical.

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Audit a seed claim

> Audit a seed claim. Apply the supplied Initialisation and reproducibility facts and keep your reasoning.

Both runs use the same **seed** and generator. Run A assigns the first four draws to its weights. Run B draws a preview number first, then assigns the next four. Must the initial weight arrays match? What should be saved?

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Transfer the starting-value experiment independently

Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Transfer the starting-value experiment independently. Apply the supplied Initialisation and reproducibility facts and keep your reasoning.

Use J(a) = (a - 3) squared, gradient 2(a - 3), rate 0.25 and two updates. Restart from a = 1, then restart from a = 5. Calculate both traces and final losses. Explain what can be concluded about these two runs.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Test repeated correctness

Test repeated correctness. Apply the supplied Initialisation and reproducibility facts and keep your reasoning.

A forward-pass program returns the same wrong answer every run with a fixed **seed**. Has repeatability verified the implementation? Name two stronger checks.

> **My reasoning and evidence**

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Initialisation and reproducibility to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled **initialisation** and reproducibility **evidence** sheet to Image-pattern Network Investigation. Show how you can trace how starting values affect a fixed **training** budget.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

> **My project change, supporting evidence and remaining limit**

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

Pictorial case practice: Initialisation and reproducibility

> Reproduce two training traces by saving their distinct initial values. Explain the labelled step before checking the changed condition.

Reproduce two **training** traces by saving their distinct initial values.

LossJ(a)=(a-2)²; gradient 2(a-2); rate 0.25; two updates. Restart from a = 0 and separately a = 4.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/17

Initialisation and reproducibility

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.

1. Start from 0

Updates: a = 1 then 1.5; final loss 0.25.

2. Start from 4

Updates: a = 3 then 2.5; final loss 0.25.

3. Record experiment

Save initial values, rate, objective and update count; the same final loss hides different parameter paths.

CHANGE ONE THING

Repeat the a = 0 run with identical arithmetic and settings.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Does the matching final loss mean the parameter values are equal? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Test changed cases. Keep normal, boundary and failure cases; compare expected and observed results.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Reproduce two **training** traces by saving their distinct initial values.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Save initial values, rate, objective and update count; the same final loss hides different parameter paths.

1. Record experiment

2. Start from 0

3. Start from 4

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Record experiment Save initial values, rate, objective and update count; the same final loss hides different parameter paths.

Initialisation supplies the parameter values before learning begins. The same update rule can follow different paths from different starts.

Here the two paths end on opposite sides of two and have equal squared distance, so equal loss does not imply equal parameters. Save initial values and settings to reproduce this arithmetic, as well as the final result.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Repeat the a = 0 run with identical arithmetic and settings. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. We can decide the result without examining the changed **input** or the procedure.

3. It again reaches1 then 1.5 in this deterministic toy calculation.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: It again reaches1 then 1.5 in this deterministic toy calculation. Identical initial state and update rules determine the same arithmetic trace.

Repair a missing building block

Review Regularisation and early stopping (ai-5/16). Goal: Separate a weight penalty from **prediction** error. Short practice: Why should the penalty value not be reported as validation error?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Learning rate experiments (ai-5/14). Goal: Run a controlled comparison of learning rates. Short practice: What should a fair rate comparison hold fixed?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Updating parameters (ai-5/11). Goal: Apply a learning rate to an ordered gradient. Short practice: Why must new loss be recomputed rather than assumed smaller?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Initialisation and reproducibility picture from its labels, then record a relevant limit.

01. Initialisation and reproducibility: the case

AI ACADEMY / AI-5/17 · 01 · LOOK AT THE FACTS

Initialisation and reproducibility: the case

The situation

Reproduce two training traces by saving their distinct initial values.

Supplied evidence

LossJ(a)=(a-2)²; gradient 2(a-2); rate 0.25; two updates. Restart from a = 0 and separately a = 4.
All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

By the end, I can explain initialisation and reproducibility using a traced example and a stated limitation.

Follow the labelled picture with the matching explanation. Open the vector diagram


Reproduce two **training** traces by saving their distinct initial values. Supplied facts: LossJ(a)=(a-2)²; gradient 2(a-2); rate 0.25; two updates. Restart from a = 0 and separately a = 4.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Start from 0: Updates: a = 1 then 1.5; final loss 0.25. → Start from 4: Updates: a = 3 then 2.5; final loss 0.25. → Record experiment: Save initial values, rate, objective and update count; the same final loss hides different parameter paths.

> Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Identical units receive identical updates




Follow the labelled picture with the matching explanation. Open the vector diagram

Identical units receive identical updates. First ReLU unit | u is 1 and a is 1 | u is 0.8 and a is 0.8. Second ReLU unit | v is 1 and b is 1 | v is 0.8 and b is 0.8

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Save initial values, rate, objective and update count; the same final loss hides different parameter paths. Changed condition: Repeat the a = 0 run with identical arithmetic and settings.

Expected result: It again reaches1 then 1.5 in this deterministic toy calculation. Reason: Identical initial state and update rules determine the same arithmetic trace.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Initialisation supplies the parameter values before learning begins. The same update rule can follow different paths from different starts.


Here the two paths end on opposite sides of two and have equal squared distance, so equal loss does not imply equal parameters. Save initial values and settings to reproduce this arithmetic, as well as the final result.

Limit: A saved **seed** alone does not reproduce every software or hardware execution; record environment and nondeterminism too.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Does the matching final loss mean the parameter values are equal? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

> Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.