Convolution as a local operation

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

Recall and choose your starting point

> Record your starting explanation for Convolution as a local operation before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Image tensors and channels

Without opening the old lesson, explain one key idea from Image tensors and channels. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Debugging shapes and gradients

Without opening the old lesson, explain one key idea from Debugging shapes and gradients. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Training and validation curves

Without opening the old lesson, explain one key idea from **Training** and validation curves. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Convolution as a local operation trace and record the first step you can explain without help.

Use W2: Separate parameters and operations for Convolution as a local operation. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Convolution as a local operation explanation against the supplied facts before discussing it.

Use the worked case for Convolution as a local operation. Proposed explanation: “Each window has its own set of learned weights”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Filter a new image independently

Use image rows [2, 1, 0], [1, 3, 2] and **kernel** rows [0, 1], [-1, 2]. Use no **padding**, **stride** 1 and bias 0. Give the **output** shape, both four-product sums and the **feature map**. Then add a shared bias of -5 and apply ReLU.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Trace a local sum

> Trace a local sum. Apply the supplied Convolution as a local operation facts and keep your reasoning.

Use the lesson image and **kernel** at window start [0, 1]. List the window rows, four products and **output** before activation.

> **My reasoning and evidence**

WORKBOOK · 6 OF 15

W2 Separate parameters and operations

> Separate parameters and operations. Apply the supplied Convolution as a local operation facts and keep your reasoning.

How many shared **kernel** weights does the lesson use? How many products are computed over all four valid windows? What changes if one shared bias is added?

My reasoning and evidence

W3 Check stride and padding

> Check stride and padding. Apply the supplied Convolution as a local operation facts and keep your reasoning.

For the lesson image and **kernel**, give the **output** shape with no **padding** and **stride** 2. Then give the shape with one zero border on each side and **stride** 1, and calculate that padded map's top-left **output**.

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Filter a new image independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Filter a new image independently. Apply the supplied Convolution as a local operation facts and keep your reasoning.

Use image rows [2, 1, 0], [1, 3, 2] and **kernel** rows [0, 1], [-1, 2]. Use no **padding**, **stride** 1 and bias 0. Give the **output** shape, both four-product sums and the **feature map**. Then add a shared bias of -5 and apply ReLU.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Test a convention error

> Test a convention error. Apply the supplied Convolution as a local operation facts and keep your reasoning.

A program reverses both axes of the lesson **kernel** to [[1, 0], [-1, 1]]. Compute the top-left **output**. Does it agree with our declared convention? Explain what the test checks.

> **My reasoning and evidence**

Project checkpoint and reflection

> Connect Convolution as a local operation to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled convolution as a local operation **evidence** sheet to Image-pattern Network Investigation. Show how you can compute a local weighted sum at each valid image position.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

> **My project change, supporting evidence and remaining limit**

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

Pictorial case practice: Convolution as a local operation

> Draw the exact patch-by-patch arithmetic of a local image operation. Explain the labelled step before checking the changed condition.

Draw the exact patch-by-patch arithmetic of a local image operation.

Image rows [1, 2, 3],[4, 5, 6]; **kernel** rows [1, 0],[0,-1]. Use unflipped **kernel**, no **padding**, **stride**1, bias0.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/21

Image used by both local kernel windows

	col0	col1	col2
row0	1	2	3
row1	4	5	6

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-5/21

Convolution as a local operation

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. First patch

1 x 1+2 x 0+4 x 0+5 x (-1)=-4.



2. Second patch

2 x 1+3 x 0+5 x 0+6 x (-1)=-4.



3. Feature map

Output shape1 x 2 and map [[-4,-4]]; the same kernel is reused at each position.

CHANGE ONE THING

Add shared bias2 after each patch sum.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Why is flipping the **kernel** an implementation change here? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week’s input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Evaluate and revise. Compare with your starting method, explain errors and record a justified revision.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week’s input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Draw the exact patch-by-patch arithmetic of a local image operation.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? **Output** shape1×2 and map [[-4,-4]]; the same **kernel** is reused at each position.

1. **Feature map**

2. First patch

3. Second patch

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: **Feature map Output** shape1×2 and map [[-4,-4]]; the same **kernel** is reused at each position.

A local **kernel** combines the values in one small image window with a fixed set of weights. Slide that same **kernel** to the next valid window and repeat the products.

Sharing weights lets the operation look for the same local pattern at different positions. This example declares an unflipped **kernel**; adding bias changes each window result without changing which pixels were used.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Add shared bias2 after each patch sum. Which conclusion is supported by the supplied facts?

1. We can decide the result without examining the changed **input** or the procedure.

2. **Feature map** becomes [[-2,-2]].

3. This one example guarantees correct results for every future **input**.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: **Feature map** becomes

> [[-2,-2]]. Bias adds2 to each **output**; it does not change patch products or **output** shape.

Repair a missing building block

Review Image tensors and channels (ai-5/20). Goal: Read a pixel using declared row column and channel axes. Short practice: Where is the bottom green pixel in the first batched image?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Debugging shapes and gradients (ai-5/18). Goal: Check dimension contracts before computing a layer. Short practice: What should a debugging record pair with every gradient value?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review **Training** and validation curves (ai-5/15). Goal: Compute comparable **training** and validation losses at saved checkpoints. Short practice: Can the original epoch 3 **training** loss 1 justify claiming best generalisation?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Convolution as a local operation picture from its labels, then record a relevant limit.

01. Convolution as a local operation: the case

AI ACADEMY / AI-5/21 · 01 · LOOK AT THE FACTS

Convolution as a local operation: the case

The situation

Draw the exact patch-by-patch arithmetic of a local image operation.

Supplied evidence

Image rows [1, 2, 3],[4, 5, 6]; kernel rows [1, 0],[0,-1]. Use unflipped kernel, no padding, stride1, bias0.
All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

By the end, I can explain convolution as a local operation using a traced example and a stated limitation.

Follow the labelled picture with the matching explanation. Open the vector diagram

Draw the exact patch-by-patch arithmetic of a local image operation. Supplied facts: Image rows [1, 2, 3],[4, 5, 6]; **kernel** rows [1, 0],[0,-1]. Use unflipped **kernel**, no **padding**, **stride**1, bias0.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

First patch: 1×1+2×0+4×0+5×(-1)=-4. → Second patch: 2×1+3×0+5×0+6×(-1)=-4. → **Feature map**: **Output** shape1×2 and map [[-4,-4]]; the same **kernel** is reused at each position.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Image used by both local kernel windows




Follow the labelled picture with the matching explanation. Open the vector diagram

Image used by both local **kernel** windows. row0: col0 = 1, col1 = 2, col2 = 3. row1: col0 = 4, col1 = 5, col2 = 6.

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: **Output** shape1×2 and map [[-4,-4]]; the same **kernel** is reused at each position. Changed condition: Add shared bias2 after each patch sum. Expected result: **Feature map** becomes [[-2,-2]].

Reason: Bias adds2 to each **output**; it does not change patch products or **output** shape.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A local **kernel** combines the values in one small image window with a fixed set of weights. Slide that same **kernel** to the next valid window and repeat the products.


Sharing weights lets the operation look for the same local pattern at different positions. This example declares an unflipped **kernel**; adding bias changes each window result without changing which pixels were used.

Limit: A local filter detects a numerical pattern; one **feature map** does not establish recognition or learned visual understanding.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Why is flipping the **kernel** an implementation change here? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.