Sequence representations

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Sequence representations before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Augmentation and leakage

Without opening the old lesson, explain one key idea from Augmentation and leakage. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Pooling and spatial information

Without opening the old lesson, explain one key idea from Pooling and spatial information. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Learned representations

Without opening the old lesson, explain one key idea from Learned representations. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Sequence representations trace and record the first step you can explain without help.

Use W2: Expose an order collision for **Sequence** representations. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Sequence representations explanation against the supplied facts before discussing it.

Use the worked case for **Sequence** representations. Proposed explanation: “Larger **token ID**s mean more of a concept”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Apply a fresh schema independently

Use PAD = 0, UNK = 1, OPEN = 2, CLOSE = 3, CHECK = 4 and five stored positions. Encode OPEN CHECK CLOSE and give its **mask** and final real position. Separately, sensor values [0, 6, 3, 0, 0] have that same **mask**.

Calculate their **mask**ed mean and the incorrect mean over all five slots.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Encode and recover the final event

> Encode and recover the final event. Apply the supplied Sequence representations facts and keep your reasoning.

Encode GO TURN STOP using the lesson vocabulary and four positions. Give its **mask**, real length and final real event.

> **My reasoning and evidence**

WORKBOOK · 6 OF 15

W2 Expose an order collision

> Expose an order collision. Apply the supplied Sequence representations facts and keep your reasoning.

Give two logs made of exactly GO, TURN and STOP once each that have equal count vectors but different answers to whether the final event is STOP.

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Separate unknown from padding

> Separate unknown from padding. Apply the supplied Sequence representations facts and keep your reasoning.

Encode WAIT GO. Which positions are real? Compare it with PAUSE GO, and state what information the encoding loses.

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Apply a fresh schema independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Apply a fresh schema independently. Apply the supplied Sequence representations facts and keep your reasoning.

Use PAD = 0, UNK = 1, OPEN = 2, CLOSE = 3, CHECK = 4 and five stored positions. Encode OPEN CHECK CLOSE and give its **mask** and final real position. Separately, sensor values [0, 6, 3, 0, 0] have that same **mask**.

Calculate their **mask**ed mean and the incorrect mean over all five slots.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Audit length and empty input

> Audit length and empty input. Apply the supplied Sequence representations facts and keep your reasoning.

The encoder receives five events ending in STOP, then an empty log. What should it do under the lesson contract? Why should a program not simply crop the first and assume a final event for the second?

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Sequence representations to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled **sequence** representations **evidence** sheet to Image-pattern Network Investigation. Show how you can encode an ordered **sequence** with an explicit vocabulary.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15


Pictorial case practice: Sequence representations

> Distinguish padding positions from meaningful zero sensor readings. Explain the labelled step before checking the changed condition.

Distinguish **padding** positions from meaningful zero sensor readings.

Toy tokensPAD0, UNK1, LEFT2, RIGHT3; stored length4. **Sequence**LEFT RIGHT encodes [2, 3, 0, 0], **mask** [1, 1, 0, 0].

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.



Follow the labelled picture with the matching explanation. Open the vector diagram

Which record lets the program distinguish the first and last zeros? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Prepare the demonstration. Gather reproducible instructions, **evidence**, access checks and remaining limitations.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Distinguish **padding** positions from meaningful zero sensor readings.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Readings [0, 4, 0, 0] with real length 2 use **mask** [1, 1, 0, 0]; the first zero is a real measurement.

1. Encode real tokens

2. Compare sensor example

3. Mark **padding**

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Compare sensor example Readings [0, 4, 0, 0] with real length 2 use **mask** [1, 1, 0, 0]; the first zero is a real measurement.

Sequence values and **sequence** length are separate information. **Padding** fills unused storage positions so arrays can share a size; a **mask** marks which positions are real.

A real sensor reading can be zero, just like a **padding** value. Keep the length or **mask** rather than inferring presence from the number alone. **Token ID**s are identifiers, not measured magnitudes.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: A missing **sequence** length causes every numeric0 to be treated as **padding** in the sensor example. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. The first real sensor reading is incorrectly discarded.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: The first real sensor reading is incorrectly discarded. Its numeric value is 0, but its position is real according to the declared length.

Repair a missing building block

Review Augmentation and leakage (ai-5/24). Goal: Check whether a transformation preserves the task label. Short practice: How many independent source groups are in the final test?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Pooling and spatial information (ai-5/22). Goal: Compute max and mean pooling under an explicit window rule. Short practice: Can the max map reveal where the 4 originally appeared?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Learned representations (ai-5/19). Goal: Trace an **input** through a hidden representation and a decision rule. Short practice: Why can no deterministic head using only the sum classify both correctly?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Sequence representations picture from its labels, then record a relevant limit.

01. Sequence representations: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Distinguish **padding** positions from meaningful zero sensor readings. Supplied facts: Toy tokensPAD0, UNK1, LEFT2, RIGHT3; stored length4. **Sequence**LEFT RIGHT encodes [2, 3, 0, 0], **mask** [1, 1, 0, 0].

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Encode real tokens: LEFT and RIGHT occupy positions0 and 1. → Mark **padding**: Positions2 and 3 are storage **padding**; **mask** marks them 0. → Compare sensor example: Readings [0, 4, 0, 0] with real length 2 use **mask** [1, 1, 0, 0]; the first zero is a real measurement.

> Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. A padded log still has two real events

AI ACADEMY / AI-5/25 · 03 · INSPECT THE LESSON MODEL

A padded log still has two real events

Stored position	Token ID	Mask
0	2 meaning GO	1 real
1	4 meaning STOP	1 real
2	0 meaning PAD	0 placeholder
3	0 meaning PAD	0 placeholder

The final stored slot is padding. For this right-padded contiguous mask, the real length is the mask sum, and the final real event is at length minus one. A different masking layout would need a different indexing rule.


Follow the labelled picture with the matching explanation. Open the vector diagram

A padded log still has two real events. 0 | 2 meaning GO | 1 real. 1 | 4 meaning STOP | 1 real. 2 | 0 meaning PAD | 0 placeholder. 3 | 0 meaning PAD | 0 placeholder

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram

Original case: Readings [0, 4, 0, 0] with real length 2 use **mask** [1, 1, 0, 0]; the first zero is a real measurement.


Changed condition: A missing **sequence** length causes every numeric0 to be treated as **padding** in the sensor example. Expected result: The first real sensor reading is incorrectly discarded.

Reason: Its numeric value is 0, but its position is real according to the declared length.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Sequence values and **sequence** length are separate information. **Padding** fills unused storage positions so arrays can share a size; a **mask** marks which positions are real.


A real sensor reading can be zero, just like a **padding** value. Keep the length or **mask** rather than inferring presence from the number alone. **Token ID**s are identifiers, not measured magnitudes.

Limit: Token **padding** rules need not apply to sensor values. Document **sequence** lengths, vocabulary and unknown-token handling.

Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Which record lets the program distinguish the first and last zeros? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.