Dataset shift in neural models

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

Recall and choose your starting point

> Record your starting explanation for Dataset shift in neural models before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Uncertainty and failure analysis

Without opening the old lesson, explain one key idea from Uncertainty and failure analysis. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Similarity and normalisation

Without opening the old lesson, explain one key idea from Similarity and normalisation. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Augmentation and leakage

Without opening the old lesson, explain one key idea from Augmentation and leakage. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Dataset shift in neural models trace and record the first step you can explain without help.

Use W2: Use the right denominator for **Dataset shift** in neural models. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Dataset shift in neural models explanation against the supplied facts before discussing it.

Use the worked case for **Dataset shift** in neural models. Proposed explanation: “Average the percentages regardless of group sizes”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Analyse a new mixture independently

A separate audit has development groups P: 60 cases, 48 correct and Q: 40 cases, 20 correct. New-use groups are P: 20 cases, 16 correct and Q: 80 cases, 40 correct.

Compute each group rate, both overall accuracies, and the percentage-point change. Under the same group rates, what accuracy would equal-sized P and Q groups have?

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Audit the two cohorts

> Audit the two cohorts. Apply the supplied Dataset shift in neural models facts and keep your reasoning.

> From the table, calculate clear and dim accuracy in each cohort and the clear/dim proportions. Which observed quantities change, and which remain the same?

My reasoning and evidence

WORKBOOK · 6 OF 15

W2 Use the right denominator

> Use the right denominator. Apply the supplied Dataset shift in neural models facts and keep your reasoning.

Calculate overall correct counts, accuracy and errors in both cohorts, plus the percentage-point drop. Explain why averaging 90 percent and 50 percent without weights gives the wrong overall result here.

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Separate an alert from an outcome

> Separate an alert from an outcome. Apply the supplied Dataset shift in neural models facts and keep your reasoning.

New-use **monitoring** shows more dim images but reference labels have not arrived. What can you report now, what can you not calculate, and what checks should precede blaming the neural network?

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Analyse a new mixture independently

Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Analyse a new mixture independently. Apply the supplied Dataset shift in neural models facts and keep your reasoning.

A separate audit has development groups P: 60 cases, 48 correct and Q: 40 cases, 20 correct. New-use groups are P: 20 cases, 16 correct and Q: 80 cases, 40 correct.

Compute each group rate, both overall accuracies, and the percentage-point change. Under the same group rates, what accuracy would equal-sized P and Q groups have?

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Protect the comparison

> Protect the comparison. Apply the supplied Dataset shift in neural models facts and keep your reasoning.

A team retrains using new-use errors, then evaluates on those same images and their brightened copies. Explain why the score is not independent **evidence** and propose a comparison that includes the original model.

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Dataset shift in neural models to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled **dataset shift** in neural models **evidence** sheet to Image-pattern Network Investigation. Show how you can explain how a changed **input** mix can change overall accuracy.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15

Pictorial case practice: Dataset shift in neural models


> Separate within-setting performance from changing setting proportions. Explain the labelled

> step before checking the changed condition.

Separate within-setting performance from changing setting proportions.

Toy old-use mix: bright 40 cases32 correct; dim 10 cases5 correct. New-use mix: bright 10 cases8 correct; dim 40 cases20 correct.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.



Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-5/30

Dataset shift in neural models

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Keep slice rates

Bright is 80% in both mixes; dim is 50% in both.



2. Old pooled rate

Old accuracy 37/50=74%.



3. New pooled rate

New accuracy 28/50=56%; more use now occurs in the harder dim setting.

CHANGE ONE THING

New-use mix returns to40 bright and 10 dim with the same slice rates.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Did the supplied model's dim-light accuracy deteriorate? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Prepare the demonstration. Gather reproducible instructions, **evidence**, access checks and remaining limitations.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Separate within-setting performance from changing setting proportions.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? New accuracy 28/50=56%; more use now occurs in the harder dim setting.

1. New pooled rate

2. Keep slice rates

3. Old pooled rate

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: New pooled rate New accuracy 28/50=56%; more use now occurs in the harder dim setting.

A pooled rate depends on how often each condition appears as well as performance within that condition. Bright and dim accuracy stay fixed in this example. The new use contains more dim cases, so its pooled accuracy falls.

Report both group counts and group rates before concluding that the network itself deteriorated.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: New-use mix returns to40 bright and 10 dim with the same slice rates. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. Pooled accuracy returns to74%.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Pooled accuracy returns

> to74%. The mixture weights change, while each slice’s conditional performance stays fixed.

Repair a missing building block

Review Uncertainty and failure analysis (ai-5/29). Goal: Distinguish a predicted class, confidence score and observed correctness. Short practice: What is C’s positive-class probability and chosen-label confidence?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Similarity and normalisation (ai-5/27). Goal: Calculate vector length and normalise a nonzero vector. Short practice: Why do the original two metrics select different winners?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Augmentation and leakage (ai-5/24). Goal: Check whether a transformation preserves the task label. Short practice: How many independent source groups are in the final test?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Dataset shift in neural models picture from its labels, then record a relevant limit.

01. Dataset shift in neural models: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Separate within-setting performance from changing setting proportions. Supplied facts: Toy old-use mix: bright 40 cases32 correct; dim 10 cases5 correct. New-use mix: bright 10 cases8 correct; dim 40 cases20 correct.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Keep slice rates: Bright is **80%** in both mixes; dim is 50% in both. → Old pooled rate: Old accuracy 37/50=74%. → New pooled rate: New accuracy 28/50=56%; more use now occurs in the harder dim setting.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Fixed slice rates, changed pooled accuracy




Follow the labelled picture with the matching explanation. Open the vector diagram

Fixed slice rates, changed pooled accuracy. Units: accuracy percent. bright: 80. dim: 50. old pooled: 74. new pooled: 56.

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: New accuracy 28/50=56%; more use now occurs in the harder dim setting. Changed condition: New-use mix returns to40 bright and 10 dim with the same slice rates. Expected result: Pooled accuracy returns to74%.

Reason: The mixture weights change, while each slice's conditional performance stays fixed.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A pooled rate depends on how often each condition appears as well as performance within that condition. Bright and dim accuracy stay fixed in this example. The new use contains more dim cases, so its pooled accuracy falls.

Report both group counts and group rates before concluding that the network itself deteriorated.

Limit: Real shift can also change labels, sensors and within-slice behaviour; this toy decomposition isolates only mixture change.

> Explain the case, then point to a limit on the claim.


My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project

AI ACADEMY / AI-5/30 · 06 · DRAW AND EXPLAIN

Make the idea visible in your project

For your Image-pattern Network Investigation, save the input, procedure, observed result and limitation of this check. Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.



Did the supplied model's dim-light accuracy deteriorate? Point to the relevant step in the picture, then write the changed result and the rule or evidence that supports it.

Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: Did the supplied model’s dim-light accuracy deteriorate? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.