Documenting a network experiment

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Documenting a network experiment before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Efficiency and resource measurement

Without opening the old lesson, explain one key idea from Efficiency and resource measurement. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Uncertainty and failure analysis

Without opening the old lesson, explain one key idea from Uncertainty and failure analysis. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Embeddings and neighbourhoods

Without opening the old lesson, explain one key idea from Embeddings and neighbourhoods. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Documenting a network experiment trace and record the first step you can explain without help.

Use W2: Trace the selected result for Documenting a network experiment. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Documenting a network experiment explanation against the supplied facts before discussing it.

Use the worked case for Documenting a network experiment. Proposed explanation: “A smaller MSE is an accuracy percentage”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Audit a new record independently

A separate run R17 records baseline a = 1 and **checkpoint**s a = 1.5 and a = 1.75. It uses **prediction** max(0, a*x) and one validation case V9 with x = 4, y = 8.

Compute baseline and **checkpoint prediction**s and squared errors, choose by lowest validation MSE, and write a bounded conclusion. Final evaluation and runtime have not been measured.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Write the replay settings

> Write the replay settings. Apply the supplied Documenting a network experiment facts and keep your reasoning.

For NN32-A, record the **prediction** rule, initial weight, bias policy, learning rate, update count, loss, **training**/validation IDs, data order or shuffling policy, and **checkpoint** selection rule.

Name one environment field still to record when you run it.

> **My reasoning and evidence**

WORKBOOK · 6 OF 15

W2 Trace the selected result

> Trace the selected result. Apply the supplied Documenting a network experiment facts and keep your reasoning.

Calculate both weight updates and give each **training** and validation MSE. Name the selected **checkpoint** and baseline validation MSE. How many independent validation examples support the comparison?

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Audit the artifact record

> Audit the artifact record. Apply the supplied Documenting a network experiment facts and keep your reasoning.

A folder contains only best-model.json and a screenshot of 0.5625. Identify four missing artifacts or records and explain what a content hash can and cannot verify.

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Audit a new record independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Audit a new record independently. Apply the supplied Documenting a network experiment facts and keep your reasoning.

A separate run R17 records baseline a = 1 and **checkpoint**s a = 1.5 and a = 1.75. It uses **prediction** max(0, a*x) and one validation case V9 with x = 4, y = 8.

Compute baseline and **checkpoint prediction**s and squared errors, choose by lowest validation MSE, and write a bounded conclusion. Final evaluation and runtime have not been measured.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Investigate a replay mismatch

> Investigate a replay mismatch. Apply the supplied Documenting a network experiment facts

> and keep your reasoning.

A partner gets different results after changing pre**process**ing and replacing the validation file. They keep the old run ID and overwrite the old score.

Explain what should be preserved and how the revised work should be recorded.

> **My reasoning and evidence**

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Documenting a network experiment to Image-pattern Network Investigation, identify a limit and choose the next useful test.

Add a labelled documenting a network experiment **evidence** sheet to Image-pattern Network Investigation. Show how you can record a network experiment with enough detail to **replay** its calculations.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

> **My project change, supporting evidence and remaining limit**

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15

Pictorial case practice: Documenting a network experiment

> Document checkpoint selection so another team can reconstruct every reported number. Explain the labelled step before checking the changed condition.


Document **checkpoint** selection so another team can reconstruct every reported number.

Run R8 predicts ReLU(a×x). Validation V4 has x = 2, target 3. Baseline a = 0.5; **checkpoint**s a = 1 and 1.25; choose minimum validation squared error.

All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

AI ACADEMY / AI-5/32

Validation squared loss by checkpoint



Bar length shows the supplied value; the marked baseline is zero.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-5/32

Documenting a network experiment

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Baseline prediction

At a = 0.5, prediction 1, error2 = 4.



2. Checkpoint comparison

At a = 1, prediction 2, loss 1; at 1.25, prediction 2.5, loss 0.25.



3. Select and record

Choose a = 1.25; save R8, inputs, formula, checkpoint values, loss rule and validation role.

CHANGE ONE THING

A teammate calls V4 a final test after using it to select a=1.25.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

What additional **evidence** is needed for a final performance claim? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with **evidence**.

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	

Evidence to keep	My record
One error or limit and the next test	

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Document **checkpoint** selection so another team can reconstruct every reported number.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Choose a = 1.25; save R8, **input**s, formula, **checkpoint** values, loss rule and validation role.

1. **Checkpoint** comparison

2. Select and record

3. Baseline **prediction**

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Select and record Choose a = 1.25; save R8, **input**s, formula, **checkpoint** values, loss rule and validation role.

A reproducible record includes the actual **input**, formula, parameters and scoring rule, together with each dataset's role. The validation case selects the best supplied **checkpoint**, so it is part of development.

Save that selection history and freeze the **checkpoint** before evaluating fresh final cases. Renaming the same case a test does not change how it was used.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: A teammate calls V4 a final test after using it to select a=1.25. Which conclusion is supported by the supplied facts?

1. We can decide the result without examining the changed **input** or the procedure.

2. This one example guarantees correct results for every future **input**.

3. Correct its role to validation; it was used for selection.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Correct its role to validation; it was used for selection. Changing the label on a dataset does not make its **evidence** untouched.

Repair a missing building block

Review Efficiency and resource measurement (ai-5/31). Goal: Calculate throughput and amortised time per example from repeated timings. Short practice: Why is 10ms/case not necessarily a single-request latency?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Uncertainty and failure analysis (ai-5/29). Goal: Distinguish a predicted class, confidence score and observed correctness. Short practice: What is C's positive-class probability and chosen-label confidence?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Review Embeddings and neighbourhoods (ai-5/26). Goal: Look up a vector using a token ID and preserve sequence shape. Short practice: What would justify claiming nearby vectors mean related topics?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.

> **What I repaired, the evidence I kept and the next test**
>
> | | |
> |---|---|
> | | |
> | | |
> | | |
> | | |

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Documenting a network experiment picture from its labels, then record a relevant limit.

01. Documenting a network experiment: the case

AI ACADEMY / AI-5/32 · 01 · LOOK AT THE FACTS

Documenting a network experiment: the case

The situation

Document checkpoint selection so another team can reconstruct every reported number.

Supplied evidence

Run R8 predicts ReLU(a×x). Validation V4 has x = 2, target 3. Baseline a = 0.5; checkpoints a = 1 and 1.25; choose minimum validation squared error.
All inputs and outcomes in this worked example are invented classroom data; no real model run is claimed.

By the end, I can explain documenting a network experiment using a traced example and a stated limitation.

Follow the labelled picture with the matching explanation. Open the vector diagram


Document **checkpoint** selection so another team can reconstruct every reported number.
Supplied facts: Run R8 predicts ReLU(a×x). Validation V4 has x = 2, target 3.

Baseline a = 0.5; **checkpoint**s a = 1 and 1.25; choose minimum validation squared error. All **input**s and outcomes in this worked example are invented classroom data; no real model run is claimed.

Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Baseline **prediction**: At a = 0.5, **prediction** 1, error² = 4. → **Checkpoint** comparison: At a = 1, **prediction** 2, loss 1; at 1.25, **prediction** 2.5, loss 0.25. → Select and record: Choose a = 1.25; save R8, **input**s, formula, **checkpoint** values, loss rule and validation role.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Validation squared loss by checkpoint




Follow the labelled picture with the matching explanation. Open the vector diagram

Validation squared loss by **checkpoint**. Units: squared error. baseline a = 0.5: 4. **checkpoint** a = 1: 1. **checkpoint** a = 1.25: 0.25.

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Choose a = 1.25; save R8, **input**s, formula, **checkpoint** values, loss rule and validation role. Changed condition: A teammate calls V4 a final test after using it to select a=1.25.

Expected result: Correct its role to validation; it was used for selection. Reason: Changing the label on a dataset does not make its **evidence** untouched.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

A reproducible record includes the actual **input**, formula, parameters and scoring rule, together with each dataset's role. The validation case selects the best supplied **checkpoint**, so it is part of development.


Save that selection history and freeze the **checkpoint** before evaluating fresh final cases. Renaming the same case a test does not change how it was used.

Limit: Reconstructing one run verifies arithmetic and provenance, not population performance or educational learning impact.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For your Image-pattern Network Investigation, save the **input**, procedure, observed result and limitation of this check.

Label this worked example as practice; use a different, previously unreviewed case when checking independent understanding. Draw your **input**, deciding step, result and limit.

Supported question: What additional **evidence** is needed for a final performance claim? Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.

Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.