Neural network experiment defense

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Image-pattern Network Investigation

Recall and choose your starting point

> Record your starting explanation for Neural network experiment defense before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Capstone limitations and revision

Without opening the old lesson, explain one key idea from Capstone **limitation**s and revision. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Capstone hypothesis and baseline

Without opening the old lesson, explain one key idea from Capstone hypothesis and baseline. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Dataset shift in neural models

Without opening the old lesson, explain one key idea from Dataset shift in neural models. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Neural network experiment defense trace and record the first step you can explain without help.

Use W2: Defend the result for Neural network experiment **defense**. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Neural network experiment defense explanation against the supplied facts before discussing it.

Use the worked case for Neural network experiment **defense**. Proposed explanation: “A polished demonstration is an evaluation”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Defend a new record independently

A separate experiment compares candidates C1 and C2 on two validation rows: MSE 1.5 and 1.0. The **written rule** selects lower MSE.

After freezing C2, four fresh final rows give baseline squared errors 4,9,1,2 and C2 squared errors 1,1,2,0. Compute final MSE and relative reduction.

Two condition-B rows are the last two rows; compare baseline and candidate MSE there. State what this record supports and what is unmeasured.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Build the evidence inventory

> Build the evidence inventory. Apply the supplied Neural network experiment defense facts and keep your reasoning.

Name eight items needed to check the capstone from question through final result.

> **My reasoning and evidence**

WORKBOOK · 6 OF 15

W2 Defend the result

> Defend the result. Apply the supplied Neural network experiment defense facts and keep your reasoning.

State the validation selection and frozen final comparison using their correct metrics and scopes.

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Challenge an unsupported claim

> Challenge an unsupported claim. Apply the supplied Neural network experiment defense facts and keep your reasoning.

A presenter claims the experiment proves neural networks beat fitted lines and use less energy. What **evidence** is missing?

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Defend a new record independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Defend a new record independently. Apply the supplied Neural network experiment defense facts and keep your reasoning.

A separate experiment compares candidates C1 and C2 on two validation rows: MSE 1.5 and 1.0. The **written rule** selects lower MSE.

After freezing C2, four fresh final rows give baseline squared errors 4,9,1,2 and C2 squared errors 1,1,2,0. Compute final MSE and relative reduction.

Two condition-B rows are the last two rows; compare baseline and candidate MSE there. State what this record supports and what is unmeasured.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Record the next investigation

> Record the next investigation. Apply the supplied Neural network experiment defense facts and keep your reasoning.

Propose a fair next comparison with a fitted signed line. State how to preserve previous **evidence** and reserve new evaluation.

> **My reasoning and evidence**

Project checkpoint and reflection

> Connect Neural network experiment defense to Image-pattern Network Investigation, identify a limit and choose the next useful test.

For Image-pattern Network Investigation, use this week's independent task as a rehearsal for the final **evidence** pack: A separate experiment compares candidates C1 and C2 on two validation rows: MSE 1.5 and 1.0.

The **written rule** selects lower MSE. After freezing C2, four fresh final rows give baseline squared errors 4,9,1,2 and C2 squared errors 1,1,2,0. Compute final MSE and relative reduction.

Two condition-B rows are the last two rows; compare baseline and candidate MSE there. State what this record supports and what is unmeasured.

Keep actual **observation**s separate from expected results, preserve failures, compare a baseline and explain the limits.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.


WORKBOOK · 12 OF 15

Pictorial case practice: Neural network experiment defense

> Defend an individual network calculation. At the defence, a team shows a single toy neuron before describing the whole image-pattern experiment. Explain the labelled step before checking the changed condition.

Defend an individual network calculation. At the defence, a team shows a single toy neuron before describing the whole image-pattern experiment.

Inputs are [2,1]; weights [0.5,-1]; bias 0.2; activation is ReLU, max(0,z). This is a demonstration, not a probability model.



Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-5/36

Neural network experiment defense

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Multiply inputs

2 x 0.5=1 and 1 x (-1)=-1.



2. Add weighted terms

Pre-activation z is 1-1+0.2=0.2.



3. Apply ReLU

max(0,0.2)=0.2; this activation is not a confidence percentage.

CHANGE ONE THING

Change the second input from 1 to 2.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Calculate both weighted terms, z and ReLU **output**. Predict the changed second **input** and explain why 0.2 cannot be called 20% accuracy.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For the Image-pattern Network Investigation, save the labelled trace and the changed-case explanation beside the experiment record.

State exactly what this example supports before linking it to the wider capstone claim.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Image-pattern Network Investigation record.

Project: Image-pattern Network Investigation

Current milestone: Present and defend. Demonstrate the system, explain one failure and justify the next improvement with **evidence**.

For the Image-pattern Network Investigation, save the labelled trace and the changed-case explanation beside the experiment record. State exactly what this example supports before linking it to the wider capstone claim.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Defend an individual network calculation. At the defence, a team shows a single toy neuron before describing the whole image-pattern experiment.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? max(0,0.2)=0.2; this activation is not a confidence percentage.

1. Add weighted terms

2. Apply ReLU

3. Multiply **input**s

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Apply ReLU max(0,0.2)=0.2; this activation is not a confidence percentage.

A defence should distinguish a traceable network calculation from a claim about classification quality. The neuron transforms supplied numbers; held-out labelled cases are needed to assess the complete system.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Change the second **input** from 1 to 2. Which conclusion is supported by the supplied facts?

1. We can decide the result without examining the changed **input** or the procedure.

2. This one example guarantees correct results for every future **input**.

3. z becomes 1-2+0.2=-0.8 and ReLU returns 0.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: z becomes 1-2+0.2=-0.8 and ReLU returns 0. The negative weighted term grows; ReLU clips a negative pre-activation to zero.

Repair a missing building block

Review Capstone **limitation**s and revision (ai-5/35). Goal: Evaluate a frozen candidate and baseline on final rows. Short practice: Calculate the slice rates and explain the claim revision.

If the team trains on the shifted evaluation patterns, what kind of **evidence** does their rerun provide?. Return to this week and explain what you changed.

Review Capstone hypothesis and baseline (ai-5/33). Goal: Write a testable capstone hypothesis and a credible baseline. Short practice: Name the intended change, the baseline and the measured outcome.

Why must both versions avoid **training** on the eight reserved labels?. Return to this week and explain what you changed.

Review Dataset shift in neural models (ai-5/30). Goal: Explain how a changed **input** mix can change overall accuracy. Short practice: Did the supplied model's dim-light accuracy deteriorate?

Point to the relevant step in the picture, then write the changed result and the rule or **evidence** that supports it.. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


> **What I repaired, the evidence I kept and the next test**
>
> | | |
> |---|---|
> | | |
> | | |
> | | |

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Neural network experiment defense picture from its labels, then record a relevant limit.

01. Neural network experiment defense: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Defend an individual network calculation. At the defence, a team shows a single toy neuron before describing the whole image-pattern experiment.

Supplied facts: **Input**s are [2,1]; weights [0.5,-1]; bias 0.2; activation is ReLU, max(0,z). This is a demonstration, not a probability model.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Multiply **input**s: 2×0.5=1 and 1×(-1)=-1. → Add weighted terms: Pre-activation z is 1-1+0.2=0.2. → Apply ReLU: max(0,0.2)=0.2; this activation is not a confidence percentage.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. One toy ReLU neuron: not a probability




Follow the labelled picture with the matching explanation. Open the vector diagram

One toy ReLU neuron: not a probability. **Input**s: [2, 1]; weights: [0.5, -1]; bias: 0.2; activation: relu; **output**: 0.2.

> Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: max(0,0.2)=0.2; this activation is not a confidence percentage. Changed condition: Change the second **input** from 1 to 2. Expected result: z becomes 1-2+0.2=-0.8 and ReLU returns 0.

Reason: The negative weighted term grows; ReLU clips a negative pre-activation to zero.

> Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram


A defence should distinguish a traceable network calculation from a claim about classification quality. The neuron transforms supplied numbers; held-out labelled cases are needed to assess the complete system.

Limit: This one-neuron arithmetic does not establish how a trained image classifier generalises or why its full network makes a decision.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Image-pattern Network Investigation, save the labelled trace and the changed-case explanation beside the experiment record. State exactly what this example supports before linking it to the wider capstone claim.

Draw your **input**, deciding step, result and limit. Supported question: Calculate both weighted terms, z and ReLU **output**. Predict the changed second **input** and explain why 0.2 cannot be called 20% accuracy.

> Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.