Human escalation workflows

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Grounded Learning Service

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Human escalation workflows before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Incident investigation

Without opening the old lesson, explain one key idea from Incident investigation. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Release and rollback

Without opening the old lesson, explain one key idea from Release and rollback. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Caching and stale information

Without opening the old lesson, explain one key idea from Caching and stale information. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Human escalation workflows trace and record the first step you can explain without help.

Use W2: Trace the worked case for Human escalation workflows. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Human escalation workflows explanation against the supplied facts before discussing it.

Use the worked case for Human escalation workflows. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Apply a new case independently

Reviewer deadline is16:00; no reply by16:00. Policy says remain pending, not auto-approve. Decide.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

WORKBOOK · 5 OF 15

W1 Explain the mechanism

> Explain the mechanism. Apply the supplied Human escalation workflows facts and keep your reasoning.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

> **My reasoning and evidence**

WORKBOOK · 6 OF 15

W2 Trace the worked case

> Trace the worked case. Apply the supplied Human escalation workflows facts and keep your reasoning.

Conflict is detected, but no reviewer is assigned and the system silently books the first room. Show the intermediate steps and give the conclusion with its scope.

My reasoning and evidence

WORKBOOK · 7 OF 15

W3 Audit the limit

> Audit the limit. Apply the supplied Human escalation workflows facts and keep your reasoning.

A report omits this qualification: Escalation without a responsible actor and declared fallback cannot guarantee resolution. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

My reasoning and evidence

WORKBOOK · 8 OF 15

W4 Apply a new case independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Apply a new case independently. Apply the supplied Human escalation workflows facts and keep your reasoning.

Reviewer deadline is16:00; no reply by16:00. Policy says remain pending, not auto-approve. Decide.

My reasoning and evidence

WORKBOOK · 9 OF 15

W5 Design a revealing follow-up

> Design a revealing follow-up. Apply the supplied Human escalation workflows facts and keep your reasoning.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Human escalation workflows to Grounded Learning Service, identify a limit and choose the next useful test.

Add a labelled human escalation workflows **evidence** sheet to Grounded Learning Service. Show how you can explain the **mechanism** and terminology of human escalation workflows.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15

Pictorial case practice: Human escalation workflows

> A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only. Explain the labelled step before checking the changed condition.

A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only.

The contract excludes equipment certification. An assigned adult supervisor handles equipment concerns.

AI ACADEMY / AI-6/27

Human escalation workflows

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Recognise boundary

The requested judgement is outside this service's authority.



2. Route the question

Give the designated supervisor route without inventing a verdict.



3. Preserve reported facts

Record the concern as reported, not as a confirmed diagnosis.

CHANGE ONE THING

No supervisor is currently reachable.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Identify the exact service boundary in the bottle question. What accurate information belongs in the supervisor handoff, and what remains unresolved if nobody is reachable?

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Grounded Learning Service record.

Project: Grounded Learning Service

Current milestone: Prepare the demonstration. Gather reproducible instructions, **evidence**, access checks and remaining limitations.

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	

Evidence to keep	My record
One change since the previous checkpoint and why	
One error or limit and the next test	

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Record the concern as reported, not as a confirmed diagnosis.

> 1. Recognise boundary

2. Route the question

3. Preserve reported facts

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Preserve reported facts Record the concern as reported, not as a confirmed diagnosis. Escalation needs an appropriate person and accurate context.

Model confidence cannot replace required authority or physical inspection.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: No supervisor is currently reachable. Which conclusion is supported by the supplied facts?

1. State unresolved status and use the institution’s approved waiting procedure.

2. We can decide the result without examining the changed **input** or the procedure.

3. This one example guarantees correct results for every future **input**.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: State unresolved status and use the institution’s approved waiting procedure. Lack of a human reply does not expand the bot’s authority.

Repair a missing building block

Review Incident investigation (ai-6/26). Goal: Explain the **mechanism** and terminology of incident investigation. Short practice: Order the three incident records and locate the old **evidence** version.

How does the investigation change if the trace instead retrieves version 6 but drafts room C?. Return to this week and explain what you changed.

Review Release and rollback (ai-6/24). Goal: Explain the **mechanism** and terminology of release and rollback. Short practice: Compute A's and B's correctness percentages.

Why is B still blocked, and does passing a fresh privacy check automatically satisfy every release gate?. Return to this week and explain what you changed.

Review Caching and stale information (ai-6/21). Goal: Explain the **mechanism** and terminology of caching and stale information. Short practice: Identify the version mismatch in the cached 09:00 answer.

What should the first version-5 request return, and what permits a later version-5 cache hit?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


> **What I repaired, the evidence I kept and the next test**

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Human escalation workflows picture from its labels, then record a relevant limit.

01. Human escalation workflows: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


A useful human handoff. A learner asks whether a damaged laboratory bottle is safe; the bot handles lesson notes only. Supplied facts: The contract excludes equipment certification.

An assigned adult supervisor handles equipment concerns.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Recognise boundary: The requested judgement is outside this service's authority. → Route the question: Give the designated supervisor route without inventing a verdict. → Preserve reported facts: Record the concern as reported, not as a confirmed diagnosis.

> Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Human escalation workflows — evidence trace



Follow the labelled picture with the matching explanation. Open the vector diagram

Human escalation workflows — **evidence** trace.


Conflict is detected, but no reviewer is assigned and the system silently books the first room. | Toy workflow routes conflicting room approval to coordinator with source IDs and requested decision.

While awaiting review the assistant returns needs_review and performs no booking. | Escalation is incomplete and booking unauthorised. Assign responsible coordinator, provide conflict packet and preserve review status.

> Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Record the concern as reported, not as a confirmed diagnosis. Changed condition: No supervisor is currently reachable.

Expected result: State unresolved status and use the institution’s approved waiting procedure. Reason: Lack of a human reply does not expand the bot’s authority.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram


Escalation needs an appropriate person and accurate context. Model confidence cannot replace required authority or physical inspection.

Limit: This is a fictional workflow, not a real laboratory safety procedure; institutions define authorised responses.

Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Grounded Learning Service, retain an annotated trace and the changed-case result. Name the contract or **evidence** that makes the deciding step valid, so another team can review it.

Draw your **input**, deciding step, result and limit. Supported question: Identify the exact service boundary in the bottle question.

What accurate information belongs in the supervisor handoff, and what remains unresolved if nobody is reachable?

Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.