Experimental units and independence

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Reproducible AI Research Study

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Experimental units and independence before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Baselines and fair comparisons

Without opening the old lesson, explain one key idea from Baselines and fair comparisons. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

A literature comparison matrix

Without opening the old lesson, explain one key idea from A literature comparison matrix. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Finding primary research

Without opening the old lesson, explain one key idea from Finding primary research. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Experimental units and independence trace and record the first step you can explain without help.

Use W2: Trace the worked case for **Experimental unit**s and independence. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Experimental units and independence explanation against the supplied facts before discussing it.

Use the worked case for **Experimental unit**s and independence. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Apply a new case independently

Five classrooms each contribute20 student responses under a classroom-level assignment. Identify assignment units and measurements.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

W1 Explain the mechanism

> Explain the mechanism. Apply the supplied Experimental units and independence facts and keep your reasoning.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

> **My reasoning and evidence**

W2 Trace the worked case

> Trace the worked case. Apply the supplied Experimental units and independence facts and keep your reasoning.

Three queries each run four times produce12 **output**s. Show the intermediate steps and give the conclusion with its scope.

My reasoning and evidence

W3 Audit the limit

> Audit the limit. Apply the supplied Experimental units and independence facts and keep your reasoning.

A report omits this qualification: Independence follows design and relationships, not row count. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

My reasoning and evidence

W4 Apply a new case independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Apply a new case independently. Apply the supplied Experimental units and independence facts and keep your reasoning.

Five classrooms each contribute20 student responses under a classroom-level assignment. Identify assignment units and measurements.

> **My reasoning and evidence**

W5 Design a revealing follow-up

> Design a revealing follow-up. Apply the supplied Experimental units and independence facts and keep your reasoning.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Experimental units and independence to Reproducible AI Research Study, identify a limit and choose the next useful test.

Add a labelled **experimental unit**s and independence **evidence** sheet to Reproducible AI Research Study. Show how you can explain the **mechanism** and terminology of **experimental unit**s and independence.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

My project change, supporting evidence and remaining limit

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

Pictorial case practice: Experimental units and independence

> Photos are not always independent plants. A dataset has twelve photos: three views of each of four plants. The intended use is identifying new plants. Explain the labelled step before checking the changed condition.

Photos are not always independent plants. A dataset has twelve photos: three views of each of four plants. The intended use is identifying new plants.

Plant IDs P1–P4 each have three views. All views of a plant must stay in one split.

AI ACADEMY / AI-7/9

Keep all views of a plant together

	Plant with 3 views	Plant with 3 views
Train: 6 photos	**P1**	**P2**
Evaluate: 6 photos	**P3**	**P4**

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-7/9

Experimental units and independence

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Identify the unit

Four plants, not twelve independent plants, generated the observations.



2. Group before splitting

Assign whole plant IDs to training or evaluation.



3. Trace a valid split

Train on P1,P2 and evaluate on P3,P4: six photos per split.

CHANGE ONE THING

Put one P1 view into evaluation while other P1 views train.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Count independent plants and photo views. Construct the stated group-correct split, then explain why placing a P1 view in evaluation creates leakage for the new-plant goal.

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning.

Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

WORKBOOK · 13 OF 15

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Reproducible AI Research Study record.

Project: Reproducible AI Research Study

Current milestone: Make a transparent first version. Keep a trace of how one **input** becomes an **output**; explain the rule or learned component.

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	
One error or limit and the next test	

Explain what this week adds to your project. Reuse last week's record rather than starting again.

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Photos are not always independent plants. A dataset has twelve photos: three views of each of four plants. The intended use is identifying new plants.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Train on P1,P2 and evaluate on P3,P4: six photos per split.

1. Group before splitting

2. Identify the unit

3. Trace a valid split

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Trace a valid split Train on P1,P2 and evaluate on P3,P4: six photos per split. Repeated views from one object share information.

Counting them as independent units or scattering them across splits can exaggerate **evidence** for new-object performance.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: Put one P1 view into evaluation while other P1 views train. Which conclusion is supported by the supplied facts?

1. Flag object-level leakage for this new-plant target.

2. This one example guarantees correct results for every future **input**.

3. We can decide the result without examining the changed **input** or the procedure.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Flag object-level leakage for this new-plant target. Evaluation now includes a plant already represented during **training**.

Repair a missing building block

Review Baselines and fair comparisons (ai-7/8). Goal: Explain the **mechanism** and terminology of baselines and fair comparisons. Short practice: Calculate 6/8 and 7/8 correctness and name the one-case gain.

Why is giving B the answer key incompatible with an unseen comparison to the simple baseline?. Return to this week and explain what you changed.

Review A literature comparison matrix (ai-7/6). Goal: Explain the **mechanism** and terminology of a literature comparison matrix.

Short practice: Explain why 8/10 indoors and 16/20 outdoors share a rate but not a controlled comparison. Which condition column must the literature matrix preserve?. Return to this week and explain what you changed.

Review Finding primary research (ai-7/3). Goal: Explain the **mechanism** and terminology of finding primary research. Short practice: Separate what the blog claims from what the original report records.

Which methods and denominator must be inspected, and what status is honest if the original report is unavailable?. Return to this week and explain what you changed.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


> **What I repaired, the evidence I kept and the next test**
>
> | |
> |---|
> | |
> | |
> | |
> | |

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Experimental units and independence picture from its labels, then record a relevant limit.

01. Experimental units and independence: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Photos are not always independent plants. A dataset has twelve photos: three views of each of four plants. The intended use is identifying new plants. Supplied facts: Plant IDs P1–P4 each have three views.

All views of a plant must stay in one split.

Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps




Follow the labelled picture with the matching explanation. Open the vector diagram

Identify the unit: Four plants, not twelve independent plants, generated the **observation**s. → Group before splitting: Assign whole plant IDs to **training** or evaluation. → Trace a valid split: Train on P1,P2 and evaluate on P3,P4: six photos per split.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Keep all views of a plant together




Follow the labelled picture with the matching explanation. Open the vector diagram

Keep all views of a plant together. Train: 6 photos: Plant with 3 views = P1, Plant with 3 views = P2. Evaluate: 6 photos: Plant with 3 views = P3, Plant with 3 views = P4.

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Train on P1,P2 and evaluate on P3,P4: six photos per split. Changed condition: Put one P1 view into evaluation while other P1 views train. Expected result: Flag object-level leakage for this new-plant target.

Reason: Evaluation now includes a plant already represented during **training**.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram


Repeated views from one object share information. Counting them as independent units or scattering them across splits can exaggerate **evidence** for new-object performance.

Limit: Four plants offer little population coverage; even a group-correct split may be too small for broad conclusions.

> Explain the case, then point to a limit on the claim.

My picture explanation, deciding evidence and one limit

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Draw your **input**, deciding step, result and limit. Supported question: Count independent plants and photo views.

Construct the stated group-correct split, then explain why placing a P1 view in evaluation creates leakage for the new-plant goal.

> Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.