Multiple comparisons

Learn to understand, design, build, test and explain AI systems responsibly.

Project: Reproducible AI Research Study

WORKBOOK · 1 OF 15

Recall and choose your starting point

> Record your starting explanation for Multiple comparisons before opening notes. Show any later correction separately.

Try the recall before opening notes. Then use a different colour or a labelled second line to correct your explanation.

Statistical tests and assumptions

Without opening the old lesson, explain one key idea from Statistical tests and assumptions. Give an example and a mistake that the idea helps you avoid.

> **My remembered idea, example and correction**

Uncertainty intervals

Without opening the old lesson, explain one key idea from Uncertainty intervals. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

Experimental units and independence

Without opening the old lesson, explain one key idea from Experimental units and independence. Give an example and a mistake that the idea helps you avoid.

My remembered idea, example and correction

WORKBOOK · 2 OF 15

Practise with fading help

> Complete the supported Multiple comparisons trace and record the first step you can explain without help.

Use W2: Trace the worked case for **Multiple comparisons**. Record the answer once; the lesson and workbook refer to the same attempt.

Given inputs	Procedure I chose	Middle steps	Result and check

The step I completed without help, and the hint I needed

WORKBOOK · 3 OF 15

Individual reasoning check

> Check the proposed Multiple comparisons explanation against the supplied facts before discussing it.

Use the worked case for **Multiple comparisons**. Proposed explanation: “The worked result establishes every future case”. Decide whether this explanation is supported.

Point to the step or supplied fact that decides; explain your repair if needed.

My explanation before partner discussion

WORKBOOK · 4 OF 15

Independent transfer case

> Write one first attempt at the reserved independent case before feedback. Repeated copies of that case refer to the same recorded attempt.

Independent case: Apply a new case independently

Four tests have p-values .01, .02, .2, .9. Compute threshold and decisions.

> **My independent explanation, trace and limits**

Attempt this case before feedback. Record any help. Earlier examples below are further practice; a case already practised with feedback cannot establish fresh transfer.

W1 Explain the mechanism

> Explain the mechanism. Apply the supplied Multiple comparisons facts and keep your reasoning.

Explain the weekly **mechanism** in your own words. Use the worked scenario to name its **input**, decision rule and **output**.

> **My reasoning and evidence**

W2 Trace the worked case

> Trace the worked case. Apply the supplied Multiple comparisons facts and keep your reasoning.

Five tests have p-values .009, .012, .3, .4, .8. Show the intermediate steps and give the conclusion with its scope.

My reasoning and evidence

W3 Audit the limit

> Audit the limit. Apply the supplied Multiple comparisons facts and keep your reasoning.

A report omits this qualification: Adjustment cannot repair invalid tests, post-hoc outcome selection or unreported analyses. Explain how omitting it could change a reader's interpretation, and write an accurate replacement.

My reasoning and evidence

W4 Apply a new case independently

> Attempt before feedback. If this repeats the selected independent case, reuse that first attempt; otherwise keep a separate record. Apply a new case independently. Apply the supplied Multiple comparisons facts and keep your reasoning.

Four tests have p-values .01, .02, .2, .9. Compute threshold and decisions.

My reasoning and evidence

W5 Design a revealing follow-up

> Design a revealing follow-up. Apply the supplied Multiple comparisons facts and keep your reasoning.

For the worked scenario, propose one additional case that could reveal a failure, describe its expected outcome before running it, and explain what would need to remain fixed for a fair comparison.

Do not reuse W4 as a new final test after receiving feedback.

My reasoning and evidence

WORKBOOK · 10 OF 15

Project checkpoint and reflection

> Connect Multiple comparisons to Reproducible AI Research Study, identify a limit and choose the next useful test.

Add a labelled **multiple comparisons evidence** sheet to Reproducible AI Research Study. Show how you can explain the **mechanism** and terminology of **multiple comparisons**.

Use the supplied fictional case and keep its **input**s, intermediate steps, calculation or **prediction**, and limitation. Connect this record to last week's record; a matching answer without a trace is insufficient.

> **My project change, supporting evidence and remaining limit**

WORKBOOK · 11 OF 15

Feedback, return check and learning record

> Record the first repaired step and a different case to revisit after a delay.

Evidence	My record
Worked alone / hint / model	
First step I repaired and why	
New case checked later; date and result	

Evidence	My record
What I can now explain without notes	
One remaining question	

Revisit this idea with your teacher after a delay. Familiarity is different from explaining and using it on a changed case.

WORKBOOK · 12 OF 15

Pictorial case practice: Multiple comparisons

> Six declared prompt comparisons. A team performs six valid hypothesis tests and applies a predeclared Bonferroni familywise threshold. Explain the labelled step before checking the changed condition.

Six declared prompt comparisons. A team performs six valid hypothesis tests and applies a predeclared Bonferroni familywise threshold.

Familywise alpha=0.05. Supplied unadjusted p-values are 0.004,0.012,0.02,0.08,0.4,0.9. These values are stipulated, not calculated from invented data.

AI ACADEMY / AI-7/15

Supplied p-values and six-test decisions

	Supplied p	At cutoff 0.00833
Test 1	0.004	Reject
Test 2	0.012	Do not reject
Test 3	0.02	Do not reject
Test 4	0.08	Do not reject
Test 5	0.4	Do not reject
Test 6	0.9	Do not reject

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram

AI ACADEMY / AI-7/15

Multiple comparisons

Start with the supplied facts

Follow each arrow. Ask which fact allows the next step.



1. Count the planned tests

There are six tests in the declared family.



2. Compute corrected threshold

0.05/6 is about 0.00833 for each test.



3. Apply all six decisions

Only 0.004 is below 0.00833; the other five do not reject under this rule.

CHANGE ONE THING

The declared family has ten tests instead of six; keep the listed values unchanged.

Explain the changed result using the matching lesson.

Follow the labelled picture with the matching explanation. Open the vector diagram

Calculate the six-test cutoff and identify which supplied p-values reject. Why must the team count every planned comparison rather than report only its smallest p-value?

My picture-based explanation and changed-case prediction

Record the help used

Support used: alone / hint / worked example. This record is practice **evidence**.

Project connection: For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning.

Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Project portfolio milestone

> Keep this week's input, deciding step, result and limit together in the Reproducible AI Research Study record.

Project: Reproducible AI Research Study

Current milestone: Test changed cases. Keep normal, boundary and failure cases; compare expected and observed results.

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Evidence to keep	My record
This week's input and deciding step	
Prediction and actual result (or labelled paper trace)	
One change since the previous checkpoint and why	
One error or limit and the next test	

> **Explain what this week adds to your project. Reuse last week's record rather than starting again.**

WORKBOOK · 14 OF 15

Supported practice and learning evidence

> Try the supported questions before comparing with hints and feedback. Record what you repaired and the evidence you retained.

Use this supported practice once, in the browser or on paper. Keep the reserved independent assessment for a separate first attempt before teacher feedback.

Six declared prompt comparisons. A team performs six valid hypothesis tests and applies a predeclared Bonferroni familywise threshold.

Practice 1: explain the deciding evidence

Which labelled step matches this detail? Only 0.004 is below 0.00833; the other five do not reject under this rule.

1. Apply all six decisions

2. Compute corrected threshold

3. Count the planned tests

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Read the steps in the pictorial case. Match the supplied detail to the stage that performs or records it.

Feedback · compare after trying

After your attempt, compare with the supported explanation: Apply all six decisions Only 0.004 is below 0.00833; the other five do not reject under this rule.

Searching many comparisons provides more chances for false positives. Bonferroni divides the error allowance across the declared family; valid individual p-values are required.

A rejected null is not automatically a large or useful improvement.

Practice 2: explain the deciding evidence

Changed case · predict first

Changed-case practice: The declared family has ten tests instead of six; keep the listed values unchanged. Which conclusion is supported by the supplied facts?

1. This one example guarantees correct results for every future **input**.

2. We can decide the result without examining the changed **input** or the procedure.

3. The cutoff becomes 0.005, and only 0.004 among the listed values still rejects.

My selected conclusion, deciding fact and explanation

Hint · try first

Hint if needed: Use the changed condition and the deciding step in the pictorial trace. The answer must say what follows from those facts.

Feedback · compare after trying

After your attempt, compare with the supported explanation: The cutoff becomes 0.005, and only 0.004 among the listed values still rejects.

> The error allowance is divided among ten tests; all ten results must be reported, including the four not supplied here.

Repair a missing building block

Review Statistical tests and assumptions (ai-7/14). Goal: Explain the **mechanism** and terminology of statistical tests and assumptions. Short practice: Calculate each paired difference and the observed sum.

Count null arrangements with absolute sum at least four, compute p, and explain the decision at threshold 0.05.. Return to this week and explain what you changed.

Review Uncertainty intervals (ai-7/12). Goal: Explain the **mechanism** and terminology of uncertainty intervals. Short practice: Locate -0.8 and zero relative to the supplied interval [-1.4,-0.2].

Interpret the sign and confidence-method meaning, then describe what changes with interval [-1.4,0.3].. Return to this week and explain what you changed.

Review Experimental units and independence (ai-7/9). Goal: Explain the **mechanism** and terminology of experimental units and independence. Short practice: Count independent plants and photo views.

Construct the stated group-correct split, then explain why placing a P1 view in evaluation creates leakage for the new-plant goal.. Return to this week and explain what you changed.

Predict, run and debug

The browser lab lets you edit the supported Python examples already included in this lesson. Predict first, run, inspect the actual **output** or error, change one **input**, then run again.

Keep code, **prediction**s, actual results and a reasoned revision together. On paper, label your result as a trace rather than an execution.

Keep your completed work

Use Download completed work in the hosted lesson to export your answers, reflections, practice feedback and code-run **evidence**. Open the HTML copy to read or print it.

Drafts stay in this browser when storage is available; clear drafts on a shared device.


What I repaired, the evidence I kept and the next test

WORKBOOK · 15 OF 15

Visual concept journey

> Explain each Multiple comparisons picture from its labels, then record a relevant limit.

01. Multiple comparisons: the case



Follow the labelled picture with the matching explanation. Open the vector diagram


Six declared prompt comparisons. A team performs six valid hypothesis tests and applies a predeclared Bonferroni familywise threshold. Supplied facts: Familywise alpha=0.05.

Supplied unadjusted p-values are 0.004,0.012,0.02,0.08,0.4,0.9. These values are stipulated, not calculated from invented data.

> Point to the given fact that matters most. Explain why it matters.

My picture explanation, deciding evidence and one limit

02. Follow the deciding steps



Follow the labelled picture with the matching explanation. Open the vector diagram

Count the planned tests: There are six tests in the declared family. → Compute corrected threshold: 0.05/6 is about 0.00833 for each test. → Apply all six decisions: Only 0.004 is below 0.00833; the other five do not reject under this rule.

Point to each numbered stage and explain which recorded **input** it uses.

My picture explanation, deciding evidence and one limit

03. Supplied p-values and six-test decisions

AI ACADEMY / AI-7/15

Supplied p-values and six-test decisions

	Supplied p	At cutoff 0.00833
Test 1	0.004	Reject
Test 2	0.012	Do not reject
Test 3	0.02	Do not reject
Test 4	0.08	Do not reject
Test 5	0.4	Do not reject
Test 6	0.9	Do not reject

Read a cell using both its row and column labels.

Follow the labelled picture with the matching explanation. Open the vector diagram


Supplied p-values and six-test decisions. Test 1: Supplied p = 0.004, At cutoff 0.00833 = Reject. Test 2: Supplied p = 0.012, At cutoff 0.00833 = Do not reject. Test 3: Supplied p = 0.02, At cutoff 0.00833 = Do not reject.

Test 4: Supplied p = 0.08, At cutoff 0.00833 = Do not reject. Test 5: Supplied p = 0.4, At cutoff 0.00833 = Do not reject. Test 6: Supplied p = 0.9, At cutoff 0.00833 = Do not reject.

Read the labels and values. Explain the relationship the model shows.

My picture explanation, deciding evidence and one limit

04. Change one thing. Trace what follows.



Follow the labelled picture with the matching explanation. Open the vector diagram


Original case: Only 0.004 is below 0.00833; the other five do not reject under this rule. Changed condition: The declared family has ten tests instead of six; keep the listed values unchanged.

Expected result: The cutoff becomes 0.005, and only 0.004 among the listed values still rejects. Reason: The error allowance is divided among ten tests; all ten results must be reported, including the four not supplied here.

Predict before checking the worked changed-case result. Name what changed and what the supplied facts allow you to conclude.

My picture explanation, deciding evidence and one limit

05. Connect the explanation to its limit



Follow the labelled picture with the matching explanation. Open the vector diagram

Searching many comparisons provides more chances for false positives. Bonferroni divides the error allowance across the declared family; valid individual p-values are required.


A rejected null is not automatically a large or useful improvement. Limit: No effect size or real data is supplied.

Bonferroni can be conservative and cannot repair invalid p-values or undisclosed outcome-driven test selection.

> Explain the case, then point to a limit on the claim.

> **My picture explanation, deciding evidence and one limit**

06. Make the idea visible in your project



Follow the labelled picture with the matching explanation. Open the vector diagram

For the Reproducible AI Research Study, retain an annotated worked trace and the changed-case reasoning. Connect the claim to its records, units and assumptions so another investigator can challenge or reproduce it.

Draw your **input**, deciding step, result and limit. Supported question: Calculate the six-test cutoff and identify which supplied p-values reject.

Why must the team count every planned comparison rather than report only its smallest p-value?

> Draw your project trace and justify the deciding step using **evidence**.

My picture explanation, deciding evidence and one limit

Save or print your responses for your portfolio. Progress and drafts on the hosted website stay in the current browser. Use only fictional or teacher-approved data.