Microsoft Azure is a cloud computing software. In cloud computing we don't have servers we have data centres.
Azure allows you to run many services on a single datacentre like exchange server, sql server, oracle server, mysql server, active directory services, Azure allows you to deploy your custom made web applications in any languages like java, asp.net, python, php etc on a
datacentre. On a datacentre we can also create virtual machines. Steps to create sql server on azure are as follow.

In Azure first of all we have to create a Resource Group which can be a virtual machine or windows server, On a Resource Group we have resources like SQL Server Database, MySQL Database, Microsoft Exchange Server or Oracle Server.



Basics | **Networking** | Security | Additional settings | Tags | Review + create

Configure network access and connectivity for your server. The configuration selected below will apply to the selected server 'mydb12345' and all databases it manages. Learn more

Firewall rules

The settings displayed below are read-only. They can be modified from the "Firewalls and virtual networks" blade for the selected server after database creation. Learn more

Allow Azure services and resources to access this server: No | Yes

Add current client IP address *: No | Yes

Private endpoints

Private endpoint connections are associated with a private IP address within a Virtual Network. The list below shows all the private endpoint connections for this server. Note that private endpoint connections are defined at the server level and they provide access to all databases in the server. Learn more

+ Add private endpoint

Name	Subscription	Resource group	Region	Subnet
Click on add to create private endpoint				

Connection policy

The settings displayed below are read-only. They can be modified from the "Firewalls and virtual networks" blade for the selected server after database creation. Learn more

Connection policy

- (●) Default - Uses Redirect policy for all client connections originating inside of Azure and Proxy for all client connections originating outside Azure
- ( ) Proxy - All connections are proxied via the Azure SQL Database gateways
- ( ) Redirect - Clients establish connections directly to the node hosting the database

Encrypted connections

The settings displayed below are read-only. They can be modified from the "Firewalls and virtual networks" blade for the selected server after database creation. Learn more

Minimum TLS version: TLS 1.2

Microsoft Defender for SQL

Protect your data using Microsoft Defender for SQL, a unified security package including vulnerability assessment and advanced threat protection for your server. Learn more

Microsoft Defender for SQL has already been enabled on the selected server.

Ledger

Ledger cryptographically verifies the integrity of your data and detects any tampering that might have occurred. Learn more

Ledger

Not configured
Configure ledger

Identity

Use system-assigned and user-assigned managed identities to enable central access management between this database and other Azure resources. Learn more

Identity settings for the existing server can be updated by navigating to 'mydb12345'

Transparent data encryption

Customize additional configuration parameters including collation & sample data.

Data source

Start with a blank database, restore from a backup or select sample data to populate your new database.

Use existing data *

None | Backup | Sample

Database collation

Database collation defines the rules that sort and compare data, and cannot be changed after database creation. The default database collation is SQL_Latin1_General_CP1_CI_AS. Learn more

Collation *

SQL_Latin1_General_CP1_CI_AS

Find a collation

Maintenance window

Select a preferred maintenance window from the drop down. Please note, during a maintenance event, Azure SQL Database are fully available and accessible but some of the maintenance updates require a failover as Azure takes SQL DB instances offline for a short time to apply the maintenance updates. If the database is part of elastic pool, the maintenance configuration of elastic pool will be applied. Learn more

Maintenance window

System default (5pm to 8am)

Basics Networking Security Additional settings **Tags** Review + create

Tags are name/value pairs that enable you to categorize and view consolidated billing by applying the same tag to multiple resources and resource groups. Learn more

Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.

Name	Value	Resource
		SQL database

Create < Previous Download a template for automation

Deployment is in progress

Deployment name: Microsoft.SQLDatabase.newDatabaseExistingSe...
Subscription: Pay-As-You-Go
Resource group: SQLServer1

Start time: 7/9/2022, 11:06:06 AM
Correlation ID: 3d6e87b7-5378-4423-a1d0-7a3d6e8dd934

Deployment details (Download)

Resource	Type	Status	Operation details
mydb12345/mydb123456	Microsoft.Sql/servers/databases	Accepted	Operation details
mydb12345	Microsoft.Sql/servers	OK	Operation details

Start working with your database

Connect to your database and start working with data with a few simple steps. Learn more

Configure access

Configure network access to your SQL server. Learn more

Configure

Connect to application

Use connection strings to connect to your SQL database from your applications and favorite tools.

See connection strings

Start developing

Work in your database by using tools to add, modify and query data. Compare tools

Open Azure Data Studio

Open in Visual Studio

Start Modern Data Workflow in Azure Data Studio

Azure Data Studio is a new open source, cross-platform desktop environment for data professionals using the Azure Data family of on-premises and cloud data platforms. Learn more

Download Azure Data Studio

Already have the app? Launch it now