SimpliLearn

Assesment project 1: budget application

Source code

Index.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Budget App</title>
  <link rel="stylesheet" href="index.css" />
 </head>
<body>
  <div class="container">
   <div class="header">
    <h1>Budget App</h1>
   </div>
   <div class="budget-section">
    <div class="budget col col-md col-sm">
     <h2>budget</h2>
     <img src="image/money-bag.svg" width="40" alt="" />
     $ <span id="budgetAmount">0</span>
    </div>
    <div class="expenses col col-md col-sm">
     <h2>expenses</h2>
     <img src="image/accounting.svg" width="40" alt="" />
     $ <span id="expensesAmount">0</span>
    </div>
    <div class="balance col col-md col-sm">
     <h2>balance</h2>
     <img src="image/law.svg" width="40" alt="" />
     $ <span id="balanceAmount">0</span>
    </div>
   </div>
```

```
<div id="displayExpenses">
  <div class="budget-list">
   <div class="col">
    <h4>expense title</h4>
   </div>
   <div class="col">
    <h4>expense value</h4>
   </div>
   <div class="col"></div>
  </div>
  <div id="expValue"></div>
 </div>
</div>
<div class="toggle">
 <button id="myBtn" type="button">+</button>
</div>
<!-- The Modal -->
<div id="myModal" class="modal">
 <!-- Modal content -->
 <div class="modal-content">
  <div class="modal-header">
   <span class="close">&times;</span>
   <h2>Budget Form</h2>
  </div>
  <div class="modal-body">
   <div class="budget-form" id="budgetform">
    <form id="addForm">
      <label for=""> Make a budget</label> <br />
      <input type="number" id="number" /> <br />
      <button type="submit">Add Budget</button>
    </form>
   </div>
   <div class="expense-form" id="expense-form">
    <form action="" id="expForm">
      <div class="">
       <label for="">please enter your expense</label> <br />
       <input type="text" id="expName" />
      </div>
```

```
<div class="">
         <label for="">please enter expense amount</label> <br />
         <input type="number" id="expNumber" />
        </div>
        <button type="submit" id="submitExpen">Add expense/button>
       </form>
       <button onclick="callBudget()" id="bug">
        Back to add budget ->
       </button>
      </div>
      <div class="edit-form" id="editForm">
       <form action="" id="saveEdit">
        <div class="">
         <label for="">Edit your expense</label> <br />
         <input type="text" id="editExpName" />
        </div>
        <div class="">
         <label for="">Edit expense amount</label> <br />
         <input type="number" id="editExpNumber" />
        </div>
        <button type="submit">Save changes/button>
       </form>
      </div>
    </div>
   </div>
  </div>
  <script src="index.js"></script>
 </body>
</html>
```

Index.css

```
@font-face {
font-family: "General";
    src: url("./font/Nunito-ExtraLight.ttf");
```

```
}
  @font-face {
font-family: "heading";
src: url("./font/Nunito-Bold.ttf");
  body {
  margin: 0;
   padding: 0;
   width: 100%;
   font-family: "General";
   height: 100vh;
   background-color: #f5f5f5;
  .container {
   min-height: 80vh;
  }
  .header {
   height: 60px;
   width: 100%;
  }
  h1 {
   margin: 0;
   text-align: center;
   font-family: "heading";
   padding-top: 10px;
  .budget-section {
   display: flex;
   justify-content: space-around;
   align-items: flex-start;
   width: 100%;
   min-height: 160px;
   font-weight: 900;
  .budget-list {
  display: flex;
   justify-content: space-around;
   align-items: flex-start;
   width: 100%;
   height: 70px;
```

```
font-size: 20px;
}
.exp-amount {
color: #b80c09;
.amount {
color: #317b22;
}
.col {
width: 40%;
text-align: center;
text-transform: capitalize;
.col p {
font-size: 40px;
padding-top: 5px;
margin: 0;
.toggle {
position: fixed;
right: 0;
bottom: 18px;
}
.toggle button {
border: none;
border-radius: 600px;
background: #04458f;
padding: 14px 20px;
color: #ffffff;
font-size: 30px;
margin: 10px 50px 0 0;
cursor: pointer;
}
/* modal form */
.budget-form {
width: 100%;
min-height: 200px;
form {
margin: 10px 0 20px 10px;
```

```
min-height: 100px;
  }
  input {
  width: 60%;
  padding: 8px 0;
  border-radius: 6px;
  border: 1px solid gray;
  margin: 20px 0;
  padding-left: 5px;
  color: #495057;
  .budget-list .exp p {
  color: #b80c09;
  font-size: 18px;
  #displayExpenses {
  width: 100%;
  display: none;
  .expValue {
  display: flex;
justify-content: space-around;
  height: 40px;
  font-weight: 900;
  text-align: center;
  #expTitleName {
  width: 40%;
  #expValueAmount {
  width: 40%;
  }
  #edite_delete {
  width: 40%;
  #edite_delete img {
  cursor: pointer;
  #edite_delete button {
  margin-left: 1px;
```

```
background: none;
  border: none;
  }
  .budget-form button {
  background: rgb(1, 83, 1);
  border: none;
  border-radius: 6px;
  color: #ffffff;
  padding: 10px 40px;
  cursor: pointer;
  text-transform: capitalize;
  font-size: 16px;
  font-weight: 400;
  #bug {
  font-size: 14px;
  background: none;
  color: #04458f;
  margin: 0px 0px 15px 10px;
  text-align: justify;
padding: 0;
  #expense-form {
  width: 100%;
  display: none;
  #editForm {
  display: none;
  width: 100%;
  #editForm button {
  background: #b80c09;
  border: none;
  border-radius: 6px;
  color: #ffffff;
  padding: 10px 30px;
  cursor: pointer;
  text-transform: capitalize;
  font-size: 16px;
  font-weight: 400;
```

```
}
  .expense-form button {
  background: #b80c09;
   border: none;
   border-radius: 6px;
   color: #ffffff;
   padding: 10px 30px;
   cursor: pointer;
   text-transform: capitalize;
   font-size: 16px;
   font-weight: 400;
  }
  /* The Modal (background) */
  .modal {
   display: block;
  position: fixed;
   z-index: 1;
   left: 0;
   top: 0;
  width: 100%;
  height: 100%;
  overflow: auto;
  background-color: rgba(0, 0, 0, 0.4);
  animation-name: fadeln;
  animation-duration: 0.4s;
  text-transform: capitalize;
  font-weight: 600;
  }
  /* Modal Content */
  .modal-content {
  position: fixed;
  top: 20%;
  left: 25%;
  background-color: #fefefe;
  width: 50%;
min-height: 40px;
   animation-name: slideln;
  animation-duration: 0.4s;
  }
```

```
/* The Close Button */
.close {
color: white;
float: right;
font-size: 28px;
font-weight: bold;
cursor: pointer;
color: #000;
.modal-header {
padding: 2px 16px;
border-bottom: 2px solid gray;
.modal-body {
padding: 2px 16px;
/* Add Animation */
@keyframes slideIn {
from {
top: -300px;
opacity: 0;
}
to {
top: 0;
opacity: 1;
}
}
@keyframes fadeIn {
from {
opacity: 0;
to {
opacity: 1;
}
}
```

Index.js

```
const modal = document.getElementById("myModal");
const btn = document.getElementById("myBtn");
const span = document.getElementsByClassName("close")[0];
btn.onclick = function () {
 expName.value = "";
 expNumber.value = "";
 expenseForm.style.display = "block";
 editForm.style.display = "none";
 modal.style.display = "block";
};
span.onclick = function () {
 modal.style.display = "none";
};
window.onclick = function (event) {
 if (event.target == modal) {
  modal.style.display = "none";
}
};
const amountInput = document.getElementById("number");
const addForm = document.getElementById("addForm");
const budgetAmount = document.getElementById("budgetAmount");
const balanceAmount = document.getElementById("balanceAmount");
const editForm = document.getElementById("editForm");
const saveEdit = document.getElementById("saveEdit");
const editExpValue = document.getElementById("editExpValue");
const editExpNumber = document.getElementById("editExpNumber");
const expForm = document.getElementById("expForm");
const expensesAmount = document.getElementById("expensesAmount");
const expValue = document.getElementById("expValue");
```

```
const displayExpenses = document.getElementById("displayExpenses");
const expenseForm = document.getElementById("expense-form");
const budgetform = document.getElementById("budgetform");
let expName = document.getElementById("expName");
let expNumber = document.getElementById("expNumber");
let id = 0;
let details = [];
function getBudgetAmount(amount) {
 if (!amount) {
  amountInput.style.border = "1px solid #b80c09";
  amountInput.placeholder = "input can not be empty";
  amountInput.style.color = "#b80c09";
  setTimeout(() => {
   amountInput.style.color = "#495057";
   amountInput.style.border = "1px solid gray";
  }, 3000);
 } else {
  budgetAmount.innerText = amount;
  balanceAmount.innerText = amount:
  expenseForm.style.display = "block";
  budgetform.style.display = "none";
  editForm.style.display = "none";
  amountInput.value = "";
 }
}
function addExpenses(name, number) {
 if (!name.length || !number.length) {
  expName.style.border = "1px solid #b80c09";
  expName.placeholder = "input can not be empty";
  expName.style.color = "#b80c09";
  expNumber.style.border = "1px solid #b80c09";
  expNumber.placeholder = "input can not be empty";
  expNumber.style.color = "#b80c09";
  setTimeout(() => {
   expName.style.color = "#495057";
```

```
expName.style.border = "1px solid gray";
   expName.placeholder = "input can not be empty";
   expNumber.placeholder = "input can not be empty";
   expNumber.style.border = "1px solid gray";
   expNumber.style.color = "#495057";
  }, 3000);
 } else {
  const userExp = {
   id: id.
   name: name,
   number: parseInt(number),
  };
  details.push(userExp);
  displayExp(details);
  id++;
  expName.value = "";
  expNumber.value = "";
 }
}
function displayExp(details) {
 expValue.innerHTML = null;
 for (i = 0; i < details.length; i++) {
  expValue.innerHTML += `
<div class="expValue" id="${details[i].id}">
<div id="expTitleName" class="exp">${details[i].name}</div>
<div id="expValueAmount" class="exp"> <span>$ </span>
${details[i].number}</div>
<div id="edite_delete">
>
<button id="${details[i].id}" onclick="editExpDetails(${details[i].id})"> <img</pre>
src="image/edit.svg" width="15" alt="" /></button>
<button id="${details[i].id}" onclick="delExpenseDetails(${details[i].id})"><img</pre>
src="image/trash.svg" width="15" alt="" /></button>
</div>
</div>
 }
```

```
calcExpenses();
 displayExpenses.style.display = "block";
}
function calcExpenses() {
 let totalExp = 0;
 for (i = 0; i < details.length; i++) {
  totalExp = details[i].number + totalExp;
 expensesAmount.innerText = totalExp;
 updateBalance();
}
function updateBalance() {
 balanceAmount.innerText =
  parseInt(budgetAmount.innerText) - parseInt(expensesAmount.innerText);
}
function delExpenseDetails(id) {
 let index = details.findIndex((item) => item.id === id);
 details.splice(index, 1);
 displayExp(details);
}
function editExpDetails(id) {
 expenseForm.style.display = "none";
 budgetform.style.display = "none";
 editForm.style.display = "block";
 details.findIndex((item) => {
  if (item.id === id) {
    editExpName.value = item.name;
    editExpNumber.value = item.number;
    saveEdit.children[2].id = item.id;
    modal.style.display = "block";
  }
});
function getExpValue(editExpName, editExpNumber, id) {
 edited = details.findIndex((obj) => obj.id == id);
```

```
details[edited].name = editExpName;
 details[edited].number = parseInt(editExpNumber);
 displayExp(details);
function callBudget() {
 budgetform.style.display = "block";
 expenseForm.style.display = "none";
saveEdit.addEventListener("submit", (e) => {
 e.preventDefault();
 getExpValue(editExpName.value, editExpNumber.value, saveEdit.children[2].id);
});
expForm.addEventListener("submit", (e) => {
 e.preventDefault();
 addExpenses(expName.value, expNumber.value);
});
addForm.addEventListener("submit", (e) => {
 e.preventDefault();
 getBudgetAmount(amountInput.value);
});
```